SAFETY DATA SHEET

1. IDENTIFICATION

Product identifier
Product Name Nitric Acid

Other means of identification
Product Code(s) 15249

Safety data sheet number M00222

UN/ID no UN2031

Recommended use of the chemical and restrictions on use
Recommended Use Laboratory reagent.
Uses advised against None.
Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address
Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number
+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status
This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing liquids	Category 3
Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC)
Not applicable

Label elements

Signal word
Danger

Hazard statements
H272 - May intensify fire; oxidizer
H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage

Precautionary statements
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P363 - Wash contaminated clothing before reuse
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P220 - Keep/Store away from clothing/ combustible materials
P221 - Take any precaution to avoid mixing with combustibles
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
P234 - Keep only in original container
P390 - Absorb spillage to prevent material damage

Other Hazards Known
None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance
Not applicable

Mixture

Chemical Name	Nitric Acid
Chemical Family	Inorganic Acid.
Formula	HNO_3
CAS No	7697-37-2

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Nitric acid	7697-37-2	70 - 80%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
Skin contact	IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get immediate medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use water. Do not use dry chemicals or foams. CO_2 or Halon may provide limited control. Flood fire area with water from a distance. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.
Unsuitable Extinguishing Media	Dry chemical. Foam. Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	These substances will accelerate burning when involved in a fire. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Runoff may create fire or explosion hazard. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Nitrogen oxides.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Do not move cargo or vehicle if cargo has been exposed to heat. Oxidizer. May ignite combustibles (wood paper, oil, clothing, etc.). Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. Use personal protective equipment as required. Attention! Corrosive material.

Other Information

Keep combustibles (wood, paper, oil, etc) away from spilled material. DO NOT GET WATER INSIDE CONTAINERS. Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Should not be released into the environment. Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

Methods for containment

Dike far ahead of spill; use dry sand to contain the flow of material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Stop leak if you can do it without risk.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Flush area with flooding quantities of water. Prevent product from entering drains.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers. Do not store near combustible materials. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Store in accordance with particular national and local regulations.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Nitric acid CAS#: 7697-37-2	STEL: 4 ppm TWA: 2 ppm	TWA: 2 ppm TWA: 5 mg/m^3 (vacated) TWA: 2 ppm (vacated) TWA: 5 mg/m^3 (vacated) STEL: 4 ppm (vacated) STEL: 10 mg/m^3	IDLH: 25 ppm TWA: 2 ppm TWA: 5 mg/m^3 STEL: 4 ppm STEL: 10 mg/m^3

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves. Impervious gloves.

Eye/face protection Face protection shield.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Wear fire/flame resistant/retardant clothing.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance aqueous solution
Color Light yellow to colorless
Odor Suffocating
Odor threshold 0.29 ppm

Property	Values	Remarks • Method
Molecular weight	63.006 g/mole	

pH	< 0.5
Melting point/freezing point	-34 °C / -29 °F
Boiling point / boiling range	122 °C / 252 °F
Evaporation rate	3.5 (water = 1)
Vapor pressure	62.031 mm Hg / 8.27 kPa at 20 °C / 68 °F
Vapor density (air = 1)	2.5
Specific gravity (water = 1 / air = 1)	1.41
Partition Coefficient (n-octanol/water)	No data available
Soil Organic Carbon-Water Partition Coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	84 °C / 183 °F
Dynamic viscosity	2.6 cP (mPa s) at 20 °C / 68 °F
Kinematic viscosity	1.844 cSt (mm^2/s) at 20 °C / 68 °F

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acids	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity
Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate	> 6.25 mm/yr / > 0.25 in/yr
Aluminum Corrosion Rate	> 6.25 mm/yr / > 0.25 in/yr

Volatile Organic Compounds (VOC) Content
This Product is by Weight 100% an Individual Pure Chemical Substance

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Nitric acid	7697-37-2	Not applicable	-

Explosive properties

Upper explosion limit	No data available
Lower explosion limit	No data available

Flammable properties

Flash point	No data available
Flammability Limit in Air	
Upper flammability limit	No data available
Lower flammability limit	No data available
Oxidizing properties	Classified as an oxidizer according to GHS criteria.
Bulk density	No data available

10. STABILITY AND REACTIVITY

Reactivity
Oxidizer.

Chemical stability
May cause fire or explosion; strong oxidizer.

Explosion data
Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge Yes.

Possibility of Hazardous Reactions
None under normal processing.

Hazardous polymerization
None under normal processing.

Conditions to avoid
Heat, flames and sparks. Incompatible materials. Exposure to air or moisture over prolonged periods.

Incompatible materials
organic material. Combustible material. Hydrocarbons. Oxidizing agent. Acids. Bases.

Hazardous Decomposition Products
Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation	Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	May cause irritation.
Ingestion	Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the

mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Acute toxicity
Based on available data, the classification criteria are not met

Product Acute Toxicity Data
No data available.

Ingredient Acute Toxicity Data
No data available.

Unknown Acute Toxicity
0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)
Not applicable

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation
May cause skin irritation.

Product Skin Corrosion/Irritation Data
No data available.

Ingredient Skin Corrosion/Irritation Data
No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Nitric acid (70 - 80%) CAS#: 7697-37-2	Existing human experience	Human	None reported	None reported	Corrosive to skin	ERMA (New Zealands Environmental Risk Management Authority)

Serious eye damage/irritation
Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Product Serious Eye Damage/Eye Irritation Data
No data available.

Ingredient Eye Damage/Eye Irritation Data
No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Nitric acid (70 - 80%) CAS#: 7697-37-2	Existing human experience	Human	None reported	None reported	Corrosive to eyes	ERMA (New Zealands Environmental Risk Management Authority)

Respiratory or skin sensitization
Based on available data, the classification criteria are not met.

Product Sensitization Data
No data available.

Ingredient Sensitization Data
No data available.

STOT - single exposure
Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Single Exposure Data
No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data
No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Nitric acid (70 - 80%) CAS#: 7697-37-2	Rat TD_{Lo}	226500 mg/kg	None reported	**Blood** Methemoglobinemia-Carboxyhemoglobin	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	**Endpoint type**	**Reported dose**	**Exposure time**	**Toxicological effects**	**Key literature references and sources for data**
Nitric acid (70 - 80%) CAS#: 7697-37-2	Rat TC_{Lo}	460 mg/L	1 hours	**Nutritional and Gross Metabolic** Weight loss or decreased weight gain	RTECS (Registry of Toxic Effects of Chemical Substances)

STOT - repeated exposure
Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Repeat Dose Data
No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data
No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Nitric acid (70 - 80%) CAS#: 7697-37-2	Rat TC_{Lo}	0.001071 mg/L	84 days	**Behavioral** Muscle contraction or spasticity **Biochemical** Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase) **Kidney, Ureter, or Bladder** Other changes in urine composition	RTECS (Registry of Toxic Effects of Chemical Substances)

Carcinogenicity
Based on available data, the classification criteria are not met.

Product Carcinogenicity Data
No data available.

Ingredient Carcinogenicity Data
No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Nitric acid	7697-37-2	-	Group 2A Group 1	-	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity *invitro* **Data**
No data available.

Ingredient Germ Cell Mutagenicity *invitro* **Data**
No data available.

Product Germ Cell Mutagenicity *invivo* **Data**
No data available.

Ingredient Germ Cell Mutagenicity *invivo* **Data**
No data available.

Reproductive toxicity
Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data
No data available.

Ingredient Reproductive Toxicity Data
No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Nitric acid (70 - 80%) CAS#: 7697-37-2	Rat TD_{Lo}	21150 mg/kg	21 days	**Effects on Embryo or Fetus** Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)

Aspiration hazard
Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on available data, the classification criteria are not met.

Unknown aquatic toxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Product Ecological Data

Aquatic Acute Toxicity
No data available.

Aquatic Chronic Toxicity
No data available.

Ingredient Ecological Data

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity
No data available.

Persistence and degradability

Product Biodegradability Data
No data available.

Bioaccumulation

Product Bioaccumulation Data
No data available.

Mobility

Soil Organic Carbon-Water Partition Coefficient No data available

Other adverse effects
Environmental exposure.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D001, D002
Special instructions for disposal	Work in an approved fume hood. Working in a large container, cautiously add small portions of the material to cold water with agitation. Do not breathe the fumes. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN2031
Proper shipping name	Nitric Acid
DOT Technical Name	(at least 65 percent, but not more than 70 percent)
Hazard Class	8
Subsidiary class	5.1
Packing Group	II
Emergency Response Guide Number	157

TDG

UN/ID no	UN2031
Proper shipping name	Nitric Acid
TDG Technical Name	(at least 65 percent, but not more than 70 percent)
Hazard Class	8

Subsidiary class	5.1
Packing Group	II

IATA

UN/ID no	UN2031
Proper shipping name	Nitric Acid
IATA Technical Name	(at least 65 percent, but not more than 70 percent)
Hazard Class	8
Subsidiary hazard class	5.1
Packing Group	II
ERG Code	157

IMDG

UN/ID no	UN2031
Proper shipping name	Nitric Acid
IMDG Technical Name	(at least 65 percent, but not more than 70 percent)
Hazard Class	8
Subsidiary hazard class	5.1
Packing Group	II

Note: No special precautions necessary.

Additional information
There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.
If the item is part of a reagent set or kit the classification would change to the following:
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.
If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Nitric acid (CAS #: 7697-37-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)
This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nitric acid 7697-37-2	1000 lb	-	-	X

CERCLA
This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Nitric acid 7697-37-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Nitric acid (70 - 80%) CAS#: 7697-37-2	Release - Toxic; Theft - Explosives/Improvised Explosive Device Precursors

US State Regulations

California Proposition 65
This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Nitric acid 7697-37-2	X	X	X

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments
None

Additional information

Global Automotive Declarable Substance List (GADSL)
Not applicable

NFPA and HMIS Classifications

NFPA	**Health hazards** - 3	**Flammability** - 0	**Instability** - 1	**Physical and chemical properties** OX
HMIS	**Health hazards** - 3	**Flammability** - 0	**Physical hazards** - 1	**Personal protection** - X

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH	*Immediately Dangerous to Life or Health*
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	*no data*

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By	Hach Product Compliance Department
Issue Date	30-Jul-2019
Revision Date	30-Jul-2019
Revision Note	None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2019

End of Safety Data Sheet