Basal Oil Blue

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Basal Oil Blue

DISTRIBUTOR: Alligare, LLC
ADDRESS: 13 N. 8th Street
Opelika, AL 36801

PHONE: (888) 255-4427

EMERGENCY CHEMTRÈC PHONE: US & CANADA: 1-800-424-9300

CHEMICAL NAME: Petroleum Distillate & Emulsifier **CHEMICAL FAMILY:** Petroleum Hydrocarbon Oil

CHEMICAL FORMULA: Mixture

PRODUCT USE: Basal Oil

SECTION 1 NOTES: None

SECTION 2: HAZARDS

GHS Ratings:

Toxicity Categories

Eye damage/irritation Category 2A



Signal Word: WARNING

GHS HAZARDS

H304 May be fatal if swallowed and enters airways H319 Causes serious eye irritation.

GHS PRECAUTIONS

P102 Keep out of reach of children.

P103 Read label before use.

P233 Keep container tightly closed.

P234 Keep only in original container.

P261 Avoid breathing dust, fume, gas, mist, vapors or spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection, face protection. P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you

SDS DATE: 09/22/2020

feel unwell.

P331 Do not induce vomiting.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing cautiously. P337+313 If eye irritation persists: Get medical advice or attention.

SECTION 3: INFORMATION ON COMPONENTS

 INGREDIENT
 CAS NO.
 % WT

 Aliphatic oil
 Proprietary
 80 – 90%

 Proprietary
 Proprietary
 1 – 5%

 Proprietary
 Proprietary
 1 – 5%

NOTE: Product does NOT contain any pesticides or pest control agents.

SECTION 3 NOTES: These specific chemical identities and /or exact percentage (concentration) of composition have been withheld as a trade secret.

CARCINOGENICITY

OSHA: No ACGIH: No NTP: No IARC: No OTHER: No

PAGE 1 OF 5

Basal Oil Blue

Section 4: FIRST AID MEASURES

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

SDS DATE: 09/22/2020

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing. If eye irritation persists: Get medical advice or attention.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water for several minutes.

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: DO NOT INDUCE VOMITING. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

SECTION 4 NOTES: None

SECTION 5: FIRE FIGHTING MEASURES

NFPA HAZARD CLASSIFICATION

HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0 OTHER: -

IN CASE OF FIRE: Carbon dioxide, dry chemical, and chemical foam or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus when fire fighting in confined space.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Can be made to burn (Flash point greater than 200° F)

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion may produce carbon monoxide and asphyxiates.

SECTION 5 NOTES: None

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Surround and absorb all spills. Material should be collected and disposed in proper manner. Dike the

area to prevent spill from spreading. Soak up spill with a suitable absorbent such as clay, sawdust or kitty litter. Sweep up absorbed material and place in a chemical waste container for disposal. Wear

suitable protective equipment.

SECTION 6 NOTES: None

SECTION 7: HANDLING AND STORAGE

HANDLING Keep out of reach of children. Read label before use. Do not eat, drink or smoke when using this product. Avoid

breathing fume, gas, mist, vapors or spray. Wash hands thoroughly after handling. Wear protective gloves,

protective clothing, eye and face protection.

STORAGE: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do

not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate

water supplies. STORE BETWEEN 40° AND 90° F.

SECTION 7 NOTES: None

Basal Oil Blue

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values. HMIS=B

VENTILATION: Normal room ventilation (mechanical) or outdoor use should be satisfactory.

RESPIRATORY PROTECTION: Not necessary unless ventilation is inadequate. Then use OSHA or NIOSH approved respirator, as

appropriate.

Safety glasses with side shield. **EYE PROTECTION:**

Chemical gloves, long-sleeved shirts and pants. **SKIN PROTECTION:**

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash and safety shower should be easily accessible.

WORK HYGIENIC PRACTICES: Wash thoroughly with soap and water after handling product and before eating, drinking, or using

tobacco products. Clean affected clothing, shoes, and protective equipment before reuse.

SDS DATE: 09/22/2020

0.847 to 0.873

C: Unknown

EXPOSURE GUIDELINES: If exposed, see section 4 for acute exposure first aid.

SECTION 8 NOTES: None

INITIAL BOILING POINT:

BOILING POINT RANGE:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Tinted to orange, clear FLAMMABLE LIMITS IN AIR, UPPER: Unknown

LOWER: Unknown (% BY VOLUME) ODOR:

ORDER THRESHOLD; Not known VAPOR PRESSURE (mmHg):

F: Unknown PHYSICAL STATE: C: Unknown

Liquid

pH AS SUPPLIED: Not applicable **VAPOR DENSITY (AIR = 1):** pH (Other):

F: Unknown C: Unknown

> F: Unknown **RELATIVE DENSITY:**

C: Unknown

F: Unknown

C: Unknown **EVAPORATION RATE:** Unknown

BASIS (butyl acetate=1): **MELTING POINT:** F: Unknown

C: Unknown **SOLUBILITY IN WATER:** Dispersible

FREEZING POINT: F: Unknown PARTITION COEFFICIENT: (n-octanol/water): Unknown

C: Unknown **AUTO-IGNITION TEMPERATURE:** Unknown

FLASH POINT: F: >200 C: >93 **DECOMPOSITION TEMPERATURE:** Unknown

METHOD USED: PMCC VISCOSITY: 4cP @ RT

F: Unknown

FLAMMABILITY (solid, gas): Can burn

SECTION 9 NOTES: Values are not product specifications.

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

PAGE 3 OF 5

Basal Oil Blue

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable • Unstable •

CONDITIONS TO AVOID (STABILITY): Excessive heat.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Combustion may produce carbon monoxide and asphyxiates.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (POLYMERIZATION): None known

SECTION 10 NOTES: None

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: None

MIXTURE TOXICITY Not available

SECTION 11 NOTES: None

COMPONENT TOXICITY

MOBILITY IN SOIL:

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: None

ECOTOXICITY: Not available BIOACCUMULATIVE POTENTIAL: Not available

OTHER ADVERSE EFFECTS: Not available

SECTION 12 NOTES: None

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an

approved waste disposal facility in accordance with all local, regional, national and international

SDS DATE: 09/22/2020

regulations.

Not available

Not available

CONTAINER DISPOSAL: Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or

dispose of in a sanitary landfill or by other procedures approved by local regulations.

RCRA HAZARD CLASS: None

SECTION 13 NOTES: None

SECTION 14: TRANSPORT INFORMATION
U.S. DEPARTMENT OF TRANSPORTATION

DOT Shipping Description: Not Regulated

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS; 60) Consult

appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

OTHER AGENCIES: None

SECTION 14 NOTES: None

Basal Oil Blue

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):

All components of this product are listed or excluded from listing on the US Toxic

Substance Control Act (TSCA) Chemical Substance Inventory.

SDS DATE: 09/22/2020

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

Chemical Name CAS Number Range in % RQ Glycol ethers (fraction of product matching EPA definition) Mixture <1 1
Residual ethylene oxide (typical) 75-21-8 <0.001 10

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

Section 302/304 Extremely Hazardous Substances

Chemical Name CAS Number Range in % TPQ RQ Residual ethylene oxide (typical) 75-21-8 < 0.001 Below reportable concentrations

311/312 HAZARD CATEGORIES:

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Immediate Health Hazard

313 REPORTABLE INGREDIENTS:

CAS Number Chemical Name Concentration

Mixture Glycol ethers (fraction of product matching EPA definition) <1

STATE REGULATIONS:

WARNING! This product contains a detectable amount of ethylene oxide, which is known to the State of California to cause cancer and/or reproductive toxicity.

Ethoxylated products may contain residual amounts of ethylene oxide (EO) which can accumulate in the container headspace and be released into the ambient environment. This process is enhanced when the product is agitated, as during tank car loading and unloading, and blending operations. Ethylene oxide causes tumors in laboratory animals. The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047).

INTERNATIONAL REGULATIONS: None
SECTION 15 NOTES: None

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: None

DISCLAIMER:

The recommendation for safe handling and protection procedures is believed to be generally suitable for the standard uses of this compound. However, each user should identify his intended uses of this material and determine whether they are appropriate. All data included in this document is released as typical values and should not be utilized to determine the suitability of this material for a particular use or purpose. No warranty, either expressed or implied, is hereby made, nor do we give permission, inducement, or recommendations to practice any patented invention without a license. All data is offered for consideration, investigation and verification purposes only.