# Safety Data Sheet: ALL-BRIGHT

Supercedes Date 09/12/2014

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name ALL-BRIGHT Recommended use Cleaning agent Information on Manufacturer CERTIFIED LABS, DIV. OF NCH CORP.

BOX 152170 IRVING, TEXAS 75015 Product Code 0505
Chemical nature Alkaline Aqueous solution
Emergency Telephone Number
CHEMTREC® 800-424-9300
Telephone inquiry
972-579-2477

Issuing Date 06/05/2018

## 2. HAZARD IDENTIFICATION

 Color Red
 Physical state Liquid
 Odor Odorless

Category 1

Category 1

GHS

Classification

Physical Hazards

Corrosive to Metals Category 1

Health Hazard

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Other hazards

None

Labeling Signal Word

**DANGER** 



## Hazard statements

H314 - Causes severe skin burns and eye damage

H290 - May be corrosive to metals

## Precautionary Statements

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P260 - Do not breathe mist

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P332 + P313 - If skin irritation occurs, get medical attention.

P363 - Wash contaminated clothing before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a physician.

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P342 + P311 - If experiencing respiratory symptoms, call a physician.

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a physician if unwell.

P390 - Absorb spillage to prevent damage.

P406 - Store in a corrosion-resistant container.

P501 - Dispose of contents and container in accordance with applicable local regulations.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %
Sodium hydroxide	1310-73-2	7-13
Ethylenediaminetetraacetic acid	60-00-4	5-10

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

#### 4. FIRST AID MEASURES

**General advice** Do not get in eyes, on skin or on clothing. Do not breathe mist.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue

flushing for at least 15 minutes. Get medical attention immediately.

Skin Contact Remove immediately all contaminated clothing. Wash off immediately with plenty of water for at least

15 minutes. Get medical attention immediately.

Inhalation Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial

respiration. Get medical attention immediately.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never

give anything by mouth to an unconscious person.

Notes to physician Treat symptomatically. The product causes burns of eyes, skin and mucous membranes. Control of

circulatory system, shock therapy if needed.

#### 5. FIRE-FIGHTING MEASURES

Flash Point Does not flash Method not applicable

Flammability Limits in Air %: Hydrogen, by reaction with Upper: 75 Lower: 4

metals.

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Material can create slippery conditions.

**Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.

NFPA Health 3 Flammability 0 Instability 0 HMIS - Health 3 Flammability 0 Instability 0 Instability 0

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can

create slippery conditions.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

Neutralizing Agent Acetic acid, diluted.

# 7. HANDLING AND STORAGE

**Handling** Do not get in eyes, on skin or on clothing. Do not breathe mist.

Storage Store in original container. Keep in a dry, cool and well-ventilated place. Metal containers must be

lined. Freezing will affect the physical condition but will not damage the material. Thaw and mix

before using.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
			Ceilina: 2 mg/m <sup>3</sup>

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

**Personal Protective Equipment** 

Eye/Face Protection Tightly fitting safety goggles. Face-shield.

**Skin Protection** Wear suitable protective clothing, Impervious gloves.

**Respiratory Protection**In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations Ensure that eyewash stations and safety showers are close to the workstation location. Remove

and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Viscosity Physical state Liquid Non viscous Color Red Odor Odorless Not applicable **Odor Threshold** Transparent **Appearance** Ηα 13.3 Specific Gravity 1.175 Percent Volatile (Volume) **Evaporation Rate** 0.48 (Butyl acetate=1) 81.6

Vapor Pressure **VOC Content (%)** 13.84 mmHg @ 70°F Λ **Vapor Density** 0.6 Solubility Completely soluble No data available Melting Point/Range n-Octanol/Water Partition No data available **Decomposition Temperature** No data available **Boiling Point/Range** > 212 °F / 100 °C

Flammability (solid, gas) No data available

Flash Point Does not flash Method not applicable

**Autoignition Temperature** No information available.

Flammability Limits in Air %: Hydrogen, by reaction with metals Upper: 75 Lower: 4

## 10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to Avoid None known.

Incompatible Products Oxidizing agents, Acids, Aldehydes, Halogenated hydrocarbon, Acid

anhydrides, Organic materials, Bases, Alkalis.

**Decomposition Temperature** No data available

Hazardous Decomposition Products Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides, Sodium

oxides, Ammonia, Hydrogen, by reaction with metals, Phosgene.

None under normal processing.

## 11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50No information availableDermal LD50No information available

Inhalation LC50

**Possibility of Hazardous Reactions** 

Gas No information available
Mist No information available
Vapor No information available

Principle Route of Exposure Skin contact, Eye contact, Inhalation.

Primary Routes of Entry None known.

Acute Effects:

Eyes Corrosive to the eyes and may cause severe damage including blindness.

Skin Causes skin burns.

Inhalation Harmful by inhalation. Causes burns.

**Ingestion** If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the

esophagus and the stomach.

Chronic Toxicity Inhaled corrosive substances can lead to a toxic edema of the lungs.

Target Organ EffectsEyes, Skin, Respiratory system.Aggravated Medical ConditionsSkin disorders, Respiratory disorders.

Component Information

**Acute Toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Sodium hydroxide	No data available	= 1350 mg/kg ( Rabbit )	No data available	No data available	No data available
1310-73-2					
Ethylenediaminetetraacetic acid	= 1700 mg/kg ( Rat )	no data available	No data available	No data available	No data available
60-00-4					

**Chronic Toxicity** 

Chemical Name	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Sodium hydroxide 1310-73-2	No data available	No data available	No data available	No data available	Skin; Eyes; Respiratory system

Carcinogenicity There are no known carcinogenic chemicals in this product.

# 12. ECOLOGICAL INFORMATION

Product Information Component Information No information available.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox		Partition coefficien
Sodium hydroxide	No information available.	LC50 = 45.4 mg/L Oncorhynchus mykiss 96 h	No information available	No information available.	N/A
Ethylenediaminetetraacetic acid	pylenediaminetetraacetic acid  EC50 = 1.01 mg/L  Desmodesmus subspicatus 72 h  LC50 34 - 62 mg/L Lepomis macrochirus 96 h  LC50 44.2 - 76.5 mg/L Pimephales promelas 96 h		No information available	113: 48 h Daphnia magna mg/L EC50 Static	N/A

Persistence and Degradability
Bioaccumulation
No information available.
No information available.
No information available.

## 13. DISPOSAL CONSIDERATIONS

**Product Disposal** Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal. Do not re-use

empty containers.

## 14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CAUSTIC ALKALI LIQUIDS, N.O.S.

Hazard Class 8 UN-No UN1719

Packing Group UN1/18

**Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

**TDG** 

Proper shipping name CAUSTIC ALKALI LIQUIDS, N.O.S.

Hazard Class 8
UN-No UN1719
Packing Group III

Description UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

**ICAO** 

**UN-No** UN1719

Proper Shipping Name CAUSTIC ALKALI LIQUIDS, N.O.S.

Hazard Class 8

Packing Group

**Shipping Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

IATA

UN-No UN1719

**Proper Shipping Name** CAUSTIC ALKALI LIQUIDS, N.O.S.

Hazard Class 8
Packing Group III
ERG-Code 8L

**Shipping Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

IMDG/IMO

Proper Shipping Name CAUSTIC ALKALI LIQUIDS, N.O.S.

Hazard Class 8

 UN-No
 UN1719

 Packing Group
 III

 EmS No.
 F-A, S-B

**Description** UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S.,(SODIUM HYDROXIDE),8, PG III

#### 15. REGULATORY INFORMATION

Inventories

TSCA Complies
DSL Complies

**U.S. Federal Regulations** 

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazardous Categorization

See Section 2

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA EHS RQs
Sodium hydroxide	1000 lb	Not applicable
Ethylenediaminetetraacetic acid	5000 lb	Not applicable

## 16. OTHER INFORMATION

 Prepared By
 Pamela Starkey

 Supercedes Date
 09/12/2014

 Issuing Date
 06/05/2018

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

CERTIFIED LABS, DIV. OF NCH CORP.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.