NALCO Water

SAFETY DATA SHEET

SOLN S0275 H-2 TOTAL HARDNESS BUFFER

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SOLN S0275 H-2 TOTAL HARDNESS BUFFER

Other means of identification : Not applicable.

Recommended use : REAGENT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630)305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 01/11/2019

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1B Serious eye damage : Category 1

Specific target organ toxicity : Category 3 (Respiratory system)

- single exposure

GHS Label element

Hazard pictograms :





Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary Statements : Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective

 $\underline{\underline{g}} loves \! / protective clothing \! / eye protection \! / face protection.$

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated

clothing before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Protect product from freezing.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS-No. Concentration: (%)

Monoethanolamine 141-43-5 10 - 30 Monoethanolamine Hydrochloride 2002-24-6 5 - 10

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment:

for firefighters

Use personal protective equipment.

SOLN S0275 H-2 TOTAL HARDNESS BUFFER

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in

eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Compatibility with Plastic Materials can vary; we

therefore recommend that compatibility is tested prior to use.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection Safety goggles

Face-shield

Hand protection Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection Personal protective equipment comprising: suitable protective gloves, safety

goggles and protective clothing

When workers are facing concentrations above the exposure limit they must use Respiratory protection

appropriate certified respirators.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Remove

> and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid

Colour Clear colorless to pale yellow

Odour Slight, Amine

Flash point 93.3 °C, Method: ASTM D 93, Pensky-Martens closed cup, minimum

pΗ 10,(100 %), Method: ASTM E 70, (undiluted)

Odour Threshold no data available Melting point/freezing point no data available Initial boiling point and boiling: no data available

range

Evaporation rate no data available

Flammability (solid, gas) no data available Upper explosion limit no data available

Lower explosion limit no data available similar to water

Vapour pressure Relative vapour density no data available

0.95, ASTM D-1298 Relative density

Density 0.95 g/cm3, 7.89 lb/gal Water solubility completely soluble

Solubility in other solvents no data available

Partition coefficient: n-

octanol/water

no data available

Auto-ignition temperature no data available

SOLN S0275 H-2 TOTAL HARDNESS BUFFER

Thermal decomposition : no data available
Viscosity, dynamic : no data available
Viscosity, kinematic : no data available
Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Freezing temperatures.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

SOLN S0275 H-2 TOTAL HARDNESS BUFFER

Product

Acute oral toxicity : Acute toxicity estimate: 3,979 mg/kg
Acute inhalation toxicity : Acute toxicity estimate: 5.85 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 3,745 mg/kg

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

Components

Toxicity to daphnia and other aquatic invertebrates : Monoethanolamine LC50 : 65 mg/l Exposure time: 48 h

Components

Toxicity to daphnia and other aquatic invertebrates : Monoethanolamine NOEC: 0.85 mg/l (Chronic toxicity) : Exposure time: 21 d

Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

SOLN S0275 H-2 TOTAL HARDNESS BUFFER

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : ETHANOLAMINE SOLUTION

Technical name(s)

UN/ID No. : UN 2491

Transport hazard class(es) : 8
Packing group : III

Air transport (IATA)

Proper shipping name : ETHANOLAMINE SOLUTION

Technical name(s)

UN/ID No. : UN 2491

Transport hazard class(es) : 8
Packing group : III

Sea transport (IMDG/IMO)

Proper shipping name : ETHANOLAMINE SOLUTION

Technical name(s)

UN/ID No. : UN 2491

Transport hazard class(es) : 8
Packing group : III

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

EU. EINECS

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

Japan. ENCS - Existing and New Chemical Substances Inventory not determined

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

Korea. Korean Existing Chemicals Inventory (KECI)

not determined

Taiwan Chemical Substance Inventory

not determined

Section: 16. OTHER INFORMATION

NFPA: Flammability 1 0 Instability

Special hazard.

HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 01/11/2019

Version Number : 1.1

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SOLN S0275 H-2 TOTAL HARDNESS BUFFER

For additional copies of an SDS visit www.nalco.com and request access.