

SAFETY DATA SHEET

1. Identification			
Deduct identifier HP Color LaserJet CE320A-AD Black Print Cartridge			
Other means of identification	None.		
Recommended use	This product is a black toner preparation that is used in HP LaserJet Pro CM1415,CP1525 series printers.		
Recommended restrictions	tions None known.		
Manufacturer/Importer/Supplier	/Distributor information		
	HP Inc.		
	1501 Page Mill Road		
	Palo Alto, CA 94304-1112		
	United States		
Telephone	650-857-5020		
HP Inc. health effects line			
(Toll-free within the US)	1-800-457-4209		
(Direct)	1-760-710-0048		
HP Inc. Customer Care Line			
(Toll-free within the US)	1-800-474-6836		
(Direct)	1-208-323-2551		
Email:	hpcustomer.inquiries@hp.com		
2. Hazard(s) identification	1		
Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	ronmental hazards Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	Not available.		
Precautionary statement			
Prevention	Not available.		
Response	Not available.		
Storage	Not available.		
Disposal	Not available.		
Hazard(s) not otherwise classified (HNOC)	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.		
Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).		

3. Composition/information on ingredients

Mixtures

Trade Secret	<85
Trade Secret	<10
1333-86-4	<6
	Trade Secret

Chemical name	Common name and synonyms	CAS number	%		
Amorphous silica	Amorphous silica	<2			
4. First-aid measures					
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.				
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.				
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.				
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.				
Most important symptoms/effects, acute and delayed	Not available.				
5. Fire-fighting measures					
Suitable extinguishing media	CO2, water, or dry chemical				
Unsuitable extinguishing media	None known.				
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when fine dispersed in air.				
Special protective equipment and precautions for firefighters	Not available.				
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.				
Specific methods	None established.				
6. Accidental release mea	sures				
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.				
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainded damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance federal, state, and local regulations.				
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.				
7. Handling and storage					
Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use adequate ventilation. Keep away from excessive heat, sparks, and open flames.				
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.				
8. Exposure controls/pers	onal protection				
Occupational exposure limits	This mixture has no ingredients that have PE	EL, TLV, or other recommended e	xposure limit.		
US. OSHA Table Z-1 Limits f	or Air Contaminants (29 CFR 1910.1000)				

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
US. ACGIH Threshold Limit Valu	ies		
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	

Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3	
iological limit values	No biological exposure limits noted	for the ingredient(s).	
xposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)		
	Amorphous silica: USA OSHA (TW mg/m3	/A/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10	
	TRGS 900 (Luftgrenzwert) - 10 mg/	/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)	
ppropriate engineering ontrols	Use in a well ventilated area.		
dividual protection measure	s, such as personal protective equip	ment	
Eye/face protection	Not available.		
Skin protection			
Hand protection	Not available.		
Other	Not available.		
Respiratory protection	Not available.		
Thermal hazards	Not available.		

9. Physical and chemical properties

9. Physical and chemical	properties		
Appearance	Fine powder		
Physical state	Solid.		
Form	solid		
Color	Black.		
Odor	Slight plastic odor		
Odor threshold	Not available.		
рН	Not applicable		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not applicable		
Flash point	Not applicable		
Evaporation rate	Not applicable		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or exp	osive limits		
Flammability limit - lower (%)	Not flammable		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not applicable		
Vapor density	Not applicable		
Solubility(ies)			
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not applicable		
Decomposition temperature	Not available.		
Viscosity	Not applicable		

Other information	
Oxidizing properties	No information available.
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)
Specific gravity	1 - 1.2

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure				
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.			
Skin contact	Contact with skin may result in mild irritation.			
Eye contact	Contact with eyes may result in mild irritation.			
Ingestion	Ingestion is not a likely route of exposure.			
Symptoms related to the physical, chemical and toxicological characteristics	Not available.			
Information on toxicological eff	ects			
Acute toxicity	Based on available data, the classification criteria are not met.			
Components	Species	Test Results		
Carbon black (CAS 1333-86-4)				
<u>Acute</u>				
Oral				
LD50	Rat	> 10000 mg/kg		
Skin corrosion/irritation	Based on available data, the classification criteria a	are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria a	are not met.		
Respiratory or skin sensitizatio	n			
Respiratory sensitization	Based on available data, the classification criteria a	are not met.		
Skin sensitization	Based on available data, the classification criteria a	are not met.		
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria a	are not met.		
	Carbon black is classified as a carcinogen by the IA 2B) and by the State of California under Proposition organizations indicate that exposure to carbon blac bound within a product matrix, specifically, rubber, bound form in this preparation. None of the other in carcinogens according to ACGIH, EU, IARC, MAK,	n 65. In their evaluations of carbon black, both ck, per se, does not occur when it remains ink, or paint. Carbon black is present only in a ngredients in this preparation are classified as		
IARC Monographs. Overall	Evaluation of Carcinogenicity			
Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Not listed.				
Reproductive toxicity	Based on available data, the classification criteria are not met.			

Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity	LC50: > 100 mg/l, Fish, 96.00 Hours		
Product		Species	Test Results
CE320A-AD			
Aquatic			
Fish	LC50	Fish	> 100 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

13. Disposal considerations

Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.	
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.	
14 Transport informatio		

14. Transport information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders **US** federal regulations under TSCA. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) Immediate Hazard - No Hazard categories Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous No chemical Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003 OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS 1333-86-4)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

block (CAS 1222 96 4)

Carbon black (CAS 1333-86-4)	
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
16. Other information, including date of preparation or last revision	
Issue date	16-Apr-2015
Revision date	07-Sep-2018
Version #	04
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Revision information	Fire-fighting measures: Specific hazards arising from the chemical Accidental release measures: Methods and materials for containment and cleaning up Toxicological information: Eye contact Toxicological information: Ingestion Toxicological information: Inhalation Toxicological information: Skin contact Other information, including date of preparation or last revision: Disclaimer

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds