

NALCLEAN™ 8940

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCLEAN™ 8940

Other means of identification: Not applicable.

Recommended use **ACID CLEANER**

Restrictions on use Refer to available product literature or ask your local Sales

Representative for restrictions on use and dose limits.

Company Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630)305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) **CHEMTREC**

Issuing date : 09/17/2014

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation) : Category 4 Skin corrosion : Category 1A Serious eye damage/eye : Category 1

irritation

single exposure

Specific target organ toxicity - : Category 3 (Respiratory system)

GHS Label element

Hazard pictograms





Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary Statements : Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not mix with bleach or other chlorinated

products - will cause chlorine gas.

Response:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

NALCLEAN™ 8940

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store

locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS-No. Concentration: (%)

Hydrochloric Acid 7647-01-0 30 - 60

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do

not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Carbon oxides

Special protective equipment : Use personal protective equipment.

NALCLEAN™ 8940

for firefighters

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatemaceus earth, vermiculity) and place in container for disposition.

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do

not get in eyes, on skin, or on clothing. Wash hands thoroughly after

handling. Use only with adequate ventilation.

Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep

container tightly closed. Store in suitable labeled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrochloric Acid	7647-01-0	Ceiling	2 ppm	ACGIH
		Ceiling	5 ppm 7 mg/m3	NIOSH REL
		С	5 ppm 7 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

NALCLEAN™ 8940

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing

: When workers are facing concentrations above the exposure limit Respiratory protection

they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid Colour : brown Odour : Pungent

Flash point does not flash

1.5. 1 % pΗ

Odour Threshold : no data available

: FREEZING POINT: -45 °C Melting point/freezing point

Initial boiling point and boiling : no data available

range

Evaporation rate : no data available Flammability (solid, gas) : no data available : no data available Upper explosion limit Lower explosion limit : no data available Vapour pressure : no data available Relative vapour density : no data available : 1.16 (15.5 °C) Relative density Density : 9.66 lb/gal

Water solubility : completely soluble Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition : Carbon oxides Viscosity, dynamic : no data available Viscosity, kinematic : no data available

NALCLEAN™ 8940

VOC : 0%

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Conditions to avoid : Freezing temperatures.

Incompatible materials : Contact with strong alkalies (e.g. ammonia and its solutions,

carbonates, sodium hydroxide (caustic), potassium hydroxide, calcium hydroxide (lime), cyanide, sulfide, hypochlorites, chlorites) may generate heat, splattering or boiling and toxic vapors.

Contact with reactive metals (e.g. aluminum) may result in the

generation of flammable hydrogen gas.

Hazardous decomposition

products

: HCI

Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. Harmful if inhaled. May

cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity : no data available

NALCLEAN™ 8940

Acute inhalation toxicity : Acute toxicity estimate : 12059 ppm

Exposure time: 4 h

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye

irritation

: no data available

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Rainbow Trout: 1,673 mg/l

Exposure time: 96 hrs

Product

aquatic invertebrates

Toxicity to daphnia and other : LC50 Daphnia magna: 7,383 mg/l

Exposure time: 48 hrs

Persistence and degradability

Greater than 95% of this product consists of inorganic substances for which a biodegradation value is not applicable.

Total Organic Carbon (TOC): 1,100 mg/l

Chemical Oxygen Demand (COD): 1,420 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period **Test Descriptor** Value

200 mg/l 5 d Product

Mobility

NALCLEAN™ 8940

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 10 - 30% Soil : 70 - 90%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste: : D002

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : HYDROCHLORIC ACID

Technical name(s)

UN/ID No. : UN 1789

Transport hazard class(es) : 8 Packing group : II

Air transport (IATA)

Proper shipping name : HYDROCHLORIC ACID

Technical name(s)

UN/ID No. : UN 1789

NALCLEAN™ 8940

Transport hazard class(es) : 8
Packing group : II

Sea transport (IMDG/IMO)

Proper shipping name : HYDROCHLORIC ACID SOLUTION

Technical name(s)

UN/ID No. : UN 1789

Transport hazard class(es) : 8
Packing group : II

Section: 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Hydrochloric Acid	7647-01-0	5000	15913

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Hydrochloric Acid	7647-01-0	5000	15913

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : The following components are subject to reporting levels established

by SARA Title III, Section 302:

Hydrochloric Acid 7647-01-0 31.4213 %

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

Hydrochloric Acid 7647-01-0 31.4213 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

TOXIC SUBSTANCES CONTROL ACT (TSCA)

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA)

This product contains substance(s) which are found on the Non-Domestic Substances List (NDSL).

AUSTRALIA

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

CHINA

This product contains substance(s) which are not in compliance with the Provisions on the Environmental Administration of New Chemical Substances and may require additional review.

NALCLEAN™ 8940

EUROPE

The substances in this preparation have been reviewed for compliance with the EINECS or ELINCS inventories.

JAPAN

This product contains substance(s) which are not in compliance with the Law Regulating the Manufacture and Importation Of Chemical Substances and are not listed on the Existing and New Chemical Substances list (ENCS).

KOREA


This product contains substance(s) which are not in compliance with the Toxic Chemical Control Law (TCCL) and may require additional review.

PHILIPPINES

This product contains substance(s) which are not in compliance with the Republic Act 6969 (RA 6969) and may require additional review.

Section: 16. OTHER INFORMATION

NFPA:



Special hazard.

HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 09/17/2014

Version Number : 0.0

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

For additional copies of an MSDS visit www.nalco.com and request access.