

SAFETY DATA SHEET

1. IDENTIFICATION

Product Name: GUM, TAR & GREASE REMOVER
Recommended Use: Carpet Stain Remover
Supplier: Spotting Solutions LLC
18600 Graphics Ct.
Tinley Park, IL 60477
Phone: 708-444-8203
Emergency Phone: 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Aspiration hazard Category 1
Eye irritation Category 2B

GHS Label Elements

Signal word: Danger

Pictogram:



Hazards statements:

May be fatal if swallowed and enters airways.
Causes eye irritation.

Precautionary statements:

Prevention:

Wash thoroughly after handling.

Response:

IF SWALLOWED: Immediately call a doctor or poison center.
Do NOT induce vomiting.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists: Get medical attention.

Storage:

Store locked up.

Disposal:

Dispose of container in accordance with all prevailing regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %
Paraffinic mineral oil	64742-46-7	~84
Glycol ether EB	11-76-2	~8
Ethoxylated octylphenol	9002-93-1	~6
Ethoxylated alcohol	68439-46-3	~2

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

Skin contact: Wash with soap and large quantities of water.

Ingestion: If swallowed, immediately call a doctor or poison center. Do NOT induce vomiting.

Inhalation: Remove person to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, give artificial respiration.

Most important symptoms/effects, acute or delayed

Eyes: Causes eye irritation.

Skin: Prolonged or repeated contact with skin will dry and defat skin, leading to dermatitis.

Inhalation: In areas of high vapor concentration can cause breathing difficulties, dizziness or lightheadedness.

Ingestion: Effects may include headache, drowsiness, nausea, fatigue, pneumonitis, pulmonary edema.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Foam, dry powder, water fog

Unsuitable Extinguishing Media: Water stream

Special fire-fighting procedures

The use of self-contained breathing apparatus is recommended for fire fighters. Use water to cool fire-exposed containers.

Unusual fire and explosion hazards

Vapors are heavier than air and may travel along ground and be ignited by heat, pilot light or other sources of ignition distant from point of use. Never use welding or cutting torches near container even if empty.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid contact with eyes and skin. Minimize breathing of vapors. Spilled material is slippery; use care to avoid falling.

Environmental precautions

Prevent spills from entering storm sewers and drains or contact with soil.

Methods for cleaning up

Shut off and eliminate all ignition sources. Keep people away. Recover free product. Add sand, earth or other absorbent material to spill area. Shovel into waste containers. Ventilate confined spaces. Open all windows and doors.

7. HANDLING AND STORAGE

Avoid contact with eyes. Avoid prolonged or repeated skin contact. Use in well-ventilated area away from all ignition sources.

Store lock up. Store at temperatures between 55 and +100°F. Store only in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye protection and impervious gloves should be worn.

Ventilation type: General mechanical ventilation may be sufficient to keep product vapor concentrations within TLV.

Eyewash stations and safety showers should be readily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear colorless liquid
Odor.	Orange
Odor threshold.	No data available
pH.	Not applicable
Melting point/freezing point.	No data available
Initial boiling point and boiling range.	No data available
Flash point.	>140°F
Evaporation rate.	No data available
Flammability (solid, gas).	No data available
Upper/lower flammability or explosive limits.	No data available
Vapor pressure.	No data available
Vapor density.	No data available
Relative density.	0.86
Solubility(ies).	Dispersible
Partition coefficient: n-octanol/water.	No data available
Auto-ignition temperature.	No data available
Decomposition temperature.	No data available
Viscosity	No data available

10. STABILITY AND REACTIVITY

Chemical stability

Product is stable.

Conditions to avoid

No data available.

Hazardous decomposition products

Fumes, smoke, carbon monoxide in case of incomplete combustion.

Incompatible materials

Avoid contact with oxidizers, such as bleach, and strong acids or alkalies.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure are eyes & skin.

Eye contact Causes eye irritation.

Delayed and chronic effects from short and long term exposure

No data available.

Carcinogens or suspected carcinogenic ingredients

None

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Prevent product from entering storm sewers and drains or contact with soil.
Dispose of container in accordance with all prevailing regulations.

14. TRANSPORT INFORMATION

DOT Classification: Compounds, Cleaning Liquid, NOI

15. REGULATORY INFORMATION

TSCA

All components are listed.

EPA SARA Title III Section 313

This product contains the following listed chemical: Glycol ether EB

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

This product contains the following chemical known to the State of California to cause cancer:
1,4 Dioxane <20.0 ppm

16. OTHER INFORMATION

Prepared by Thomas Jones
Conforms to GHS standard
June 19, 2015