

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: 5W30 Small Engine Oil
PRODUCT LABEL: Tecumseh Power Snow King SAE5w30
STOCK NUMBER: 730226A

Distributor:
 Certified Parts Corporation
 1111 W. Racine Street
 Janesville, WI 53547-8469
 Information Telephone: 608-743-4107

Date Issued: 10/29/09
 Supercedes: 9/2008
 Emergency Telephone: 800-255-3924

<u>MATERIAL</u>	<u>CAS#</u>	<u>% BY WEIGHT</u>
Petroleum Lubricating Oil	64742-65-0	90.0 – 99.0
Additives	Mixture Proprietary	1.0 -10.0

SECTION 1 -- HAZARDOUS INGREDIENTS

This material does not contain any chemical listed as a carcinogen or potential carcinogen by OSHA, IARC Monographs or National Toxicology Program.

SECTION 2 -- FIRE AND EXPLOSION HAZARDS

FLASH POINT: 390- 420°F COC LOWER FLAMMABLE LIMIT: Not Determined
 UPPER FLAMMABLE LIMIT: Not Determined

EXTINGUISHING MEDIA: CO₂, dry chemicals, foam, water spray; water fog.
 SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with a full face piece.
 UNUSUAL FIRE & EXPLOSION HAZARDS: None.

SECTION 3 -- HEALTH HAZARD DATA

ORAL TOXICITY: Greater than 5000 mg/kg in rats. Based on data from components.
 EYE IRRITATION: Not expected to cause eye irritation. Based on data from components.
 SKIN IRRITATION: Not expected to cause skin irritation. Based on data from components.
 OTHER: Unknown.
 TLV: None established. Oil mist = 5 mg/cu meter.

****EMERGENCY FIRST AID PROCEDURES****

SKIN: Wash with soap and water.

EYES: Flush eyes with water for 15 minutes.

INHALATION: Remove to fresh air. See physician if irritation persists.

ORAL: Call a physician. Do NOT induce vomiting.

SECTION 4 -- SPECIAL PROTECTION INFORMATION

VENTILATION PROCEDURE: Mechanical ventilation recommended.

EYE PROTECTION: Safety glasses.

GLOVES PROTECTION: Neoprene or nitrile rubber gloves recommended.

SECTION 5 -- PHYSICAL DATA

VAPOR PRESSURE: Not Determined

SPECIFIC GRAVITY: .875- approx.

PERCENT VOLATILE: Not Determined

EVAPORATION RATE: Not Determined

APPEARANCE: Amber Liquid

pH: Not Determined

WATER SOLUBILITY: Insoluble

VAPOR DENSITY: Not Determined

ODOR: Mild

SECTION 6 -- STABILITY

STABILITY: Stable

INCOMPATIBILITY: Oxidizing agents.

POLYMERIZATION: Will not occur.

THERMAL DECOMPOSITION: Oxides of carbon.

SECTION 7 -- SPILL OR LEAK PROCEDURES

SPILL PROCEDURES: Prevent entry into sewers and waterways. Pick up free liquid for recycle/disposal. Absorb small amounts of inert material for disposal.

WASTE DISPOSAL: If disposed of, this material is believed to be non-hazardous.

Disposal should be in compliance with federal, state, and local laws.

SECTION 8 -- TRANSPORTATION AND LABELING

DOT PROPER SHIPPING NAME: Not Classified

DOT ID NUMBER: None

EPA HAZARDOUS SUBSTANCES: None

PRECAUTIONARY LABELS: None

DOT HAZARD CLASS: NOT Classified

IMO CLASS: None

ICAO CLASS: None

SECTION 9 -- SPECIAL PRECAUTIONS

NFPA CODE: HEALTH: 1 FIRE: 1 REACTIVITY: 0

SPECIAL PRECAUTIONS: Remove contaminated clothing and launder before use.

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best our knowledge; however, we make no warranty whatsoever, expressed or implied, of merchantability or fitness for the particular purpose, regarding the accuracy of such data or the results to be obtained from the use thereof. We assume no responsibility for the injury to recipient or to third persons or for any damage to any property & recipient assumes all such risks.