

<b>DATE ISSUED :</b>	6/5/2015
<b>SDS REF. No :</b>	A-2000 Series

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** CRL Match-Up Paint

**CATALOG NUMBERS:** 3368521, 3368527, 3368528, 3368533, 3368538, L3900, L3900QT, L4485, L4485QT, L4527, L4527QT, L5800, L5800QT, L6515, L6515QT

**PRODUCT USE:** Industrial Touch-Up Paint

**24 HR. EMERGENCY TELEPHONE NUMBER**  
**CHEMTREC (US Transportation):** (800)424-9300

**SUPPLIER:**

C.R. Laurence Co., Inc.  
 2503 E. Vernon Ave  
 Los Angeles, CA 90058-1826  
 (800) 421-6144

## 2. HAZARDS IDENTIFICATION

**PICTOGRAMS**



**SIGNAL WORD :** DANGER

**HAZARD STATEMENTS :** H223 Flammable aerosol.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**PRECAUTIONARY STATEMENTS :** P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P403 Store in a well-ventilated place.

R40 Limited evidence of a carcinogenic effect.

S36 Wear suitable protective clothing.

S37 Wear suitable gloves.

P501 Dispose of in accordance with Local, Regional, State. Federal and International Regulation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number	
Acetone	25% - 30%	67-64-1	

Propane Blend	25% - 30%	74-98-6	
Isobutyl Acetate	10% - 15%	110-19-0	
VM&P Naphtha	5% - 10%	64742-89-8	
Isopropyl Alcohol	1% - 5%	67-63-0	
Ethylene glycol mono butyl ether	1% - 5%	111-76-2	
Methyl Ethyl Ketone	1% - 5%	78-93-3	
Phenylethane	0.10% - 0.50%	100-41-4	

The follow substances may be present in varying quantities depending on color.

Titanium Dioxide	0% - 60%	13463-67-7	
Carbon Black	0% - 40%	1333-86-4	

#### 4. FIRST AID MEASURES

##### Description of first and measures.

**EYES CONTACT** : Flush with large quantities of water for 15 to 30 minutes. Remove contact lenses. Keep eyes wide open while rising. If eye irritation persists: Get medical attention.

**SKIN CONTACT** : Wash exposed area with mild soap and water for 15 to 30 minutes. Remove contaminated clothing. Repeated exposure may cause dryness or cracking.

**INGESTION** : Rinse mouth. Do NOT induce vomiting. Keep victim warm and seek immediate attention.

**INHALATION** : Remove to fresh air and keep in a position comfortable to breath. Call a doctor/physician if you feel unwell. Get medical attention.

**Most important symptoms and effects, both acute and delayed.** Symptoms/injuries: Eye irritation

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Cause serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed.

If medical advise is needed, have product container or label on hand.

#### 5. FIRE FIGHTING MEASURES

**SUITABLE EXTINGUISHING MEDIA** : In the event of a fire, use specifically suitable extinguishing agents. Suitable extinguishing media: Foam, alcohol resistant foam, CO<sub>2</sub>, water fog. Unsuitable extinguishing media: Do not use heavy water stream. A heavy water stream may spread burning liquid.

**FIRE FIGHTING PROCEDURE** : Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment. Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure modes.

**UNUSUAL FIRE AND EXPLOSION HAZARD** : Fire hazard: Highly flammable/liquid or vapor.

Explosive hazard: May form flammable/explosive vapor-air mixture.

#### 6. ACCIDENTAL RELEASE MEASURES

# **PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES :**

General measures: Remove ignition sources. Use special care to avoid static electric charges. No smoking.

## **FOR NON-EMERGENCY PERSONNEL :**

For non-Emergency procedures: Evacuate unnecessary personnel.

## **FOR EMERGENCY RESPONDERS :**

Equip cleanup crew with proper protection. Avoid breathing fume, vapors.

## **ENVIROMENTAL PRECAUTIONS :**

Prevent entry to sewers and public waters.

## **METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP :**

Collect damaged aerosols and use absorbent and/or inert material, then place in suitable container.

## **7. HANDLING AND STORAGE**

**PRECAUTIONS FOR SAFE HANDLING :** Additional hazards when processed: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when you are leaving work. Provide good ventilation in process area to prevent formation of vapor. No smoking. Use only non-sparking tools. Use outdoors or in a well ventilated area. Avoid breathing fume, vapors.

Hygiene measures: Wash Skin thoroughly after handling.

**CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES :** Storage conditions: Store in a dry, cool and well-ventilated place away from : Heat sources. Direct sunlight.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Source of ignition. Direct sunlight. Heat Sources.

## **8. EXPOSURE CONTROLS\PERSONAL PROTECTION**

Acetone(67-64-1)		
USA ACGIH	ACGIH STEL TLV	750 ppm
USA ACGIH	ACGIH TWA TLV	500 ppm
USA NIOSH	NIOSH STEL (Table Z-1)	1,000 ppm, 2,400 mg/m3
USA NIOSH	NIOSH TWA	250 ppm, 590 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	1,000 ppm, 2,400 mg/m3
Ethylene glycol mono butyl ether(111-76-2)		
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA NIOSH	NIOSH REL (ppm)	5 ppm
USA OSHA	OSHA PO TWA (ppm)	25 ppm
USA OSHA	OSHA TABLE Z-1 TWA (mg/m3)	50 ppm, 240 mg/m3
Isobutyl Acetate(110-19-0)		
USA ACGIH	ACGIH TWA TLV	150 ppm
USA OSHA	OSHA PEL (TABLE Z-1)	150ppm, 700 mg/m3
Isopropyl Alcohol(67-63-0)		
USA ACGIH	ACGIH STEL	400 ppm
USA ACGIH	ACGIH TWA	200 ppm
USA NIOSH	NIOSH IDLH	2,000 ppm
USA OSHA	OSHA TWA	400 ppm, 980 mg/m3
Meta-Xylene(108-38-3)		
USA ACGIH	ACGIH STEL TLV (15 m)	150 ppm, 651 mg/m3
USA ACGIH	ACGIH TWA (8 h)	100 ppm, 434 mg/m3
USA OSHA	OSHA TWA (8 h)	100 ppm, 435 mg/m3
Methyl Ethyl Ketone(78-93-3)		
USA ACGIH	ACGIH STEL (ppm)	300 ppm
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA OSHA	OSHA PEL (STEL) (ppm)	100 ppm
USA OSHA	OSHA PEL TWA (mg/m3)	410 mg/m3

Phenylethane(100-41-4)		
USA ACGIH	ACGIH STEL	125 ppm
USA ACGIH	ACGIH TWA	20 ppm
USA NIOSH	NIOSH REL	100 ppm, 435 mg/m3
USA NIOSH	NIOSH REL (ST)	125 ppm, 545 mg/m3
USA OSHA	OSHA STEL	125 ppm, 545 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	100 ppm, 435 mg/m3
Propane Blend(74-98-6)		
ACGIH	ACGIH	N/E
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
USA OSHA	OSHA PEL (TWA) mg/m3	1800 mg/m3
Titanium Dioxide(13463-67-7)		
PEI (Permissible Exposure Limit)	OSHA TWA	15 mg/m3
TLV	ACGIH TWA	10 mg/m3
VM&P Naphtha(64742-89-8)		
USA OSHA	OSHA TWA (Table PO)	400 ppm, 1,600 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	500 ppm, 2,000 mg/m3

## PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATORY PROTECTION** : If TLV of the product or any component is exceeded, a NIOSH approved dust respirator is advised in absence of environmental control. OSHA Regulations also permit other NIOSH dust respirators under specified conditions. (See your Safety Equipment Supplier) Engineering or administrative controls should be implemented to reduce exposure.

**HAND PROTECTION REMARKS** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**EYES PROTECTION** : Eye wash bottle with pure water.  
Tightly fitting safety goggles.  
Where face-shield and protective suit for abnormal processing problems.

**SKIN AND BODY PROTECTION** : Wear impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**WORK HYGIENIC PRACTICES**: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid
Color	:	Various colors depending on the pigmentation.
Odor	:	Characteristic. Sweet. Mint like.
Odor threshold	:	No data available.
Ph	:	N/A - See Technical Data Sheet
Evaporation rate	:	Slower Than Ether
Melting point	:	-94.7 C (-138.46 F)
Freezing point	:	No data available.
Boiling point	:	-44.0 deg F TO 334.0 deg F
Flash point	:	-154.00 deg F
Lower explosion limit	:	.8
Upper explosion limit	:	12.8
Vapor pressure	:	185 mm Hg
Vapor density	:	Heavier than air
Relative density	:	No data available.
Density	:	6.3911
Solubility	:	No data available.
Partion coefficient: n-octanol/water	:	No data available.
Autoignition temperature	:	No data available.
Decomposition temperature	:	No data available.

## 10. STABILITY AND REACTIVITY

**REACTIVITY :** No dangerous reaction known under conditions of normal use.

**CHEMICAL STABILITY :** Stable under normal conditions.

**CONDITIONS TO AVOID :** Heat, flames and sparks. Extremely high temperatures and direct sunlight.

**INCOMPATIBLE MATERIALS :** Avoid contact with strong oxidizing agents.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

## 11. TOXICOLOGICAL INFORMATION

Acetone(67-64-1)	
Aspiration toxicity	Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above TLV value may cause neurotic effects., Solvents may decrease the skin.
Carcinogenicity	Species: mouse, (female), Application Route: Dermal; Exposure time: .365 d (90%) or 424 d (100%), Dose: 0.1ml 90(71mg) or 100% (79mg), Frequency of Treatment: 3 times a wk, NOAEL: 79; Result: did not display carcinogenic properties., Carcinogenicity-Assessment: Not classified as a human carcinogen.
Germ cell mutagenicity	Test Type: mammalian cell gene mutation assay. Test species: Mouse lymphoma, Metabolic activation: Without metabolic activation; Method: OECD Guideline 476; Result: negative; Test Type: Ames test, Metabolic activation: Without metabolic activation; Method: OECD Guideline 471; Result: negative, Test Type: Chromosome aberration test in vitro, Test species: Chinese hamster ovary (CHO), Metabolic activation: Without metabolic activation; Method: OECD Guideline 473; Result: negative; Genotoxicity in vivo: Test Type: I vivo micronucleus test. Test species: Mouse, Application Route: Oral, Exposure: 13 wk, Dose: 5,000, 10,000, 20,000 ppm, Result: negative
Germ cell mutagenicity Assessment	Animal testing did not show any mutagenic effects.
LC50 (rat) Inhalation	76 mg/l (4 h exposure)
LD50 (rat) Oral	5,800 mg/kg; Symptoms: tremors
LD50 Dermal	>7,426 mg/kg
Repeated dose exposure	Species: mouse, male, NOAEL: 20,000, Application Route: Oral, Exposure time: 13 wk, Number of exposures: daily, Dose: 1250, 2500, 5000, 10000, 20000, Method OECD Test Guideline 408, GLP: No data available.; Species: mouse, female, NOAEL 20000, LOAEL: 50000; Application Route: Oral, Exposure time: 13 wk, Number of exposures: daily, Dose: 1250, 2500, 5000, 10000, 20000, Method OECD Test Guideline 408, GLP: No data available; Repeated dose toxicity Assessment: causes mild skin irritation., Causes serious eye irritation.
Reproductive toxicity	Effects on fertility: Species: rat, male; Application Route: oral; Dose: 0, 5,000, 10,000 mg/l; Frequency of Treatment: 7 days/week; General Toxicity - Parent: LOAEL: 10,000; Fertility: 10,000; Effects on fetal development: Species: rat; Application Route: Inhalation; Dose: 0, 440, 2200, 11,000 ppm; Frequency of Treatment: 7 days/week; General Toxicity Material: NOAEC: 2,200 ppm; Teratogenicity: NOAEC: 2,200 ppm; Embryo-fetal toxicity: NOAEC: 2,200 ppm; Result: No teratogenic potential. GLP: No data available.; Reproductive toxicity Assessment: Did not show teratogenic effects in animal experiments.
Respiratory or skin sensitisation	Test type: Maximization test, Species: guinea pig, Assessment: Does not cause skin sensitisation. Result: Did not cause sensitisation on laboratory animals.
Serious eye damage/eye irritation	Species: rabbit, Result: Slightly irritating to eyes, Exposure time: 24 h, Classification: Irritating to eyes, Remarks: Eye irritation.
Skin corrosion/irritation	Species: rabbit, Exposure time: 24 h, Classification: Not irritating to skin, Method: In vivo, Result: Mild irritation, Remarks: Repeated or prolonged contact with the mixture may cause removal natural fat from the skin resulting in desiccation of the skin.
STOT - single exposure	Exposure routes: Inhalation (vapor); Assessment: May cause drowsiness or dizziness.
STOT- repeated exposure	No data available.
Ethylene glycol mono butyl ether(111-76-2)	
Aspiration toxicity	Remarks: No data available.
Carcinogenicity	Species mouse, Application Route: Inhalation, Exposure time 2 yr, Activity duration: 6 h,



	Frequency of Treatment: 5 days/week, NAOEL: 125 ppm Result: Limited evidence of carcinogenic effects with no relevance to humans., Carcinogenicity-Assessment: Not evidence of carcinogenicity in animal studies..
Further information	Product Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.,
Germ cell mutagenicity	Genotoxicity in vitro: Test Type: Mammalian cell gene mutation assay; Test species: Chinese hamster (CHO), Metabolic activation: with and without metabolic activation. Result: negative. Genotoxicity in vivo: Test Type: In vivo micronucleus test., Test species: mouse (male), application Route: Intraperitoneal, Result: negative., Germ cell mutagenicity Assessment: Tests on bacterial or mammalian did not show mutagenic effects.
LC50 (rat) inhalation	Acute inhalation toxicity: 500 ppm, Exposure time: 4 h; Assessment: the component/mixture is moderately toxic after short term inhalation.
LC50 (rat) Oral	Acute toxicity estimate: 500 mg/kg; Method: Expert judgment.; Assessment: the component/mixture is moderately toxic after single ingestion.
LD50 (rat) dermal	Acute toxicity estimate: 1,100 mg/kg; Method: Expert judgment; Assessment: the component/mixture is moderately toxic after single contact with skin.
Repeated dose toxicity	Species: rat NOAEL: 30, Application Route: Inhalation Exposure time: 14 wk Number of exposures: 6 h/d, 5 d/wk.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: mouse Application Route: oral Fertility: NOAEL: 720 mg/kg body weight Symptoms: Reduced fertility Result: Reduced fertility at maternally toxic doses Effects on fetal development : Test Type: Embryo-fetal development Species: rat Application Route: Inhalation Duration of Single Treatment: 10 d Frequency of Treatment: 6 hr/day Developmental Toxicity: Lowest observed adverse effect level: 100 ppm Result: Developmental toxicity occurred at maternal toxicity dose levels Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, and on development, based on animal experiments
Respiratory or skin sensitisation	Test Type: Maximization test, Species guinea pig, Result: Did not cause sensitisation on laboratory animals.
Serious eye damage/ eye irritation	Species rabbit, Exposure time 24 h, Result: Irritating to eyes.
Skin corrosion/irritation	Remarks: Moderate skin irritation in susceptible persons., Species rabbit, Exposure time 24 h, Result: Mild skin irritation
STOT - repeated exposure	No data available.
STOT - single exposure	No data available.
<b>Isobutyl Acetate(110-19-0)</b>	
Aspiration hazard	No data available.
Carcinogenicity	No data available.
LC50 Inhalation	No data available
LD50 (Rabbit) Dermal	> 17,400 mg/kg
LD50 (Rat) Oral	3,200 - 6,400 mg/m3
Mutagenicity	In vitro Product: Salmonella typhimurium assay (Ames test), : negative +/- activation In vivo Product: Chromosomal aberration, oral: gavage (Mouse): Read-across from a similar material.
Other adverse effects	No data available.
Repeated dose toxicity	NOEL (Rat, Oral Study, 92 d): 316 mg/kg Read-across from a similar material.
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Skin Sensitization:, (Guinea Pig) - non-sensitizing.
Serious eye damage/eye irritation	(Rabbit): none
Skin corrosion/irritation	(Rabbit, 4 h): none
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
<b>Isopropyl Alcohol(67-63-0)</b>	
Aspiration hazard	Based on physico-chemical values or lack of human evidence, not classified.
Carcinogenicity	Not classified.
Effects on Development	Not classified.
Germ cell mutagenicity	Not classified No adverse effect observed.

LC50 (Rat)	46.6 mg/l; Exposure time: 8 h, Acute inhalation toxicity: Based on acute toxicity values, not classified. High vapor concentrations may cause irritation of the eyes, nose, and/or throat, changes to the liver, lung, spleen, and brain, and central nervous system depression (ataxia, dizziness, narcosis, and muscle relaxation, with respiratory arrest and death in cases of severe over exposure).
LD50 (Rabbit)	12,870 mg/kg
LD50 (Rat)	4,396 mg/kg; Acute oral toxicity: Based on acute toxicity values, not classified. Ingestion may cause gastrointestinal effects (pain, nausea, vomiting, and hemorrhage), hypothermia, cardiac effects (low blood pressure, shock and cardiac arrest), liver changes, kidney damage, and CNS effects (headache, dizziness, sleepiness, coma and death).
Reproductive toxicity	Effects on fertility / Effects on or via lactation: Not classified.
Respiratory or skin sensitization	Not classified No adverse effect observed.
Serious eye damage/eye irritation	Classified Causes serious eye irritation.
Skin corrosion/irritation	Based on skin irritation values, not classified. Liquid may cause slight skin irritation. Exposure of liquid to the underdeveloped skin of premature infants may cause severe irritation.
Target Organ Systemic Toxicant - Repeated exposure	Based on repeated exposure toxicity values, not classified.
Target Organ Systemic Toxicant - Single exposure	Routes of exposure: Ingestion, Inhalation Target Organs: Central nervous system Classified, May cause drowsiness or dizziness.
<b>Meta-Xylene(108-38-3)</b>	
Additional Information	RTECS: ZE2275000 Liver injury may occur., Kidney injury may occur., Blood disorders, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, narcosis, Lung irritation, chest pain, pulmonary edema, Central nervous system depression, Dermatitis, Gastrointestinal disturbance.
Aspiration hazard	May be fatal if swallowed and enters airways.
Carcinogenicity	This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (m-Xylene) NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available.
LC50 Inhalation (Rat, Male)	6700 ppm, 4 h - (Directive 67/548/EEC, Annex V, B.2.)
LD50 Dermal (Rabbit, Male)	12,126 mg/kg Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2). No data available.
LD50 Oral (Rat, Male)	6,602 mg/kg (OECD Test Guideline 401)
Reproductive toxicity	Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.
Respiratory or skin sensitization	Mouse Result: Does not cause skin sensitization. (OECD Test Guideline 429)
Serious eye damage/eye irritation	Eyes - Rabbit Result: Severe eye irritation - 24 h
Skin corrosion/irritation	Skin - Rabbit Result: Skin irritation - 24 h
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	Inhalation - May cause respiratory irritation.
<b>Methyl Ethyl Ketone(78-93-3)</b>	
Aspiration toxicity	Product: May be harmful if swallowed and enters airways.
Carcinogenicity	Remarks: This information is not available, Carcinogenicity-Assessment: Not classified as a human carcinogen.
Further information	Product Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.,
Germ cell mutagenicity	Genotoxicity in vitro: Test Type: Ames test, Metabolic activation: with and without metabolic activation, Method OECD Test Guideline 471
LC50 (mouse) inhalation	320 mg/l (4 h exposure)
LC50 (rat) Oral	3737 mg/kg

LD50 (rabbit) dermal	6,480 mg/kg
Reproductive toxicity	Effects on fetal development, Species: rat female, Application Route: Inhalation, Dose: 400, 1000, 3000 ppm,
Respiratory or skin sensitization	Test Type: Buehler Test, Species guinea pig, Method OECD Test Guideline 406, Result: Did not cause sensitisation on laboratory animals.
Serious eye damage/eye irritation	Remarks: Severe skin irritation, Species rabbit, Exposure time 24 h, Result: Irritation to eyes
Skin corrosion/irritation	Remarks: Moderate skin irritation, Species rabbit, Exposure time 24 h, Result: Mild skin irritation
STOT - repeated exposure	Product: No data available, Components: No data available.
STOT - single exposure	Product: Target Organs: Central Nervous system, Components: Exposure routes: Inhalation, Product: Target Organs: Central Nervous system
<b>Phenylethane(100-41-4)</b>	
Aspiration toxicity	May be fatal if swallowed and enters airways.
Carcinogenicity	Species: mouse, (male and female) Application Route: Inhalation Exposure time: 103 wk Activity duration: 6 h Dose: 0, 75, 250, 750 ppm Frequency of Treatment: 5 days/week NOAEL: 250 ppm Method: OECD Test Guideline 453 Result: evidence of carcinogenic activity Symptoms: increased incidences of alveolar/bronchiolar neoplasm's, increase incidence of hepatocellular carcinomas GLP: yes Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.
Germ cell mutagenicity	Genotoxicity in vitro, Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO) Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: no : Test Type: Mammalian cell gene mutation assay Test species: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method : OECD Test Guideline 476 Result: negative GLP: yes Genotoxicity in vivo : Test Type: In vivo micronucleus test Test species: mouse (male) Application Route: Oral Method: OECD Test Guideline 474 Result: negative GLP: yes Test Type: DNA damage and/or repair Test species: mouse (male and female) Application Route: Inhalation Method: OECD Test Guideline 486 Result: negative GLP: yes Germ cell mutagenicity Assessment : In vivo tests did not show mutagenic effects
LC50 (Mouse, Male)	10 mg/l Assessment: The component/mixture is moderately toxic after short term inhalation.
LD50 (rabbit)	15,433 mg/kg
Repeated dose toxicity	Species: rat, male and female NOAEL: 75 mg/kg Application Route: Oral Exposure time: 28 d Dose: 75, 250 and 750 mg/kg bw/day Method: OECD Test Guideline 407 GLP: yes Symptoms: Increased kidney and liver weights
Reproductive toxicity	Effects on fertility : Test Type: One generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 100, 500 and 1000 ppm Duration of Single Treatment: 6 h General Toxicity - Parent: NOAEC: 1,000 ppm General Toxicity F1: NOAEC: 100 ppm Symptoms: Reduced fetal weight. Reduced offspring weight gain. Method: OECD Test Guideline 415 Result: No reproductive effects. GLP: yes Effects on fetal development : Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000, 2000 ppm Duration of Single Treatment: 15 d General Toxicity Maternal: NOAEC: 500 ppm Teratogenicity: NOAEC: 2,000 ppm Developmental Toxicity: NOAEC: 500 ppm Symptoms: Reduced body weight Method: OECD Test Guideline 414 Result: Developmental toxicity occurred at maternal toxicity dose levels GLP: No data available Reproductive toxicity - Assessment : No toxicity to reproduction Did not show teratogenic effects in animal experiments.
Respiratory or skin sensitization	Remarks: No data available
Serious eye damage/eye irritation	Species: rabbit Result: Mild eye irritation Remarks: No data available
Skin corrosion/irritation	Species: rabbit Result: Mild skin irritation
STOT - repeated exposure	Target Organs: Auditory system Assessment: May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
STOT - single exposure	No data available.
<b>Propane Blend(74-98-6)</b>	
Aspiration	No end point data for material. Not expected to be an aspiration hazard. Based on physico-chemical properties of the material.
Carcinogenicity	No end point data for material. Not expected to cause cancer.
Eye	Serious Eye Damage/Irritation: No end point data for material. , May cause mild, short-lasting discomfort to eyes.
Germ Cell Mutagenicity	Data available. Not expected to be a germ cell mutagen. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 471



Ingestion	N/A
Lactation	No end point data for material. Not expected to cause harm to breast-fed children.
LC50 (RAT) Inhalation	1443 mg/l (GAS) (15 minutes)
Other Information	May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite (cold burn). Very high exposure (confined spaces / abuse) to light hydrocarbons may result in abnormal heart rhythm (arrhythmias). Concurrent high stress levels and/or co-exposure to high levels of hydrocarbons (above occupational exposure limits), and to heart-stimulating substances like epinephrine, nasal decongestants, asthma drugs, or cardiovascular drugs may initiate arrhythmias. Simple asphyxiate: Acts by displacing oxygen in the lungs thereby diminishing the supply of oxygen available to the blood and tissues. Symptoms include shortness of breath, rapid heart rate, in coordination, lethargy, headaches, nausea, vomiting, and disorientation. Continued lack of oxygen may result in convulsions, loss of consciousness and death. Since exercise increase
Reproductive Toxicity	Data available. Not expected to be a reproductive toxicant. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 422
Sensitization	No end point data for material. Not expected to be a respiratory sensitizer.
Skin	N/A
Specific Target Organ Toxicity (STOT) Repeated Exposure	Not expected to cause organ damage from prolonged or repeated exposure. Based on test data for structurally similar materials. Test(s) equivalent or similar to OECD Guideline 422
Specific Target Organ Toxicity (STOT) Single Exposure:	No end point data for material. Not expected to cause organ damage from a single exposure.
<b>Titanium Dioxide(13463-67-7)</b>	
Carcinogenicity	In lifetime inhalation studies rats were exposed for 2 years to respectively 10, 50, 250 mg/m3 of respirable TiO2.
Dermal ALD (rabbit)	>10000 mg/m3
Eye irritation	slight irritation
Inhalation 4 h ALC	>6.82 mg/l
ORAL ALD (rat)	>2400 mg/kg
Sensitization	Did not cause sensitisation on laboratory animals.
Skin irritation	slight irritation
<b>VM&amp;P Naphtha(64742-89-8)</b>	
Aspiration toxicity	Aspiration Toxicity - Category 1
Carcinogenicity	Species: mouse, (male) Application Route: Dermal Exposure time: 102 wk Dose: 0.05 ml neat Method: OECD Test Guideline 453 Result: did not display carcinogenic properties GLP: No data available Remarks: Category 1B
Germ cell mutagenicity	Genotoxicity in vitro : Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: No data available : Test Type: Mammalian cell gene mutation assay Test species: Mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative GLP: no Genotoxicity in vivo : Test Type: In vivo micronucleus test Test species: rat (male and female) Application Route: Inhalation Exposure time: 6 hours/day Dose: 0, 2000, 10000, 20000 mg/m3 Result: negative GLP: yes Germ cell mutagenicity Assessment : Did not show carcinogenic, teratogenic or mutagenic effects in animal experiments.
LC50 Inhalation (rat, male and female)	7.6 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403 GLP: yes
LD50 Dermal (rabbit, male and female)	> 2,000 mg/kg Method: OECD Test Guideline 402 GLP: yes
LD50 Oral (rat, male and female)	> 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Repeated dose toxicity	Species: rat, male NOAEL: < 500 mg/kg Application Route: Oral Exposure time: 4 wk Number of exposures: 5 d/wk Dose: 500 or 2000 mg/kg/day Symptoms: nephropathy 64742-89-8: Species: rat, male and female NOAEL: 1402 Application Route: Inhalation (vapor) Test atmosphere: vapor Exposure time: 13 weeks Number of exposures: 6 hours/day, 5 days/week Material Safety Data Sheet VM&P Naphtha Version 1.2 Revision Date: 08/11/2014 MSDS Number: 100000002744 30 / 44 VM&P Naphtha Dose: 322, 1402, 9869 mg/m3 GLP: yes Target Organs: Kidney Symptoms: Nasal and ocular discharge.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: rat, male and female Application Route: vapor Dose: 0, 5000, 10000, 20000 mg/m3 Duration of Single Treatment: 6 h Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: > 20,000 mg/m3 General Toxicity F1: NOAEC: > 20,000 mg/m3 Symptoms: No adverse effects. Method: OECD Test Guideline 416 GLP: yes Effects on fetal development : Species: rat Application Route: Inhalation Dose: 2653, 7960, 23900 mg/m3 Duration of Single Treatment: 6 h Frequency of Treatment: 7 days/week

	General Toxicity Maternal: NOAEL: 23,900 mg/m <sup>3</sup> Embryo-fetal toxicity.: NOAEL: 23,900 mg/m <sup>3</sup> Symptoms: No malformations were observed. Method: OECD Test Guideline 414 GLP: yes
Respiratory or skin sensitization	Test Type: Buehler Test Species: guinea pig Assessment: Does not cause skin sensitization. Result: Did not cause sensitization on laboratory animals. GLP: yes Remarks: not sensitizing.
Serious eye damage/eye irritation	Species: rabbit Result: Not irritating to eyes Exposure time: 1 - 2 s Classification: Not irritating to eyes GLP: yes Remarks: No eye irritation
Skin corrosion/irritation	Species: rabbit Exposure time: 4 h Classification: Irritating to skin Result: Irritating to skin GLP: yes
STOT - repeated exposure	No data available.
STOT - single exposure	Exposure routes: Inhalation Target Organs: Central nervous system Assessment: May cause drowsiness or dizziness.

## 12. ECOLOGICAL INFORMATION

<b>Acetone(67-64-1)</b>	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: -0.24
EC50 (Daphnia magna (Water flea))	7,630 mg/l (Exposure time 48 h); Test substance: Acetone
LC50 (Oncorhynchus mykiss (rainbow trout))	6,100 mg/l (Exposure time: 48 h)
Mobility in soil	No data available.
Other adverse effects	No data Available. Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances., Additional ecological information: No data available.
Persistence and degradability	Biodegradability: Remarks: No data available
Toxicity to algae	Remarks: No data available
<b>Ethylene glycol mono butyl ether(111-76-2)</b>	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: 0.83
EC50 (Algae)	911 mg/l End point: Biomass Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: no
EC50 (Daphnia)	1,800 mg/l(48 h; Daphnia magna (Water flea)); Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
LC50 (fish)	1,474 mg/l Pimephales promelas (Fathead minnow))Exposure time: 96 h Test Type: static test, Method: OECD Test Guideline 203 GLP: no
Mobility in soil	No data available
Other adverse effects	No data available
Persistence and degradability	Aerobic Inoculum: Activated sludge, domestic, adaption not specified, Result: Readily biodegradable. Biodegradation: 90.4 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: no
Product	Regulation: 40CFR Protection of Environment, Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class 1 Substances:
<b>Isobutyl Acetate(110-19-0)</b>	
Bioaccumulative potential Product	No data available.
Biological Oxygen Demand	BOD-5: 970 mg/g BOD-20: 1,300 mg/g
BOD/COD ratio	0.52 %
Chemical Oxygen Demand	1,870 mg/g
EC50 (Alga)	370 mg/l, (72 h, (Alga))
EC50 (Daphnia)	28.2 mg/l, (48 h, (Daphnid))
LC50 (Fish)	22.4 mg/l, (96 h, (Fathead minnow))
Mobility in soil	Known or predicted distribution to environmental compartments isobutyl acetate 1.193 - 1.844 (QSAR model)
NOEC (Alga)	95 mg/l, (72 h, Alga))
Other adverse effects	No data available.
Persistence and degradability	81 % (20 d, Ready Biodegradability: Closed Bottle Test) Readily biodegradable
Results of PBT and	Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria Not fulfilling vPvB (very

vPvB assessment	very bioaccumulative) criteria
<b>Isopropyl Alcohol(67-63-0)</b>	
Bioaccumulative potential	Bioaccumulation : Bioconcentration factor (BCF): 3.16 this material is not expected to bioaccumulate.
Ecotoxicology Assessment	Acute aquatic toxicity: Based on acute aquatic toxicity values, not classified. Chronic aquatic toxicity: Not classified, based on readily biodegradability and low acute toxicity.
Mobility in soil	Distribution among environmental compartments: Stability in water initially partitioning mainly to water and air. Stability in soil Volatilization from water or soil surfaces is expected to be limited. Additional advice Environmental fate and pathways : No additional information available.
Other adverse effects Additional ecological information	No additional information available.
Persistence and degradability	Biodegradability : 86 - 94 % Rapidly degradable. (After two weeks in a ready biodegradability test)
Results of PBT and vPvB assessment	Not applicable.
Toxicity to algae	Acute toxicity to aquatic plants very low.
Toxicity to bacteria	Low toxicity to sewage microbes.
Toxicity to daphnia and other aquatic invertebrates	Acute toxicity to freshwater and marine invertebrates is very low.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	Chronic toxicity expected to be low.
Toxicity to fish	Acute toxicity to fish is very low.
Toxicity to fish (Chronic toxicity)	Chronic toxicity to fish is expected to be low.
<b>Meta-Xylene(108-38-3)</b>	
Bioaccumulative potential	Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.
LC50 (Fish)	11.23 mg/l - 96 h (OECD Test Guideline 203)
Mobility in soil	No data available.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Toxicity to algae	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	Remarks: No data available.
<b>Methyl Ethyl Ketone(78-93-3)</b>	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: 2.49
EC50 (Algae)	2029 mg/l (48 h; Pseudokirchneriella subcapitata (Green Algae))
EC50 (Daphnia)	308 mg/l (48 h; Daphnia magna (Water flea))
LC50 (fish)	2993 mg/l (96 h; Pimephales promelas (Fathead minnow))
Mobility in soil	No data available
Other adverse effects	No data available
Persistence and degradability	Biodegradability: Concentration: 2mg/l; Result: Readily biodegradation: 98%; Exposure 28 d;
Product	Regulation: 40CFR Protection of Environment, Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class 1 Substances:
<b>Phenylethane(100-41-4)</b>	
Bioaccumulative potential	Partition coefficient: noctanol/water : log Pow: 2.92
EC50 (Daphnia magna (Water flea))	1.8 mg/l Exposure time: 48 h Test Type: static test
EC50 (Pseudokirchneriella subcapitata)	5.4 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: Static GLP: yes
LC50 (Oncorhynchus)	4.2 mg/l Exposure time: 96 h Test Type: semi-static test

mykiss (rainbow trout))	
Mobility in soil	No data available.
Other adverse effects	Results of PBT and vPvB assessment: This substance is not considered to be persistent, bioaccumulation nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulation (vPvB).
Persistence and degradability	Biodegradability : Inoculums: activated sludge Concentration: 22 mg/l Result: Readily biodegradable. Biodegradation: 70 % Exposure time: 28 d GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	(Daphnia): 3.6 mg/l Toxicity to bacteria : GLP: Remarks: No data available Ecotoxicology Assessment Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.
<b>Propane Blend(74-98-6)</b>	
Atmospheric Oxidation	Material -- Expected to degrade at a moderate rate in air.
Bioaccumulative potential	Material -- Potential to bioaccumulation is low
Ecotoxicity	Not expected to demonstrate chronic toxicity to aquatic organisms.
Mobility in soil	Material -- Highly volatile, will partition rapidly to air. Not expected to partition to sediment and wastewater solids.
Persistence and Degradability	Biodegradation: Material -- Expected to be inherently biodegradable
<b>Titanium Dioxide(13463-67-7)</b>	
LC50 fish	Fathead minnow 96 h >1000 mg/l
<b>VM&amp;P Naphtha(64742-89-8)</b>	
Bioaccumulative potential	Partition coefficient: noctanol/water: log POW: 2.13 - 4.85 (25 °C)
EL50 (Daphnia magna (Water flea))	4.5 mg/l Exposure time: 48 h Test Type: Immobilization Analytical monitoring: yes Test substance: Naphtha GLP: yes
EL50 (Pseudokirchneriella subcapitata (green algae))	3.7 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: yes GLP: yes. Ecotoxicology Assessment Acute aquatic toxicity: Harmful to aquatic organisms.
LL50 (Fish)	8.2 mg/l Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes GLP: yes
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	Biodegradability: Concentration: 49.2 mg/l Result: Readily biodegradable. Biodegradation: 77 % Testing period: 2 d Exposure time: 28 d GLP: yes

### 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**GENERAL INFORMATION:** No data available.

**DISPOSAL METHOD:** Dispose of waste and residues in accordance with Local, State, and Federal Regulations. Mix with compatible chemical which is less flammable and incinerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind or weld or near this container.

### 14. TRANSPORT INFORMATION

#### USDOT GROUND

##### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME (DOT) :** Aerosol, flammable

**HAZARDS CLASS :** 2.1

**UN/NA NUMBER :** UN1950

**PACKING GROUP :** Not Applicable

**EMERGENCY RESPONSE GUIDE (ERG) :** 127

#### IATA (AIR)

##### DOT (INTERNATIONAL AIR TRANSPORTATION ASSOCIATION)

**PROPER SHIPPING NAME :** Aerosol, flammable

**HAZARDS CLASS :** 2.1

**UN/NA NUMBER :** UN1950

**PACKING GROUP :** N/A



**EMERGENCY RESPONSE GUIDE (ERG) : 127**

**IMDG (OCEAN)**

**PROPER SHIPPING NAME** : Aerosol, Flammable

**HAZARDS CLASS** : 2.1

**UN/NA NUMBER** : UN1950

**PACKING GROUP** : N/A

**EMERGENCY RESPONSE GUIDE (ERG) : 127**

**MARINE POLLUTANT** : No

**SPECIAL PRECAUTIONS** : P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P235 Keep cool.

## 15. REGULATORY INFORMATION

### US FEDERAL REGULATIONS

All ingredients in Section #3 are TSCA (Toxic Substance Control Act) listed.

**OSHA HAZARDS** : Flammable liquid, Moderate skin irritant, Moderate eye irritant, Carcinogen.

**EPCRA - Emergency**

**CERCLA REPORTABLE QUANTITY**

Methyl Ethyl Ketone (CAS# 78-93-3) : RQ(lbs) 5000

Carbon Black (CAS# 1333-86-4) : RQ (lbs) 5000

Solvent Naptha (Petroleum), Light Alaphatic (CAS# 64742-89-8) : RQ (lbs) 5000

Xylene Mixed Isomers (CAS# 1330-20-7) : RQ (lbs) 5000

Phenylethane (CAS# 100-41-4) : RQ (lbs) 5000

**SARA 304 Extremely Hazardous Substances Reportable Quantity** : This material does not contain any components with a section 304 EHS RQ.

**SARA TITLE III (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT)**

**SARA 311/312 Hazards** : Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**SARA 313 :**

Xylene Mixed Isomers CAS# 1330-20-7

Meta Xylene CAS# 108-38-3

Phenylethane CAS# 100-41-4

2-Propanol CAS# 67-63-0

### CLEAN AIR ACT :

This product contains:	Chemical CAS#
Meta-Xylene	108-38-3
Phenylethane	100-41-4
Para-Xylene	106-42-3
O-Xylene	95-47-6

### INTERNATIONAL REGULATIONS

**CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP) :**

Flam, Liq. 2 H223

Eye Irrit. 2 H319

STOT SE 3 H336

### NATIONAL REGULATIONS

This product contains:	Chemical CAS#
#Titanium Dioxide	13463-67-7
#Phenylethane	100-41-4

# Indicates a chemical listed by IARC as a possible carcinogen.

# **STATE REGULATIONS** **CALIFORNIA PROPOSITION 65**

This product contains:	Chemical CAS#
*Phenylethane	100-41-4

\*This product contains (a) chemical (s) known to the State of California to cause cancer.

+This product contains (a) chemical (s) known to the State of California to cause birth defects or other reproductive harm.

## **Massachusetts Right to Know**

Isobutyl Acetate CAS# 110-19-0

M-Xylene CAS# 108-38-3

Carbon Black CAS# 1333-86-4

2-Propanol CAS# 67-63-0

Ethyl Alcohol CAS# 64-17-5

## **Pennsylvania Right to Know**

Isobutyl Acetate CAS# 110-19-0

Carbon Black CAS# 1333-86-4

Titanium Dioxide CAS#13463-67-7

Aluminum Hydroxide CAS# 21645-51-2

Amorphous Silicon Dioxide CAS#7631-86-9

Solvent Naphtha (Petroleum), Light Aliphatic CAS# 64742-89-8

M-Xylene CAS# 108-38-3

Xylene Isomers CAS#1330-20-7

Phenylethane CAS# 100-41-4

2-Propanol CAS# 67-63-0

Ethyl Alcohol CAS# 64-17-5

## **New Jersey Right to Know**

Isobutyl Acetate CAS# 110-19-0

Carbon Black CAS# 1333-86-4

Titanium Dioxide CAS#13463-67-7

Aluminum Hydroxide CAS# 21645-51-2

Amorphous Silicon Dioxide CAS#7631-86-9

Solvent Naphtha (Petroleum), Light Aliphatic CAS# 64742-89-8

M-Xylene CAS# 108-38-3

Xylene Isomers CAS#1330-20-7

2-Propanol CAS# 67-63-0


Ethyl Alcohol CAS# 64-17-5

# **16. OTHER INFORMATION**

## **HMIS RATING**

Health :	2*
Flammability :	3
Reactivity :	0
Personal Protection :	HMISP

## **NFPA CODES**



**MANUFACTURER DISCLAIMER :** The information contained in this Safety Data Sheet is considered to be true and accurate. CRL makes no warranties, expressed or implied, as to the accuracy and adequacy of this information. This data is offered solely for the user's consideration, investigation and verification.