

# Safety Data Sheet

Material Name: Copaltite

SDS ID: NEPI-001

## Section 1 - PRODUCT AND COMPANY IDENTIFICATION

### Material Name

Copaltite

### Product Use

High temperature sealing compound

### Restrictions on Use

None known.

### Details of the Supplier of the Safety Data Sheet

National Engineering Products, Inc.

5110 Ridgefield Road

Suite 411

Bethesda, MD 20816

Phone: 301-656-1688

E-mail: nepi.customerservice@gmail.com

## Section 2 - HAZARDS IDENTIFICATION

### Classification in Accordance with Paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 4

Acute Toxicity - Oral - Category 4

Acute Toxicity - Dermal - Category 4

Skin Corrosion/Irritation - Category 1

Serious Eye Damage/Eye Irritation - Category 1

Respiratory Sensitization - Category 1

Skin Sensitization - Category 1

Germ Cell Mutagenicity - Category 1B

Carcinogenicity - Category 1B

Reproductive Toxicity - Category 1B

Specific Target Organ Toxicity - Single Exposure - Category 1 ( circulatory system, Central Nervous System, heart, liver, respiratory system, Hematopoietic System, cardiovascular system, kidneys, body, optic nerve, retina, systemic toxicity, eyes, Nervous System, nervous system, blood)

Specific Target Organ Toxicity - Single Exposure - Category 3

Specific Target Organ Toxicity - Repeated Exposure - Category 1 ( circulatory system, cardiovascular system, Central Nervous System, kidneys, Hematopoietic System, liver, respiratory system, bone marrow, upper respiratory system, eyes, retina, digestive system, spleen, thymus, blood)

Specific Target Organ Toxicity - Repeated Exposure - Category 2

### GHS Label Elements

#### Symbol(s)



### Signal Word

Danger

# Safety Data Sheet

**Material Name: Copaltite**

**SDS ID: NEPI-001**

## **Hazard Statement(s)**

Combustible liquid.  
Harmful if swallowed.  
Harmful in contact with skin.  
Causes severe skin burns and eye damage.  
May cause allergic or asthmatic symptoms or breathing difficulties if inhaled.  
May cause allergic skin reaction.  
May cause genetic defects.  
May cause cancer.  
May damage fertility or the unborn child.  
Causes damage to organs.  
May cause drowsiness or dizziness.  
Causes damage to organs through prolonged or repeated exposure.  
May cause damage to organs through prolonged or repeated exposure.

## **Precautionary Statement(s)**

### **Prevention**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/sparks/open flame/hot surfaces - No smoking.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wear respiratory protection.

### **Response**

In case of fire: Use appropriate media to extinguish.  
If exposed: Call a POISON CENTER or doctor/physician.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
Call a POISON CENTER or doctor/physician if you feel unwell.  
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
If skin irritation occurs: Get medical advice/attention.  
Wash contaminated clothing before reuse.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
Immediately call a POISON CENTER or doctor.

### **Storage**

Store in a well-ventilated place. Keep container tightly closed.  
Keep cool.  
Store in a secure area.

### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

### **Statement of Unknown Toxicity**

56.85% of the mixture consists of ingredient(s) of unknown acute toxicity.

# Safety Data Sheet

Material Name: Copaltite

SDS ID: NEPI-001

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
1319-77-3	Cresol, all isomers	15-30
67-56-1	Methyl alcohol	5-10
7727-43-7	Barium sulfate	1-5
108-95-2	Phenol	1-5
50-00-0	Formaldehyde	<1

## Section 4 - FIRST AID MEASURES

### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get medical advice/attention.

### Skin

Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse.

### Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

### Ingestion

If swallowed, do not induce vomiting. Rinse mouth. Get immediate medical attention.

### Most Important Symptoms/Effects

#### Acute

Skin burns, eye burns, central nervous system depression, allergic reactions, central nervous system damage, hematopoietic disorder, heart damage, kidney damage, liver damage, respiratory system damage, eye damage, systemic toxicity, cardiovascular system damage, nervous system damage

#### Delayed

Allergic reactions, mutagenic effects, cancer, reproductive effects, hematopoietic disorder, cardiovascular system damage, central nervous system damage, kidney damage, eye damage, digestive disorders, liver damage, spleen damage, thymus Effects, respiratory system damage

### Indication of Any Immediate Medical Attention and Special Treatment Needed

Treat symptomatically and supportively.

## Section 5 - FIRE FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Carbon dioxide, regular dry chemical, foam, water spray

#### Unsuitable Extinguishing Media

Do not scatter spilled material with high-pressure water streams.

### Special Hazards Arising from the Chemical

Moderate fire hazard. Combustible liquid and vapor. The vapor is heavier than air. Vapors or gases may ignite at distant ignition sources and flash back. Containers may rupture or explode if exposed to heat.

### Hazardous Combustion Products

Oxides of carbon, aldehydes, cresol vapors, various organic fragments, oxides of sulfur, oxides of barium

# Safety Data Sheet

Material Name: Copaltite

SDS ID: NEPI-001

## Advice for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

## Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Do not scatter spilled material with high-pressure water streams. Fight large fires from a protected location or safe distance. Stay away from the ends of tanks. Stay upwind and keep out of low areas. Avoid inhalation of material or combustion by-products.

## Section 6 - ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

### Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal. Keep unnecessary people away, isolate hazard area and deny entry.

### Environmental Precautions

Avoid release to the environment. Prevent entry into waterways, sewers, basements, or confined areas.

## Section 7 - HANDLING AND STORAGE

### Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Keep away from heat, sparks, open flame, and hot surfaces - No smoking. Do not breathe gas, fumes, vapor, or spray. Use only outdoors or in a well-ventilated area. Wear respiratory protection. Do not eat, drink, or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Wash thoroughly after handling.

### Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Store in a secure area.

Store and handle in accordance with all current regulations and standards. Store below 72°F 22 °C.

### Incompatible Materials

Alkali metals, strong acids, acyl halides, aldehydes, halogens, bases, strong oxidizing materials, combustible materials, halocarbons, amines

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### Component Exposure Limits

Cresol, all isomers	1319-77-3
ACGIH:	20 mg/m3 TWA inhalable fraction and vapor
	Skin - potential significant contribution to overall exposure by the cutaneous route
Europe:	5 ppm TWA (existing scientific data on health effects appear to be particularly limited ); 22 mg/m3 TWA (existing scientific data on health effects appear to be particularly limited )
OSHA (US):	5 ppm TWA ; 22 mg/m3 TWA
	prevent or reduce skin absorption (all isomers )

# Safety Data Sheet

**Material Name: Copaltite**

**SDS ID: NEPI-001**

Mexico:	5 ppm TWA LMPE-PPT ; 22 mg/m3 TWA LMPE-PPT
	Skin - potential for cutaneous absorption
<b>Methyl alcohol</b>	<b>67-56-1</b>
ACGIH:	200 ppm TWA
	250 ppm STEL
	Skin - potential significant contribution to overall exposure by the cutaneous route
NIOSH:	200 ppm TWA ; 260 mg/m3 TWA
	250 ppm STEL ; 325 mg/m3 STEL
	Potential for dermal absorption
	6000 ppm IDLH
Europe:	200 ppm TWA ; 260 mg/m3 TWA
	Possibility of significant uptake through the skin
OSHA (US):	200 ppm TWA ; 260 mg/m3 TWA
Mexico:	200 ppm TWA LMPE-PPT ; 260 mg/m3 TWA LMPE-PPT
	250 ppm STEL [LMPE-CT ] ; 310 mg/m3 STEL [LMPE-CT ]
	Skin - potential for cutaneous absorption
<b>Barium sulfate</b>	<b>7727-43-7</b>
ACGIH:	5 mg/m3 TWA inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust
OSHA (US):	15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction
<b>Phenol</b>	<b>108-95-2</b>
ACGIH:	5 ppm TWA
	Skin - potential significant contribution to overall exposure by the cutaneous route
NIOSH:	5 ppm TWA ; 19 mg/m3 TWA
	15.6 ppm Ceiling 15 min ; 60 mg/m3 Ceiling 15 min
	Potential for dermal absorption

# Safety Data Sheet

**Material Name: Copaltite**

**SDS ID: NEPI-001**

	250 ppm IDLH
Europe:	7.8 mg/m <sup>3</sup> TWA ; 2 ppm TWA
	2 ppm TWA ; 8 mg/m <sup>3</sup> TWA
	Possibility of significant uptake through the skin
	4 ppm STEL ; 16 mg/m <sup>3</sup> STEL
	Possibility of significant uptake through the skin
OSHA (US):	5 ppm TWA ; 19 mg/m <sup>3</sup> TWA
	prevent or reduce skin absorption
Mexico:	5 ppm TWA LMPE-PPT ; 19 mg/m <sup>3</sup> TWA LMPE-PPT
	10 ppm STEL [LMPE-CT ] ; 38 mg/m <sup>3</sup> STEL [LMPE-CT ]
	Skin - potential for cutaneous absorption
<b>Formaldehyde</b>	<b>50-00-0</b>
ACGIH:	0.3 ppm Ceiling
NIOSH:	0.016 ppm TWA
	0.1 ppm Ceiling 15 min
	20 ppm IDLH
OSHA (US):	0.75 ppm TWA
	2 ppm STEL (See 29 CFR 1910.1048 ) 15 min ; 0.5 ppm Action Level (See 29 CFR 1910.1048 ) ; 0.75 ppm TWA (See 29 CFR 1910.1048 )
	2 ppm STEL (see 29 CFR 1910.1048 )
Mexico:	2 ppm Ceiling ; 3 mg/m <sup>3</sup> Ceiling

**EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures**

There are no biological limit values for any of this product's components.

**ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**

**Methyl alcohol (67-56-1)**

15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific )

**Phenol (108-95-2)**

250 mg/g creatinine Medium: urine Time: end of shift Parameter: Phenol with hydrolysis (background, nonspecific )

**Engineering Controls**

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/Face protection**

Wear splash resistant safety goggles with a faceshield.

# Safety Data Sheet

Material Name: Copaltite

SDS ID: NEPI-001

## Skin Protection

Wear appropriate chemical resistant clothing. Wear chemical resistant apron.

## Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Consult with a health and safety professional for specific respirators appropriate for your use.

## Glove Recommendations

Wear appropriate chemical resistant gloves: plastic, rubber gloves.

## Protective Materials

Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	red black liquid	<b>Physical State</b>	liquid
<b>Odor</b>	Slight methanol odor	<b>Color</b>	red , black
<b>Odor Threshold</b>	Not available	<b>pH</b>	Not available
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	80 C (@ 760 mm Hg )
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	7 (Butyl Acetate = 1 )	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	190 - 200 F [TOC ]
<b>Lower Explosive Limit</b>	6.7	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	36	<b>Vapor Pressure</b>	52 mm Hg (@ 25 C )
<b>Vapor Density (air=1)</b>	1.1	<b>Specific Gravity (water=1)</b>	1.135 - 1.165 (20/20C )
<b>Water Solubility</b>	100 %	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	Not available	<b>Solubility (Other)</b>	Not available
<b>Density</b>	Not available	<b>Molecular Weight</b>	Not available

## Other Information

No additional information is available.

## Section 10 - STABILITY AND REACTIVITY

### Reactivity

No reactivity hazard is expected.

### Chemical Stability

Stable at normal temperatures and pressure.

### Possibility of Hazardous Reactions

May polymerize when heated.

### Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Containers may rupture or explode if exposed to heat.

# Safety Data Sheet

Material Name: Copaltite

SDS ID: NEPI-001

## Incompatible Materials

Alkali metals, strong acids, acyl halides, aldehydes, halogens, bases, strong oxidizing materials, combustible materials, halocarbons, amines

## Hazardous decomposition products

Oxides of carbon, aldehydes, cresol vapors, various organic fragments, oxides of sulfur, oxides of barium

## Section 11 - TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Inhalation

May cause allergic or asthmatic symptoms or breathing difficulties if inhaled. May cause drowsiness or dizziness.

#### Skin Contact

Harmful in contact with skin. Causes skin burns. May cause allergic skin reaction.

#### Eye Contact

Causes serious eye damage.

#### Ingestion

Harmful if swallowed.

#### Acute and Chronic Toxicity

##### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

##### Cresol, all isomers (1319-77-3)

Oral LD50 Rat 1454 mg/kg

Dermal LD50 Rabbit 2000 mg/kg

##### Methyl alcohol (67-56-1)

Oral LD50 Rat 6200 mg/kg

Inhalation LC50 Rat 22500 ppm 8 h

##### Phenol (108-95-2)

Oral LD50 Rat 340 mg/kg

Dermal LD50 Rabbit 630 mg/kg

##### Formaldehyde (50-00-0)

Oral LD50 Rat 100 mg/kg

Dermal LD50 Rabbit 270 mg/kg

Inhalation LC50 Rat 0.578 mg/L 4 h

#### Immediate Effects

Skin burns, eye burns, central nervous system depression, allergic reactions, central nervous system damage, hematopoietic disorder, heart damage, kidney damage, liver damage, respiratory system damage, eye damage, systemic toxicity, cardiovascular system damage, nervous system damage

#### Delayed Effects

Allergic reactions, mutagenic effects, cancer, reproductive effects, hematopoietic disorder, cardiovascular system damage, central nervous system damage, kidney damage, eye damage, digestive disorders, liver damage, spleen damage, thymus Effects, respiratory system damage

#### Irritation/Corrosivity Data

Skin burns, eye burns

#### Respiratory Sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Dermal Sensitization

May cause an allergic skin reaction.



# Safety Data Sheet

**Material Name: Copaltite**

**SDS ID: NEPI-001**

## Component Carcinogenicity

<b>Cresol, all isomers</b>	<b>1319-77-3</b>
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
DFG:	Category 3A (could be carcinogenic for man, all isomers )
<b>Phenol</b>	<b>108-95-2</b>
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Monograph 71 [1999] ; Monograph 47 [1989] (Group 3 (not classifiable))
DFG:	Category 3B (could be carcinogenic for man )
<b>Formaldehyde</b>	<b>50-00-0</b>
ACGIH:	A2 - Suspected Human Carcinogen
IARC:	Monograph 100F [2012] ; Monograph 88 [2006] ; Monograph 62 [1995] ; Supplement 7 [1987] (Group 1 (carcinogenic to humans))
NTP:	Known Human Carcinogen
DFG:	Category 4 (no significant contribution to human cancer )
OSHA:	Present
OSHA:	see 29 CFR 1910.1048
NIOSH:	potential occupational carcinogen

### Germ Cell Mutagenicity

May cause genetic defects.

### Tumorigenic Data

No data available

### Reproductive Toxicity

Available data characterizes components of this product as reproductive hazards.

### Specific Target Organ Toxicity - Single Exposure

Central nervous system, Hematopoietic System, heart, kidneys, liver, respiratory system, retina, systemic toxicity, Cardiovascular system, nervous system

### Specific Target Organ Toxicity - Repeated Exposure

Central nervous system, Hematopoietic System, kidneys, liver, respiratory system, retina, Cardiovascular system, digestive system, spleen, thymus

### Aspiration hazard

No data available.

### Medical Conditions Aggravated by Exposure

Eye disorders, kidney disorders, skin disorders and allergies, heart or cardiovascular disorders, immune system disorders or allergies, respiratory disorders

### Additional Data

No additional information available.

# Safety Data Sheet

Material Name: Copaltite

SDS ID: NEPI-001

## Section 12 - ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic life with long lasting effects.

### Component Analysis - Aquatic Toxicity

<b>Cresol, all isomers</b>	<b>1319-77-3</b>
Fish:	LC50 96 h Pimephales promelas 12.8 mg/L [flow-through ]; LC50 96 h Lepomis macrochirus 10 mg/L [static ]
<b>Methyl alcohol</b>	<b>67-56-1</b>
Fish:	LC50 96 h Pimephales promelas 28200 mg/L [flow-through ]; LC50 96 h Pimephales promelas >100 mg/L [static ]; LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flow-through ]; LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static ]; LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through ]
<b>Phenol</b>	<b>108-95-2</b>
Fish:	LC50 96 h Pimephales promelas 11.9 - 50.5 mg/L [flow-through ]; LC50 96 h Pimephales promelas 20.5 - 25.6 mg/L [static ]; LC50 96 h Pimephales promelas 32 mg/L; LC50 96 h Oncorhynchus mykiss 5.449 - 6.789 mg/L [flow-through ]; LC50 96 h Oncorhynchus mykiss 7.5 - 14 mg/L [static ]; LC50 96 h Oncorhynchus mykiss 4.23 - 7.49 mg/L [semi-static ]; LC50 96 h Oncorhynchus mykiss 5 - 12 mg/L; LC50 96 h Lepomis macrochirus 13.5 mg/L [static ]; LC50 96 h Lepomis macrochirus 11.9 - 25.3 mg/L [flow-through ]; LC50 96 h Lepomis macrochirus 11.5 mg/L [semi-static ]; LC50 96 h Poecilia reticulata 34.09 - 47.64 mg/L [static ]; LC50 96 h Poecilia reticulata 31 mg/L [semi-static ]; LC50 96 h Brachydanio rerio 27.8 mg/L; LC50 96 h Cyprinus carpio 0.00175 mg/L [semi-static ]; LC50 96 h Oryzias latipes 33.9 - 43.3 mg/L [flow-through ]; LC50 96 h Oryzias latipes 23.4 - 36.6 mg/L [static ]
Algae:	EC50 96 h Pseudokirchneriella subcapitata 46.42 mg/L EPA ; EC50 96 h Pseudokirchneriella subcapitata 0.0188 - 0.1044 mg/L [static ] EPA ; EC50 72 h Desmodesmus subspicatus 187 - 279 mg/L [static ] EPA
Invertebrate:	EC50 48 h Daphnia magna 4.24 - 10.7 mg/L [Static ] EPA ; EC50 48 h Daphnia magna 10.2 - 15.5 mg/L EPA
<b>Formaldehyde</b>	<b>50-00-0</b>
Fish:	LC50 96 h Pimephales promelas 22.6 - 25.7 mg/L [flow-through ]; LC50 96 h Lepomis macrochirus 1510 µg/L [static ]; LC50 96 h Brachydanio rerio 41 mg/L [static ]; LC50 96 h Oncorhynchus mykiss 0.032 - 0.226 mL/L [flow-through ]; LC50 96 h Oncorhynchus mykiss 100 - 136 mg/L [static ]; LC50 96 h Pimephales promelas 23.2 - 29.7 mg/L [static ]
Invertebrate:	LC50 48 h Daphnia magna 2 mg/L IUCLID ; EC50 48 h Daphnia magna 11.3 - 18 mg/L [Static ] EPA

### Persistence and Degradability

No data available.

### Bioaccumulative Potential

No data available.

# Safety Data Sheet

Material Name: Copaltite

SDS ID: NEPI-001

## Mobility

No data available.

## Section 13 - DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

## Section 14 - TRANSPORT INFORMATION

US DOT Information:

UN/NA #: Not regulated as a hazardous material.

IATA Information:

UN#: Not regulated as a dangerous good.

TDG Information:

UN#: Not regulated as a dangerous good.

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

<b>Cresol, all isomers</b>	<b>1319-77-3</b>
SARA 313:	1 % de minimis concentration
CERCLA:	100 lb final RQ ; 45.4 kg final RQ
<b>Methyl alcohol</b>	<b>67-56-1</b>
SARA 313:	1 % de minimis concentration
CERCLA:	5000 lb final RQ ; 2270 kg final RQ
<b>Phenol</b>	<b>108-95-2</b>
SARA 302:	500 lb lower TPQ ; 10000 lb upper TPQ
SARA 313:	1 % de minimis concentration
CERCLA:	1000 lb final RQ ; 454 kg final RQ
SARA 304:	1000 lb EPCRA RQ
<b>Formaldehyde</b>	<b>50-00-0</b>
SARA 302:	500 lb TPQ
SARA 313:	0.1 % de minimis concentration

# Safety Data Sheet

**Material Name: Copaltite**

**SDS ID: NEPI-001**

CERCLA:	100 lb final RQ ; 45.4 kg final RQ
OSHA (safety):	1000 lb TQ
SARA 304:	100 lb EPCRA RQ

**SARA Section 311/312 (40 CFR 370 Subparts B and C)**

**Acute Health: Yes Chronic Health: Yes Fire: Yes Pressure: No Reactivity: No**

**U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
<b>Cresol, all isomers</b>	<b>1319-77-3</b>	Yes	Yes	Yes	Yes	Yes
<b>Methyl alcohol</b>	<b>67-56-1</b>	Yes	Yes	Yes	Yes	Yes
<b>Barium sulfate</b>	<b>7727-43-7</b>	No	Yes	Yes	Yes	Yes
<b>Phenol</b>	<b>108-95-2</b>	Yes	Yes	Yes	Yes	Yes
<b>Formaldehyde</b>	<b>50-00-0</b>	Yes	Yes	Yes	Yes	Yes

**The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):**

WARNING! This product contains a chemical known to the state of California to cause cancer

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects

<b>Methyl alcohol</b>	<b>67-56-1</b>
Repro/Dev. Tox	developmental toxicity , 3/16/2012
<b>Formaldehyde</b>	<b>50-00-0</b>
Carc:	carcinogen , 1/1/1988 (gas )

**Canadian WHMIS Ingredient Disclosure List (IDL)**

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

<b>Cresol, all isomers</b>	<b>1319-77-3</b>
	1 %
<b>Methyl alcohol</b>	<b>67-56-1</b>
	1 %
<b>Phenol</b>	<b>108-95-2</b>
	1 %

# Safety Data Sheet

Material Name: Copaltite

SDS ID: NEPI-001

Formaldehyde	50-00-0
	0.1 %

**WHMIS Classification**

B3 , D2A , D2B , E

**Component Analysis - Inventory**

**Cresol, all isomers (1319-77-3)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes

**Methyl alcohol (67-56-1)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes

**Barium sulfate (7727-43-7)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes	Yes

**Phenol (108-95-2)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes

**Formaldehyde (50-00-0)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes

**Section 16 - OTHER INFORMATION**

**HMIS Rating**

Health: 3\* Fire: 2 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

**NFPA Ratings**

Health: 3 Fire: 2 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

# Safety Data Sheet

**Material Name: Copaltite**

**SDS ID: NEPI-001**

## Summary of Changes

Update: 4/29/2016

## Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

## Other Information

### Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

Reasonable care has been taken in the preparation of this information; however, the manufacturer makes no warranty whatsoever including the warranty of merchantability, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental, consequential, or other such damages resulting from its use or misuse..