

IMIDACLOPRID 2F SELECT™ T/I

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Imidacloprid 2F Select T/I

Product Type: Termiticide/Insecticide

EPA Reg. Number: 89442-19

EPA Signal Word: CAUTION

Chemical Name of Active Ingredient(s): **Imidacloprid:** 1-(6-chloro-3-pyridylmethyl)-N-nitroimidazolidin-2-ylideneamine**COMPANY IDENTIFICATION:**

Prime Source, LLC

4609 E. Boonville New Harmony Rd.

Evansville, IN 47225

www.PrimeSourceLLC.com

Poison Control Center: 1-800-222-1222

2. HAZARD IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

EMERGENCY OVERVIEW: WARNING! Imidacloprid, is an irritant and an environmentally hazardous substance. The product can cause moderate eye irritation and be harmful if swallowed or inhaled. There is no evidence that Imidacloprid is a human carcinogen. Imidacloprid can cause moderate temporary eye irritation and be harmful if swallowed or inhaled. This Insecticide is moderately toxic to aquatic organisms. Avoid breathing spray or aerosol.**PHYSICAL STATE:** Suspension.**APPEARANCE:** White/colorless suspension.**ROUTE OF EXPOSURE:** Skin Contact, Skin Absorption, or Eye Contact.**IMMEDIATE EFFECTS:****Eye:** Can cause moderate eye irritation. Do not get in the eyes.**Skin:** May be harmful if absorbed through the skin. May cause moderate acute skin irritation.**Skin Irritation:** Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.**Ingestion:** Harmful if swallowed. Do not take internally.**Inhalation:** Harmful if inhaled. Avoid breathing spray or aerosol.**CHRONIC OR DELAYED LONG-TERM:** ACIGIH, NTP, IARC, or OSHA do not list this product as a human carcinogen. The EPA has

classified Imidacloprid as Group E, no evidence of carcinogenicity based on studies of rats and mice.

Medical Conditions Aggravated by Exposure: May cause upper respiratory irritation, or temporary irritation to the eye

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name	CAS #	EINECS #	Average % by Weight
Neonicotinoid Insecticide	138261-41-3	200-835-2	21.4
NE			78.6

NE=Not established; NA=Not applicable.


* IARC – 3 Not classifiable as to its carcinogenicity to humans.

4. FIRST AID

FIRST AID	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have the affected person drink a glass of water if they are able to swallow. DO NOT INDUCE VOMITING. Lower the head if the exposed person is vomiting to minimize entry into throat and lungs.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">Remove any contaminated clothing.Rinse area with clean water for 15-20 minutes.Call poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">Flush with clean, lukewarm water raising upper and lower eyelids at low pressure for 15 minutes.Remove contact lenses, if present, after the first five minutes and continue to rinse the eyes.Seek medical attention if no relief.
IF INHALED:	<ul style="list-style-type: none">Move the exposed person to fresh air, free from risk of further exposure.If the person is not breathing call 9-1-1, give artificial respiration.Seek medical attention as soon as possible

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call your poison control center at **1-800-222-1222**.

NOTE to Physician: If product is ingested, there is no specific antidote. Use appropriate supportive and symptomatic treatment as indicated by the patient's condition.



IMIDACLOPRID 2F

SELECT™ T/I

MATERIAL SAFETY DATA SHEET

5. FIRE-FIGHTING MEASURES

FLASH POINT: > 210 °F (99 °C)

AUTOIGNITION TEMPERATURE: N/A

FIRE AND EXPLOSION HAZARDS: Thermal decomposition of Imidacloprid can produce irritating and toxic gases, including hydrogen cyanide, hydrogen chloride, nitrogen oxides, and carbon oxides.

SUITABLE EXTINGUISHING MEDIA: Use water, dry chemicals, carbon dioxide, or foam.

FIRE FIGHTING INSTRUCTIONS: Wear encapsulated suit and NIOSH-approved self-contained breathing apparatus while fighting a fire where this product is burning. Keep out of smoke. Fight fire from an upwind position. Cool closed containers exposed to fire with water spray. Dike the area to prevent runoff and contamination of water sources. Equipment or materials involved in pesticide fires may become contaminated.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear PPE per Section 8. Keep unauthorized people away. Isolate the hazard area. Avoid contact with spilled product or contaminated surfaces.

METHODS FOR CLEANING UP: Absorb spilled material with a nonflammable absorbent such as vermiculite. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

HANDLING AND STORAGE PRECAUTIONS: Use normal safety procedures and good personal hygiene. Wash thoroughly after use, and before eating, drinking, chewing gum, or using tobacco.

ADDITIONAL ADVICE: Do not allow material to enter streams, sewers, or other waterways.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE: Keep containers tightly closed. Avoid temperatures above 38 °C (100 °F) or below 0°C (32 °F). Store in a cool, dry, well-ventilated area.

SPECIAL SENSITIVITY: Avoid contact with skin and eyes. Wear PPE per Section 8.

HANDLING AND STORAGE PRECAUTIONS: Avoid breathing the dust. Use normal safety procedures and good personal hygiene. Remove and wash PPE as soon as possible after handling product. Wash thoroughly after use, and before eating, drinking, chewing gum, or using tobacco.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: Use approved safety glasses, goggles, or face shield when there is potential for exposure to Imidacloprid spray or aerosol to cause irritation to the eyes.

SKIN PROTECTION: Wear chemically resistant gloves (e.g. nitrile, butyl, or neoprene.) Wear a long-sleeved shirt, long pants, shoes, and socks.

RESPIRATORY PROTECTION: Wear a NIOSH-approved respirator if the airborne conditions result in a dust or aerosol forming. A respirator is not normally required for routine handling of Imidacloprid, Technical.

OCCUPATIONAL EXPOSURE LIMITS: None.

ENGINEERING CONTROLS: Provide adequate ventilation when product is used. Eyewash and shower should be provided in mixing and loading areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Powder.

COLOR: White/colorless.

ODOR: Slight characteristic odor.

SOLUBILITY IN WATER: 0.51 g/L @ 20 °C.

DENSITY OF POWDER (water=1): 0.73 g/cm³

FLASH POINT: 468 °F (242 °C)

pH IN WATER: Approximately 7.0

10. STABILITY AND REACTIVITY

STABILITY: This product is a stable material under normal conditions of storage and handling. Avoid temperatures above 38 °C (100 °F)

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBLES: Avoid contact with strong acids or strong oxidizing agents.

DECOMPOSITION PRODUCTS: Products of thermal decomposition and/or combustion can include hydrogen cyanide, hydrogen chloride, oxides of nitrogen, and oxides of carbon.


11. TOXICOLOGICAL INFORMATION

Oral LD_{50 (rat)} = > 450 mg/kg

Dermal LD_{50 (rat)} = > 5,000 mg/kg

Inhalation LC_{50 (rat)} = > 5.0 mg/L (dust); = > 0.05 mg/L (aerosol)

The EPA has classified Imidacloprid carcinogenicity as group E, no



IMIDACLOPRID 2F SELECT™ T/I

MATERIAL SAFETY DATA SHEET

evidence of human carcinogenicity based on studies with rats and mice. Ingestion of Imidacloprid at high levels of 20 milligrams per kilogram or more have produced modestly teratogenic effects in rats and rabbits. There is no evidence that Imidacloprid, Technical causes cancer in humans, although there is some evidence of a possible carcinogenic effect at very high doses in some animal studies.

The majority of tests on Imidacloprid have not shown it to be mutagenic.

Eye and skin irritation toxicity is very low, with effects clearing within 1-3 days of exposure.

The Lowest Observable Adverse Effect Level (LOAEL) for human chronic exposure to Imidacloprid has been estimated to be 16.9 mg/kg/day based on rat studies.

There was no evidence that Imidacloprid causes skin sensitization based on guinea pig studies.

The significant routes of exposure are eyes, ingestion, skin contact, and inhalation.

12. ECOLOGICAL INFORMATION

Prevent Imidacloprid from getting into any waterways.

The acute toxicity of Imidacloprid to fish is moderate or low. The LC₅₀ in a 96-hour rainbow trout study was 211 mg/L. The acute toxicity to algae is low.

Imidacloprid is practically non-toxic to most vertebrate groups, including mammals and most birds. It has been found to be moderately toxic to some bird species, including some upland game birds like quail, at high doses of 30-150 mg/kg.

Imidacloprid is toxic to honeybees if used in a foliar application.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Imidacloprid 2SC is a liquid. Wear a NIOSH-approved self-contained breathing apparatus or respirator and other required PPE while disposing of Imidacloprid, Technical. Dispose of in accordance with label instructions and in accordance with all local, state, and federal regulations.

14. TRANSPORT INFORMATION

US DOT (ground) SHIPPING NAME: Imidacloprid 2SC is not regulated for ground shipment per 49CFR Part 172 101(12)(iv). UN Number 3082, DG Class 9, Packing Group III.

IATA (air) SHIPPING NAME: Imidacloprid 2SC is not regulated for air shipment per 49CFR Part 172 101(12)(iv). UN Number 3082, DG Class 9, Packing Group III.

IMO (water) SHIPPING NAME: Imidacloprid 2SC is not regulated for ground shipment per 49CFR Part 172 101(12)(iv). UN Number 3082, DG Class 9, Packing Group III. Imidacloprid 2SC is a Marine Pollutant.

15. REGULATORY INFORMATION

OSHA STATUS: None

TSCA STATUS: None

CERCLA REPORTABLE QUANTITY: None

CALIFORNIA PROPOSITION 65: None

RCRA STATUS: None

SARA 302/311/312 HAZARD NOTIFICATION/REPORTING

- **IMMEDIATE:** N **FIRE:** N
- **SUDDEN RELEASE OF PRESSURE:** N
- **DELAYED:** N **REACTIVE:** N
- **SARA TITLE III:** None
- **SECTION 302 EXTREMELY HAZARDOUS:** None
- **SECTION 311/312 HAZARD CATEGORIES:** None
- **SECTION 313 TOXIC CHEMICALS:** None

RIGHT TO KNOW: None


16. OTHER INFORMATION

National Fire Protection Association (NFPA) Hazardous Materials Identification System (HMIS)

NFPA		HMIS
	0 Least	
1 Health	1 Slight	1 Health
1 Flammability	2 Moderate	1 Flammability
1 Instability	3 High	1 Reactivity
	4 Severe	HPPE

RISK PHRASES: R21, Harmful in contact with skin; R36, Irritating to eyes; and R51, Toxic to aquatic organisms.

SAFETY PHRASES: S2, Keep out of reach of children; S9, Keep container in a well-ventilated place; S25, Avoid contact with eye; S36, Wear suitable protective clothing; S37, Wear suitable gloves; S38, In case of insufficient ventilation, wear suitable respiratory equipment; S39, Wear eye/face protection; S61, Avoid release to the environment; and S62, If swallowed, do not induce vomiting: seek medical advice immediately and show the product container or label.



IMIDACLOPRID 2F

SELECT™ T/I

MATERIAL SAFETY DATA SHEET

ABBREVIATIONS

- **ACGIH** American Conference of Governmental Industrial Hygienists
- **AICS** Australian Inventory of Chemical Substances
- **CAS#** Chemical Abstract Service Number
- **CERCLA** Comprehensive Environmental Response Compensation and Liability Act
- **°C** Celsius temperature scale
- **CI** China
- **DSL** Canada Domestic Substances List
- **ECL** Korean Existing Chemicals List
- **EEC** European Economic Commission
- **ENCS** Japanese existing Chemical List
- **EINECS #** European Inventory of Existing Chemical Substance Number
- **EU** European Union
- **FIFRA** Federal Insecticide, Fungicide, and Rodenticide Act
- **(Israel)** 2001 proposed list of chemical substances to be regulated under Israel Hazardous Substances Law and Regulations List of 1993
- **IARC** International Agency for Research on Cancer
- **MAC** Netherlands
- **MAK** Germany
- **MITI** Ministry of International Trade and Industry
- **NA** Not Applicable
- **ND** Not Determined
- **NE** Not Established
- **NIOSH** National Institute of Occupational Safety and Health
- **NPIC** National Pesticide Information Center
- **NTP** National Toxicology Program
- **OSHA** Occupational Safety and Health Act
- **PICCS** Philippines
- **PPE** Personal Protective Equipment
- **Prop** Proprietary
- **SARA** Superfund Amendments and Reauthorization Act
- **SWISS** Giftlist 1 and Inventory of Notified New Substances
- **TSCA** Toxic Substances Control Act

- **(Taiwan)** List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of November 26, 1986
- **UK** United Kingdom
- **USA** United States of America

DISCLAIMER

This information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Prime Source, LLC be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if company has been advised of the possibility of such damages.



PRIME SOURCE

Manufactured for: **Prime Source, LLC**
4609 E. Boonville New Harmony Rd. Evansville, IN 47225
POISON CONTROL CENTER 1-800-222-1222
Effective Date: 2/20/14