

MATERIAL SAFETY DATA SHEET

SECTION 1

Product Identifier: TASER® cartridge for M26™/X2™/X26™/X26P™/C2®/X3® products
Product Use: Replacement Cartridge
Manufacturer's Name: TASER International
Street Address: 17800 N. 85th Street
Scottsdale, AZ 85255
Emergency Telephone: 800-978 2737
Date MSDS Prepared: 12/04/09
MSDS Prepared By: John Hobbs
Phone Number: 602 326 6178

SECTION 2

Hazardous Components
Gas Capsule: Compressed nitrogen, 1.065 cc @ 1800 to 2500 psi
UN HAZ CLASS 2.2
CAS Number 7727-37-9
OSHA PEL- None established
ACGIH: TLV-TWA- Simple Asphyxiant
Berdan Primer Cap: Primer Composition, 43 mg
UN HAZ CLASS 1.4s
UN Number 0044
OSHA PEL- None established
ACGIH: TLV-TWA- None established

SECTION 3 – HAZARDS IDENTIFICATION

Emergency Overview

The TASER cartridge is a mechanical device consisting of various components that represent no significant hazard when in originally packaged condition and used under normal conditions.

Handle with care when removed from original packaging. Probes may deploy unexpectedly if exposed to static electricity or physical shock. Do not point toward face. Keep hands clear of the front of cartridge.

No other harmful effects are expected.

SECTION 4 – FIRST AID MEASURES

This product does not represent an inhalation, ingestion, skin contact, or eye contact hazard.

SECTION 5 – FIRE FIGHTING MEASURES

Explosive - No

Flammable -Not applicable (N./A)

Combustible - N/A

Pyrophoric - No

Flash Point (°C) - N/A

Burning Rate of Material - N/A

Lower Explosive Limit - N/A

Upper Explosive Limit: - N/A

Autoignition Temp - No data available

EXTINGUISHING MEDIA: carbon dioxide, dry chemical

SPECIAL FIREFIGHTING PROCEDURES: In case of fire, use normal firefighting equipment.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

This product is a solid.

SECTION 7 – HANDLING AND STORAGE

HANDLING: No special requirements

STORAGE: No special requirements

Incompatible Materials for Packaging: None known

Incompatible Materials for Storage or Transport: Acids, Class A & B explosives, strong oxidizers, and caustics

CONDITIONS TO AVOID: Mechanical impact or shock and electrical discharge.

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

Respiratory Protection - None required under normal use.

Gloves, Eye Protection, Footwear, Clothing - None required under normal use.

Exposure Limits

ACGIH TLV - Nitrogen-None established

OSHA PEL - Nitrogen- None established

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State - N/A

Odor and Appearance - N/A

Odor Threshold (ppm) - N/A
Specific Gravity- N/A
Vapor Density (air = 1) - N/A
Vapor Pressure (mmHg) - N/A
Evaporation Rate - N/A
Boiling Point (°C) - N/A
Freezing Point (°C) - N/A
pH - N/A
Coefficient of Water/Oil Distribution [Solubility in Water] - N/A

SECTION 10 – STABILITY AND REACTIVITY

STABILITY: Stable under normal temperatures and pressure.

MATERIALS TO AVOID: Acids, Class A & B explosives, strong oxidizers, and caustics

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, nitric fumes, lead, barium, antimony compounds oxides, carbon dioxide, and lead.

HAZARDOUS POLYMERIZATION: Will not occur.

OTHER: Cartridge may discharge if it is punctured or severely damaged.

SECTION 11 – TOXICOLOGICAL INFORMATION

The physical nature of this product makes absorption by any route unlikely.

Oral LD50 - N/A

Dermal LD50 - N/A

Inhalation LC50 - N/A

Irritation - N/A

IARC Carcinogenicity - Not listed

Reproductive Toxicity, Teratogenicity, Embryotoxicity, and Mutagenicity - The product is not known or reported to cause reproductive or developmental effects.

SECTION 12 – ECOLOGICAL INFORMATION

No data is available on this product.

SECTION 13 – DISPOSAL CONSIDERATIONS

The user of this product should dispose of waste in compliance with relevant local, state, and federal laws and regulations.

SECTION 14 – TRANSPORT INFORMATION

This product is not a hazardous material per 49 CFR 173


SECTION 15 – REGULATORY INFORMATION

SARA 313 - N/A

TSCA- N/A

SECTION 16 – OTHER INFORMATION

Notice: The information in this MSDS should be provided to all who will handle, store, transport, or otherwise may be exposed to this product. TASER International believes this information to be reliable and current as of the date of publication but makes no warranty that it is. Since the use of this product is outside the control of TASER International, it is the user's obligation to determine the safe use of the product.

M26, X26, X26P, and 'Protect Life' are trademarks of TASER International, Inc. C2 is a trademark of TASER International, Inc., registered in Australia, the European Union, Hong Kong, Israel, Malaysia, South Africa, and the USA. X2 is a trademark of TASER International, Inc., registered in Australia, the European Union, Hong Kong, and New Zealand. X3 is a trademark of TASER International, Inc., registered in the USA. TASER is a trademark of TASER International, Inc., registered in the African Intellectual Property Organization (OAPI), Australia, Canada, the European Union, Hong Kong, India, Israel, Malaysia, New Zealand, Singapore, South Africa, and the USA.  is a trademark of TASER International, Inc., registered in Australia, the European Union, India, Malaysia, and the USA. All rights reserved. © 2015 TASER International, Inc.