

Revision Date 10-Sep-2018

SAFETY DATA SHEET

Version 4

1. IDENTIFICATION

Product identifier PX VALVE GRIND COMPOUND 3 OZ. **Product Name** Other means of identification **Product Code** 80037 Recommended use of the chemical and restrictions on use **Recommended Use** Grinding compound Uses advised against No information available Details of the supplier of the safety data sheet Manufacturer Address May Also Be Distributed by: **ITW Permatex ITW Permatex Canada** 6875 Parkland Blvd. 101-2360 Bristol Circle Solon, OH 44139 USA Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral

Category 4

Label elements

Emergency Overview		
Signal word		
Warning		
Harmful if swallowed		

Appearance Gray	Physical state Paste	Odor Slight
Precautionary Statements - Prever Wash face, hands and any exposed Do not eat, drink or smoke when usi	skin thoroughly after handling	
IF SWALLOWED: Call a POISON C Rinse mouth	ENTER or doctor/physician if you feel unwell	
Precautionary Statements - Storage Store in a well-ventilated place. Keep		
Precautionary Statements - Dispo Dispose of contents/container to an a		
<u>Hazards not otherwise classified (</u> Not applicable	HNOC)	
Other Information - Not applicable		
Unknown acute toxicity	43.602 % of the mixture consists of ingredient(s) of unknown toxicity	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance(s)

Chemical Name	CAS No	Weight-%
ETHYLENE GLYCOL	107-21-1	10 - 30

4. FIRST AID MEASURES		
Description of first aid measures		
General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED:. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.	
Most important symptoms and effects, both acute and delayed		
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Carbon dioxide (CO2), Dry chemical, Foam Unsuitable extinguishing media None Specific hazards arising from the chemical None in particular. Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None. Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. 6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. **Personal precautions** Use personal protective equipment as required. Environmental precautions **Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upEnsure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel
into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep from freezing.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ETHYLENE GLYCOL	Ceiling: 100 mg/m ³ aerosol only	(vacated) Ceiling: 50 ppm	-

107-21-1	(vacated) Ceiling: 125 mg/m ³	
NIOSH IDLH Immediately Dange	erous to Life or Health	
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).	
Appropriate engineering contro	bls	
Engineering Controls	Showers	
Engineering controls	Evewash stations	
	Ventilation systems	
	Ventilation systems	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.	
General Hygiene Consideration	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of	
	equipment, work area and clothing is recommended.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Paste Gray Slight No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> No information available No information available > 100 °C / >212 °F	<u>Remarks • Method</u>
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	> 95 °C / > 203 °F <1 No information available	Butyl acetate = 1
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	No information available No information available No information available >1	Air = 1
Relative density Water solubility Solubility in other solvents Partition coefficient	1.36 Soluble in water No information available No information available	
Autoignition temperature Decomposition temperature Kinematic viscosity	No information available No information available No information available	
Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available	
Other Information Softening point	No information available	
Molecular weight VOC Content (%)	No information available 0	

Density Bulk density

No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ETHYLENE GLYCOL	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)= 9530 μL/kg	-
107-21-1		(Rabbit)	

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.
ACGIH (American Conference	e of Governmental Industrial Hygienists)
A2 - Suspected Human Carcino	igen
IARC (International Agency for	r Research on Cancer)
Not classifiable as a human car	cinogen
Group 2A - Probably Carcinoge	nic to Humans
OSHA (Occupational Safety a	nd Health Administration of the US Department of Labor)
X - Present	
Target Organ Effects	Central nervous system, Eyes, Respiratory system, Skin.
The following values are calcu	ulated based on chapter 3.1 of the GHS document .
ATEmix (oral)	1938 mg/kg
ATEmix (dermal)	41087 mg/kg
. ,	

12. ECOLOGICAL INFORMATION

Ecotoxicity

43.602 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

<u>Mobility</u>

No information available.

Chemical Name	Partition coefficient
ETHYLENE GLYCOL	-1.93
107-21-1	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

14. TRANSPORT INFORMATION

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

15. REGULATORY INFORMATION		
International Inventories		
TSCA	Complies	
DSL/NDSL	Complies	
EINECS/ELINCS	Complies	
ENCS	Not determined	
IECSC	Complies	
KECL	Complies	
PICCS	Complies	
AICS	Complies	

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ETHYLENE GLYCOL - 107-21-1	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	(RQ)	Reportable Quantity (RQ)	CERCLA/SARA RQ	Hazardous Substances RQs	Chemical Name
	2	RQ 5000 lb final RQ	-	5000 lb	ETHYLENE GLYCOL
107-21-1 RQ 2270 kg final RC	Q	RQ 2270 kg final RQ			107-21-1

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
ETHYLENE GLYCOL - 107-21-1	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
SILICON CARBIDE	X	X	Х
409-21-2			
ETHYLENE GLYCOL	X	X	Х
107-21-1			
TRIETHANOLAMINE	X	X	X
102-71-6			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	
HMIS	

Health hazards 2 Health hazards 2 Flammability 1 Flammability 1 Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

10-Sep-2018

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet