

Printing date: September 18, 2014 Revision: September 18, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: 40MM Powder Ferret OC
- · Article number: 1290
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Explosive product.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

- · Further information obtainable from: Customer Care Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.



exploding bomb

Expl. 1.4 H204 Fire or projection hazard.



STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R37: Irritating to respiratory system.

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R5-44: Heating may cause an explosion. Risk of explosion if heated under confinement.

(Contd. on page 2)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 1)

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).





GHS01 GHS07

· Signal word Warning

· Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H204 Fire or projection hazard.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P372 Explosion risk in case of fire.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Contains Rosin. May produce an allergic reaction.

Can become highly flammable in use.

(Contd. on page 3)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 2)

- · Hazard description:
- · WHMIS-symbols:

D2B - Toxic material causing other toxic effects

F - Dangerously reactive material



· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



Warning: Contains lead salt(s). Long-term health hazard.

· HMIS Long Term Health Hazard Substances

122-39-4 diphenylamine

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.
- · Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 4)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

| Dangerous components: | (44) | itd. of pag |
|---|---|-------------|
| CAS: 1309-48-4 EINECS: 215-171-9 Index number: 025-199-09-0 | magnesium oxide substance with a Community workplace exposure limit | 40-60 |
| CAS: 9004-70-0 EC number: 603-037-0 | Nitrocellulose, colloided, granular | 10-20 |
| CAS: 112945-52-5 | Silicon Dioxide (Amorphous) | 10-20 |
| CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X | glycerol trinitrate ☐ T+ R26/27/28; ☐ E R3; ☐ N R51/53 R33 | 5-10% |
| | Unst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 2, H411 Flam. Liq. 2, H225 | |
| CAS: 7757-79-1 EINECS: 231-818-8 | potassium nitrate O R8 O Ox. Sol. 2, H272 | 1-5% |
| CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7 | Rosin | < 1,0 |
| CAS: 8023-77-6 EINECS: 288-920-0 | Oleoresin Capsicum Xn R21/22; Xi R36/38 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319 | < 1,0 |
| CAS: 7440-50-8 EINECS: 231-159-6 | copper substance with a Community workplace exposure limit | < 1,0 |
| CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5 | diphenylamine ☐ T R23/24/25; N R50/53 R33 ☐ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 | < 1,0% |
| | STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | |
| CAS: 85-98-3 EINECS: 201-645-2 | 1,3-diethyldiphenylurea Xn R22 Acute Tox. 4, H302 Aquatic Chronic 3, H412 | < 1,0 |
| CAS: 7704-34-9 EINECS: 231-722-6 Index number: 016-094-00-1 | sulfur Xi R38 ♦ Skin Irrit. 2, H315 | < 1,0 |

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 4)

Notable Trace Components (≤ 0,1% w/w)

CAS: 15245-44-0 EINECS: 239-290-0

Index number: 609-019-00-4

lead 2,4,6-trinitro-m-phenylene dioxide

☑ T Repr. Cat. 1, 3 R61;
☐ Xn R62-20/22;
☐ E R3; ☐ N R50/53

Unst. Expl., H200

Tarc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373

Aquatic Acute 1, H400; Aquatic Chronic 1, H410

Acute Tox. 4, H302; Acute Tox. 4, H332

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Remove victim to fresh air.

Seek medical help for symptoms or if unconscious.

· After skin contact:

Brush off loose particles from skin.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

May cause respiratory irritation.

Coughing

Breathing difficulty

Blast injury if mishandled.

Slight irritant effect on skin and mucous membranes.

Irritant to eyes.

· Hazards

Danger of blast or crush-type injuries.

Danger of impaired breathing.

· 4.3 Indication of any immediate medical attention and special treatment needed

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

If necessary oxygen respiration treatment.

(Contd. on page 6)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 5)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 7)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

See Section 13 for disposal information.

(Contd. of page 6)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Use only in well ventilated areas.

Information about fire - and explosion protection:

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

1309-48-4 magnesium oxide

PEL (USA) Long-term value: 15* mg/m³

fume; *total particulate

TLV (USA) Long-term value: 10* mg/m³

*as inhalable fraction

EL (Canada) Short-term value: 10** mg/m³

Long-term value: 10* 3** mg/m³

*inhalable fume; ** respirable dust and fume

EV (Canada) Long-term value: 10 mg/m³

inhalable

55-63-0 glycerol trinitrate

PEL (USA) Ceiling limit: 2 mg/m³, 0,2 ppm

Skin

REL (USA) Short-term value: 0,1 mg/m³

Skin

TLV (USA) Long-term value: 0,46 mg/m³, 0,05 ppm

Skin

(Contd. on page 8)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 7) EL (Canada) Long-term value: 0,05 ppm EV (Canada) Long-term value: 0,5 mg/m³, 0,05 ppm Skin 8050-09-7 Rosin TLV (USA) DSEN, RSEN, L EL (Canada) S 122-39-4 diphenylamine REL (USA) Long-term value: 10 mg/m³ Long-term value: 10 mg/m³ TLV (USA) EL (Canada) Long-term value: 10 mg/m³ EV (Canada) Long-term value: 10 mg/m³ 7440-50-8 copper Long-term value: 1* 0,1** mg/m³ PEL (USA) as Cu *dusts and mists **fume REL (USA) Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume TLV (USA) Long-term value: 1* 0,2** mg/m3 *dusts and mists; **fume; as Cu EL (Canada) Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu EV (Canada) Long-term value: 0,2* 1** mg/m3 as copper, *fume; **dust and mists 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide EV (Canada) Long-term value: 0.05 mg/m³

EV (Canada) Long-term value: 0,05 mg/m³ as Pb, Skin (organic compounds)

- · DNELs No further relevant information available.
- PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale dust / smoke / mist.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Respiratory protection:

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

Use suitable respiratory protective device when high concentrations are present.

(Contd. on page 9)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

· Protection of hands:

(Contd. of page 8)



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Solid metal container containing liquid and solid contents.

Solid

Colour: According to product specification

Odour:
 Odour threshold:
 pH-value:
 Odourless
 Not determined.
 Not applicable.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Not applicable.

(Contd. on page 10)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 9)

Flammability (solid, gaseous): Not determined.
 Auto/Self-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

Self-igniting: Product is not self-igniting.

• **Danger of explosion:** Heating may cause an explosion.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure:
Not applicable.

Density:
Relative density
Vapour density
Vapour density
Evaporation rate
Not determined.
Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts violently with oxidising agents.

Danger of explosion.

- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- · 10.5 Incompatible materials: Oxidizers
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulphur oxides (SOx)

(Contd. on page 11)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 10)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

55-63-0 glycerol trinitrate

Oral LD50 115 mg/kg (mouse)

105 mg/kg (rat)

Dermal LD50 29 mg/kg (rat)

280 mg/kg (rabbit)

122-39-4 diphenylamine

Oral LD50 1120 mg/kg (rat)

15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide

Oral LD50 650 mg/kg (rat)

- · Primary irritant effect:
- · on the skin:

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

· on the eye:

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

- · Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

· Acute effects (acute toxicity, irritation and corrosivity):

Inhalation may cause irritation to the respiratory system.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish

(Contd. on page 12)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 11)

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

Also poisonous for fish and plankton in water bodies.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA UN0301

· 14.2 UN proper shipping name

· **DOT, IATA** Ammunition Tear-producing with burster, expelling

charge or propelling charge

• ADR 0301 Ammunition Tear-producing with burster,

expelling

charge or propelling charge, ENVIRONMENTALLY

HAZĂRDOUS

· IMDG Ammunition Tear-producing with burster, expelling

charge or propelling charge, MARINE POLLUTANT

(Contd. on page 13)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

· 14.3 Transport hazard class(es)


Not applicable.

<u>F-A</u>,S-Q

(Contd. of page 12)

· DOT





· Label 1.4G+6.1+8

· ADR, IMDG



· Class 1.4

· Label 1.4G+6.1+8

·IATA



· Class 1.4

· Label 1.4G+6.1+8

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Ш

· 14.5 Environmental hazards:

· Marine pollutant: Yes

Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree)

· Special marking (IATA):



Cargo Aircraft Only.

· 14.6 Special precautions for user

· EMS Number:

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation":

UN0301, Ammunition Tear-producing with burster, expelling charge or propelling charge, ENVIRONMENTALLY HAZARDOUS, 1.4G (6.1+8), II

(Contd. on page 14)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 13)

| SECTION 15: Regulatory information | |
|--|-------------|
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or United States (USA) SARA | mixture |
| · Section 355 (extremely hazardous substances): | |
| None of the ingredients is listed. | |
| · Section 313 (Specific toxic chemical listings): | |
| 55-63-0 glycerol trinitrate | |
| 7440-50-8 copper | |
| TSCA (Toxic Substances Control Act): | |
| All ingredients are listed. | |
| Proposition 65 (California): | |
| Chemicals known to cause cancer: Propert in trace quantities | |
| Present in trace quantities. 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide | |
| · Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients are listed. | |
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| Chemicals known to cause developmental toxicity: Present in trace quantities. | |
| 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide | |
| Carcinogenic Categories | |
| · EPA (Environmental Protection Agency) | |
| 7440-50-8 copper | D |
| 7440-66-6 zinc metal | D, I, II |
| IARC (International Agency for Research on Cancer) | |
| None of the ingredients is listed. | |
| · TLV (Threshold Limit Value established by ACGIH) | |
| 1309-48-4 magnesium oxide | A4 |
| 122-39-4 diphenylamine | A4 |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| · Canada | |
| · Canadian Domestic Substances List (DSL) | |
| All ingredients are listed. | |
| · Canadian Ingredient Disclosure list (limit 0.1%) | |
| 122-39-4 diphenylamine | |
| (Contd. | on page 15) |

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

| | (Contd. of page 14) | |
|--|---------------------|--|
| · Canadian Ingredient Disclosure list (limit 1%) | | |
| 1309-48-4 | magnesium oxide | |
| 7440-50-8 | copper | |

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

- · Substances of very high concern (SVHC) according to REACH, Article 57
 - 15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

| specific pi | roduct features and shall not establish a legally valid contractual relationsh |
|-------------|--|
| · Relevant | phrases |
| H200 | Unstable explosives. |
| H201 | Explosive; mass explosion hazard. |
| H225 | Highly flammable liquid and vapour. |
| H272 | May intensify fire; oxidiser. |
| H300 | Fatal if swallowed. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H311 | Toxic in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| R21/22 | Harmful in contact with skin and if swallowed. |
| R22 | Harmful if swallowed. |
| D00/0// | |

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed. R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R33 Danger of cumulative effects. R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

(Contd. on page 16)

Printing date: September 18, 2014 Revision: September 18, 2014

Trade name: 40MM Powder Ferret - OC

(Contd. of page 15)

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Contact with combustible material may cause fire.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Expl. 1.1: Explosives, Division 1.1

Expl. 1.4: Explosives, Division 1.4

Unst. Expl.: Explosives, Unstable explosives

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 1: Acute toxicity, Hazard Category 1

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aguatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com