Page: 1/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

#### 1 Identification

· Product identifier

· Trade name: Fix-a-Flat 1234ZE

· Product code: S60410, S60420, S60430, S60266, S60269

· Recommended use and restriction on use

· Recommended use: Sealant

· Restrictions on use: See Sections 8 and 10 for further information.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

ITW Global Tire Repair, Inc.

125 Venture Drive, Suite 210, San Luis Obispo, CA 93401.

Tel (805) 489-0490

· Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585



#### 2 Hazard(s) identification

· Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS04 GHS07

- · Signal word: Warning
- · Hazard statements:

H280 Contains gas under pressure; may explode if heated.

H317 May cause an allergic skin reaction.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.
P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

Page: 2/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

(Cont'd. of page 1)

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Componer	· Components:			
29118-24-9	(1E)-1,3,3,3-Tetrafluoro-1-propene	Press. Gas, H280 Simple Asphyxiant	20-40%	
9006-04-6	natural rubber latex	🗘 Skin Sens. 1B, H317	10-20%	
56-81-5	glycerol		10-20%	

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Allergic reactions

Gastric or intestinal disorders when ingested.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Contains natural rubber latex. May produce an allergic reaction.

# **5 Fire-fighting measures**

- **Extinguishing media**
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Cont'd. on page 3)

Page: 3/10

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

(Cont'd. of page 2)

· Additional information: Cool endangered receptacles with water in flooding quantities.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s): No relevant information available.

#### 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:				
56-81-5 glycerol				
	Long-term value: 15* 5** mg/m³			
	mist; *total dust **respirable fraction			
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.			

(Cont'd. on page 4)

Page: 4/10

# **Safety Data Sheet**

#### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

		(Cont'd. of page 3)	
EL (Canada)	Long-term value: 10* 3** mg/m³ *mist; **mist, respirable		
EV (Canada)	Long-term value: 10 mg/m³		
LMPE (Mexico)	LMPE (Mexico) Long-term value: 10 mg/m³		
9006-04-6 natu	9006-04-6 natural rubber latex		
TLV (USA)	Long-term value: 0.0001* mg/m³ Skin; DSEN, RSEN;* inh. fraction		
EL (Canada) Long-term value: 0.001 mg/m³ inhalable, Skin; S			
EV (Canada)	Long-term value: 0.001 mg/m³ as total proteins, inhalable, Skin		
LMPE (Mexico)	Long-term value: 0.0001* mg/m³ SEN, PIEL, *fracción inhalable		

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Engineering controls: No relevant information available.
- Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

Limitation and supervision of exposure into the environment

No relevant information available.

(Cont'd. on page 5)

Page: 5/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

(Cont'd. of page 4)

· Risk management measures No relevant information available.

Physical and chemical properties					
Information on basic physical and chemical properties					
· Appearance:					
Form:	Aerosol				
Color:	According to product specification				
· Odor:	Characteristic				
Odor threshold:	Not determined.				
pH-value:	Not determined.				
Melting point/Melting range:	Not applicable, as aerosol.				
Boiling point/Boiling range:	>100 °C (>212 °F)				
Flash point:	Not applicable, as aerosol.				
Flammability (solid, gaseous):	Not applicable.				
Auto-ignition temperature:	Not determined.				
Decomposition temperature:	Not determined.				
Danger of explosion:	Not determined.				
Explosion limits					
Lower:	Not determined.				
Upper:	Not determined.				
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)				
Density at 20 °C (68 °F):	1.00 ± 0.02 g/cm³ (8.345 ± 0.167 lbs/gal) (Liquid Components				
Relative density:	Not determined.				
Vapor density:	Not determined.				
Evaporation rate:	Not applicable.				
Solubility in / Miscibility with					
Water:	Not miscible or difficult to mix.				
Partition coefficient (n-octanol/wat	er): Not determined.				
Viscosity					
Dynamic:	Not determined.				
Kinematic:	Not determined.				
VOC (California):	< 10 % wt				
Other information	No relevant information available.				

# 10 Stability and reactivity

· Reactivity: No relevant information available.

(Cont'd. on page 6)

Page: 6/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

(Cont'd. of page 5)

· Chemical stability:

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Danger of receptacles bursting because of high vapor pressure if heated.

Possibility of hazardous reactions:

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid: No relevant information available.
- · Incompatible materials: No relevant information available.
- · Hazardous decomposition products:

Under fire conditions only:

Carbon monoxide and carbon dioxide

Danger of toxic fluorine based pyrolysis products.

#### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: No irritant effect.
- · On the eye: No irritating effect.
- Sensitization:

Contains natural rubber latex. May produce an allergic reaction.

Sensitization possible through skin contact.

· Subacute to chronic toxicity: No relevant information available.

#### · IARC (International Agency for Research on Cancer):

9003-55-8 styrene-butadiene latex

3

· NTP (National Toxicology Program):

None of the ingredients are listed.

### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### · Probable route(s) of exposure:

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Danger through skin absorption.
- · Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Page: 7/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

(Cont'd. of page 6)

· Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.
- · Other adverse effects: No relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1950

· UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

· DOT, IATA Aerosols, non-flammable · ADR 1950 AEROSOLS · IMDG

**AEROSOLS** 

(Cont'd. on page 8)

Page: 8/10

# **Safety Data Sheet**

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

(Cont'd. of page 7) Transport hazard class(es) · DOT · Class 2 Gases · Label 2.2 · ADR · Class 2.2 5A · Label 2.2 · IMDG, IATA · Class 2 Gases · Label 2.2 · Packing group Aerosols are not assigned a packing group. · Environmental hazards · Marine pollutant: No Special precautions for user Not applicable. · EMS Number: F-D,S-U

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable.

- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Cont'd. on page 9)

Page: 9/10

# **Safety Data Sheet**

#### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

(Cont'd. of page 8)

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

9003-55-8 styrene-butadiene latex

|3

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 05/02/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Press. Gas: Gases under pressure: Compressed gas Press. Gas: Gases under pressure: Liquefied gas Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

· Sources

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 05/02/2016 Revision: 05/02/2016

Trade name: Fix-a-Flat 1234ZE

(Cont'd. of page 9)

Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com