

5. Fire Fighting Measures:

Suitable Extinguishing Media:	Foam - Water Fog - CO2 - Dry Chemical - Vaporizing liquid		
Special Fire Fighting Procedures:	Water hose stream may spread fire. Use water spray to keep containers cool.		
Unusual Fire and Explosion Hazards None are known			

6. Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Keep from freezing. Keep out of reach of children. Storage: Store in Cool Area

ou		lebb breen dictailer		0///2010		
8.	Exposure Controls / Personal Protection: Exposure Limits: Ingredients White Mineral Oil Exposure Controls: Engineering Controls: Ventilate to maintain vapor levels Personal Protective Equipment: Eye Protection: Approved Safety Goggles or Glasses Skin Protection: Chemical Resistant Rubber Gloves Respiratory Protection: Not Required	CAS Number 8042-47-5 below exposure limits.	Osha PEL 5 mg/M3	ACGIH TLV 5 mg/M3		
9.	Physical and Chemical Properties: Physical State: Liquid Appearance: Milky White Odor: Mild Solubility: Partial Evaporation Rate: NA Vapor Pressure (MM HG): NA Vapor Density (Air = 1): NA	pH: 6.5 - 8 Specific Gravity (H2O = 1): Flammability: None Flash Point: > 200°F (93°C Boiling Point: > 212° F (100 %volatile: 60 - 100%)			
10.	Stability and Reactivity: Chemical Stability: Stable Possibility of Hazardous Reactions: None are known Incompatability (Materials to Avoid): Strong Oxidizers Hazardous Decomposition or By-products: CO, Petroleum Decomposition Products Hazardous Polymerization: Will not Occur Conditions to Avoid: None are known					
11.	 Toxicological Information: Signs and Symptoms of Overexposure: Causes irritation and redness to Eyes, and skin or upon inhalation, may experience coughing, headaches, sneezing, nose or throat pain. Acute Effects: Eye Contact: Causes irritation on contact Skin Contact: May cause irritation on prolonged or repeated contact Inhalation: Coughing, Sneezing, nose or throat pain Ingestion: May cause nausea, or stomach distress Target Organ Effects: Skin, Eyes, Central Nervous System, Brain, Lungs, Liver, Kidneys Chronic Effects: May cause damage to organs (central nervous system, brain, lungs, liver, kidneys). Acute Toxicity Values: Oral LD 50 = > 5000 mg/kg Dermal LD 50 = > 5000 mg/kg Inhalation (Vapor) LC 50 					
12.	Ecological Information: Persistence and Degradability: Not Available Bio Accumulative Potential: Not Available Mobility in Soil: Not Available Aquatic Toxicity: Not Available					
13.	Disposal Considerations: Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations. Incineration in an EPA authorized site is recommended.					
14.	Transportation Information: UN Number: None Shipping Name: Cleaning Compound, Liquid					

Transport Hazard Class: None

Packing Group: None

Marine Pollutant: NO

15. Regulatory Information:

 TSCA Status:
 All ingredients listed

 Clean Water Act:
 None of the chemicals in this product are listed under the CWA

 Clean Air Act:
 None of the chemicals in this product are listed under the CAA

 CERCLA Reportable Quantity:
 None

 SARA Title III Information:
 Section 302 Extremely Hazardous Chemicals:
 None Listed

 Section 311 / 312 Hazard Category:
 Chronic Health

Section 313 Toxic Chemicals: None Listed

 State Regulations:
 None

 International Regulations:
 WHMIS Controlled Product Hazard Class: D2B

16. Other Information:

Prepared By: Ron Camp Telephone Number: 651-481-1900 Revision Date: 6/7/2013 Supersedes: 4/1/2012 The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the

