

Safety Data Sheet SS-25 PLUS II AEROSOL

Supersedes Date 04/15/2013

Issuing Date 09/26/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name SS-25 PLUS II AEROSOL
Recommended use Solvent
Information on Manufacturer
CHEMSEARCH DIV. OF NCH CORP.
BOX 152170
IRVING, TX 75015

Product Code 5450
Chemical nature Solvent mixture
Emergency Telephone Number
CHEMTREC® 800-424-9300
Telephone inquiry
972-579-2477

2. HAZARD IDENTIFICATION

Color Colorless

Physical state liquid

Odor Aromatic

GHS

Classification

Physical Hazards

Flammable Aerosols
Gases under pressure

Category 2

Health Hazard

Aspiration Toxicity
Acute Oral Toxicity
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Reproductive Toxicity
Specific target organ systemic toxicity (single exposure)
Specific target organ toxicity (repeated exposure)

Category 1
Category 4
Category 2
Category 2A
Category 2
Category 3
Category 2

Other hazards

None

Labeling

Signal Word

DANGER



Hazard statements

H223 - Flammable aerosol
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H336 - May cause drowsiness or dizziness
H373 - May cause damage to organs through prolonged or repeated exposure
H361 - Suspected of damaging fertility or the unborn child
H280 - Contains gas under pressure; may explode if heated

Precautionary Statements

P280 - Wear protective gloves, protective clothing and eye protection.
P202 - Do not handle until all safety precautions have been read and understood
P270 - Do not eat, drink or smoke when using this product.
P260 - Do not breathe vapors or mists.
P210 - Keep away from heat, sparks, open flames or hot surfaces.
P211 - Do not spray on an open flame or other ignition source
P251 - Pressurized container: Do not pierce or burn, even after use
P243 - Take precautionary measures against static discharge
P264 - Wash face, hands and any exposed skin thoroughly after handling
P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
P312 - Call a physician if unwell.
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs, get medical attention.
P362 - Take off contaminated clothing and wash before reuse
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists, get medical attention.
P301 + P310 - IF SWALLOWED: Immediately call a physician
P331 - DO NOT induce vomiting
P403 + P235 - Store in a well-ventilated place. Keep cool.
P410 - Protect from sunlight
P412 - Do not expose to temperatures exceeding 50 °C/122 °F

P501 - Dispose of contents and container in accordance with applicable local regulations.

6 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS No.	Weight %
Methyl acetate	79-20-9	40-70
Toluene	108-88-3	10-30
Carbon dioxide	124-38-9	3-7
Hexane	110-54-3	3-7
Naphtha, petroleum, hydrotreated light	64742-49-0	3-7
Solvent naphtha (petroleum), light aliphatic	64742-89-8	3-7
Heptane (n-)	142-82-5	1-5
Cyclohexane	110-82-7	1-5
Methylcyclopentane	96-37-7	1-5
Methyl alcohol	67-56-1	1-5

4. FIRST AID MEASURES

General advice	Avoid breathing vapors, mist, or gas. Avoid contact with skin, eyes and clothing.
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Inhalation	Move to fresh air. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial respiration. Get medical attention immediately.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person. Rinse mouth.
Notes to physician	Aspiration hazard if swallowed - can enter lungs and cause damage. May be fatal if swallowed and enters airways.

5. FIRE-FIGHTING MEASURES

Flash Point 55 °F / 13 °C	Method Seta closed cup	
Flammability Limits in Air %: Solvent mixture.	Upper: 16	Lower: 1.05
Suitable Extinguishing Media		
Carbon dioxide (CO ₂). Dry chemical. Water spray. Foam.		
Specific hazards arising from the chemical		
Extremely flammable. Flame extension: >18 inches / 45 cm and Burnback: 2 inch / 5 cm. Flammable. Solvent vapors are heavier than air and may spread along floors. Vapors may ignite and explode. Material can create slippery conditions.		
Protective Equipment and Precautions for Firefighters		
As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective gear.		
Aerosol Level (NFPA 30B) -	2	
NFPA	Health 2	Flammability 4
HMIS	Health 2	Flammability 4
		Instability 0
		Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Take precautionary measures against static discharges. Remove all sources of ignition. Material can create slippery conditions.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up	Use clean non-sparking tools to collect absorbed material. Pick up and transfer to properly labeled containers.
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Keep away from open flames, hot surfaces and sources of ignition. Avoid breathing vapors, mist or gas. Avoid contact with skin, eyes and clothing.
-----------------	--

Storage	Keep away from heat and sources of ignition. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.		
Storage Temperature	Minimum	35 °F / 2 °C	Maximum
Storage Conditions	Indoor	X	Outdoor
			Heated
			120 °F / 49 °C
			Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Methyl acetate	TWA: 200 ppm STEL: 250 ppm	TWA: 200 ppm TWA: 610 mg/m ³	3100 ppm STEL 250 ppm STEL 760 mg/m ³ TWA: 200 ppm TWA: 610 mg/m ³
Toluene	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	500 ppm STEL 150 ppm STEL 560 mg/m ³ TWA: 100 ppm TWA: 375 mg/m ³
Carbon dioxide	TWA: 5000 ppm STEL: 30000 ppm	TWA: 5000 ppm TWA: 9000 mg/m ³	40000 ppm STEL 30000 ppm STEL 54000 mg/m ³ TWA: 5000 ppm TWA: 9000 mg/m ³
Hexane	TWA: 50 ppm Skin	TWA: 500 ppm TWA: 1800 mg/m ³	1100 ppm TWA: 50 ppm TWA: 180 mg/m ³
Heptane (n-)	TWA: 400 ppm STEL: 500 ppm	TWA: 500 ppm TWA: 2000 mg/m ³	750 ppm Ceiling: 440 ppm Ceiling: 1800 mg/m ³ TWA: 85 ppm TWA: 350 mg/m ³
Cyclohexane	TWA: 100 ppm	TWA: 300 ppm TWA: 1050 mg/m ³	1300 ppm TWA: 300 ppm TWA: 1050 mg/m ³
Methyl alcohol	TWA: 200 ppm Skin STEL: 250 ppm	TWA: 200 ppm TWA: 260 mg/m ³	6000 ppm STEL 250 ppm STEL 325 mg/m ³ TWA: 200 ppm TWA: 260 mg/m ³

Engineering Measures Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection

Safety glasses with side-shields.

Skin Protection

Wear suitable protective clothing, Impervious gloves.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations

Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid	Viscosity	Non viscous
Color	Colorless	Odor	Aromatic
Odor Threshold	Not applicable	Appearance	Transparent
pH	Not applicable	Specific Gravity	0.62
Evaporation Rate	145.6	Percent Volatile (Volume)	0
VOC Content (%)	41.5	VOC Content (g/L)	0
Vapor Pressure	7204 mmHg @ 70°F	Vapor Density	1.6
Solubility	Negligible	n-Octanol/Water Partition	No data available
Melting Point/Range	No data available	Decomposition Temperature	No data available
Boiling Point/Range	145 °F / 63 °C	Flammability (solid, gas)	No data available
Flash Point	55 °F / 13 °C	Method	Seta closed cup
Autoignition Temperature	No information available.		
Flammability Limits in Air %:	Solvent mixture	Upper: 16 Lower: 1.05	

10. STABILITY AND REACTIVITY

**Chemical Stability
Conditions to Avoid
Incompatible Products**

Stable. Hazardous polymerization does not occur.
Keep away from open flames, hot surfaces, and sources of ignition.
Strong oxidizing agents, Reducing agents, Powdered metals, Strong acids, Strong bases, Amines.

**Decomposition Temperature
Hazardous Decomposition Products
Possibility of Hazardous Reactions**

No data available
Carbon oxides.
None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Dermal LD50 No information available

Inhalation LC50

Gas No information available

Mist No information available

Vapor No information available

Principle Route of Exposure Skin contact, Eye contact, Inhalation.

Primary Routes of Entry Skin contact, Skin Absorption.

Acute Effects:

Eyes Causes eye irritation.

Skin Causes skin irritation. May be absorbed through the skin in harmful amounts.

Inhalation May cause irritation of respiratory tract. Inhalation may cause central nervous system effects. May cause central nervous system depression. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. May cause cardiac arrhythmia.

Ingestion Ingestion may cause irritation to mucous membranes. Aspiration hazard if swallowed - can enter lungs and cause damage.

Chronic Toxicity Repeated exposure may cause skin dryness or cracking. Repeated and prolonged exposure to solvents may cause brain and nervous system damage. Contains a known or suspected reproductive toxin.

Target Organ Effects Eyes, Skin, Peripheral Nervous System (PNS), Central nervous system, Respiratory system, Liver, Kidney, Heart, Ears, Reproductive System, Auditory System.

Aggravated Medical Conditions Skin disorders, Respiratory disorders, Neurological disorders, Liver disorders, Kidney disorders, Heart disease.

Component Information

Acute Toxicity

Component	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Methyl acetate 79-20-9	> 5000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 16000 ppm (Rat) 4 h	no data available	no data available
Toluene 108-88-3	= 636 mg/kg (Rat)	= 8390 mg/kg (Rabbit) = 12124 mg/kg (Rat)	= 12.5 mg/L (Rat) 4 h > 26700 ppm (Rat) 1 h	no data available	no data available
Hexane 110-54-3	= 15000 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h	no data available	no data available
Naphtha, petroleum, hydrotreated light 64742-49-0	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 73680 ppm (Rat) 4 h	no data available	no data available
Solvent naphtha (petroleum), light aliphatic 64742-89-8	no data available	= 3000 mg/kg (Rabbit)	no data available	no data available	no data available
Heptane (n-) 142-82-5	no data available	= 3000 mg/kg (Rabbit)	= 103 g/m ³ (Rat) 4 h	no data available	no data available
Cyclohexane 110-82-7	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 13.9 mg/L (Rat) 4 h	no data available	no data available
Methyl alcohol 67-56-1	= 5628 mg/kg (Rat)	no data available	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Methyl acetate 79-20-9	no data available	no data available	no data available	no data available	Skin, Central nervous system, Eyes, Respiratory system, Liver, Heart, Kidney, Blood tract
Toluene 108-88-3	no data available	no data available	yes	yes	Skin, Central nervous system, Eyes, Respiratory system, Liver, Kidney
Carbon dioxide 124-38-9	no data available	no data available	no data available	no data available	Respiratory system, Cardiovascular system
Hexane	no data available	no data available	no data available	yes	Skin, Central nervous

110-54-3					system, Eyes, Respiratory system
Heptane (n-) 142-82-5	no data available	no data available	no data available	no data available	Skin, Central nervous system, Respiratory system
Cyclohexane 110-82-7	no data available	no data available	no data available	no data available	Skin, Central nervous system, Eyes, Respiratory system
Methyl alcohol 67-56-1	no data available	no data available	x	no data available	Gastrointestinal tract, Skin, Central nervous system, Eyes, Respiratory system

Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Toluene 108-88-3	not applicable	Group 3	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	log Pow
Methyl acetate	EC50 > 120 mg/L Desmodesmus subspicatus 72 h	LC50 295 - 348 mg/L Pimephales promelas 96 h LC50 250 - 350 mg/L Brachydanio rerio 96 h	EC50 = 6000 mg/L 16 h EC50 = 6100 mg/L 30 min	1026.7: 48 h Daphnia magna mg/L EC50	0.18
Toluene	EC50 > 433 mg/L Pseudokirchneriella subcapitata 96 h EC50 = 12.5 mg/L Pseudokirchneriella subcapitata 72 h	LC50 15.22 - 19.05 mg/L Pimephales promelas 96 h LC50 = 12.6 mg/L Pimephales promelas 96 h LC50 5.89 - 7.81 mg/L Oncorhynchus mykiss 96 h LC50 14.1 - 17.16 mg/L Oncorhynchus mykiss 96 h LC50 = 5.8 mg/L Oncorhynchus mykiss 96 h LC50 11.0 - 15.0 mg/L Lepomis macrochirus 96 h LC50 = 54 mg/L Oryzias latipes 96 h LC50 = 28.2 mg/L Poecilia reticulata 96 h LC50 50.87 - 70.34 mg/L Poecilia reticulata 96 h	EC50 = 19.7 mg/L 30 min	5.46 - 9.83: 48 h Daphnia magna mg/L EC50 Static 11.5: 48 h Daphnia magna mg/L EC50	2.65
Hexane	No information available.	LC50 2.1 - 2.98 mg/L Pimephales promelas 96 h	No information available	No information available.	N/A
Solvent naphtha (petroleum), light aliphatic	EC50 = 4700 mg/L Pseudokirchneriella subcapitata 72 h	No information available.	No information available	No information available.	N/A
Heptane (n-)	No information available.	LC50 = 375.0 mg/L Cichlid fish 96 h	No information available	No information available.	4.66
Cyclohexane	EC50 > 500 mg/L Desmodesmus subspicatus 72 h	LC50 3.96 - 5.18 mg/L Pimephales promelas 96 h LC50 23.03 - 42.07 mg/L Pimephales promelas 96 h LC50 24.99 - 44.69 mg/L Lepomis macrochirus 96 h LC50 48.87 - 68.76 mg/L Poecilia reticulata 96 h	EC50 = 85.5 mg/L 5 min EC50 = 93 mg/L 10 min	No information available.	3.44
Methyl alcohol	No information available.	LC50 = 28200 mg/L Pimephales promelas 96 h LC50 > 100 mg/L Pimephales promelas 96 h LC50 19500 - 20700 mg/L Oncorhynchus mykiss 96 h LC50 18 - 20 mL/L Oncorhynchus mykiss 96 h LC50 13500 - 17600 mg/L Lepomis macrochirus 96 h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	No information available.	-0.77

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS**Product Disposal**

Dispose of contents/container in accordance with local regulation.

Container Disposal

Contents under pressure. Empty remaining contents. Do not puncture. Empty containers should be

taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT
Proper Shipping Name DOT
Hazard Class Consumer commodity
Description ORM-D
 Consumer commodity ,ORM-D,

TDG
Proper shipping name Aerosols
Hazard Class 2.1
UN-No UN1950
Description AEROSOLS,2.1,UN1950

ICAO
UN-No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Shipping Description Aerosols,UN1950

IATA
UN-No UN1950
Proper Shipping Name Aerosols, flammable
Hazard Class 2.1
ERG-Code 10L
Shipping Description UN1950,Aerosols, flammable,2.1

IMDG/IMO
Proper Shipping Name Aerosols
Hazard Class 2
UN-No UN1950
EmS No. F-D, S-U
Description UN1950, Aerosols,2

15. REGULATORY INFORMATION

Inventories

TSCA Complies
DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Component	CAS No.	Weight %	SARA 313 - Threshold Values
Toluene	108-88-3	10-30	1.0
Hexane	110-54-3	3-7	1.0
Cyclohexane	110-82-7	1-5	1.0
Methyl alcohol	67-56-1	1-5	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	Yes	Yes	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Toluene	1000 lb	Not applicable
Hexane	5000 lb	Not applicable
Cyclohexane	1000 lb	Not applicable
Methyl alcohol	5000 lb	Not applicable

16. OTHER INFORMATION

Prepared By Kim Franklin
Supersedes Date 04/15/2013
Issuing Date 09/26/2015
Reason for Revision No information available.

Glossary

No information available.

List of References.

No information available.

CHEMSEARCH DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.