

# Safety Data Sheet

# Section 01 - Identification

Product Identifier	Citric Acid, 50% Solution
Other Means of Identification	1,2,3-Propanetricarboxylic acid, 2-hydroxy-; 2-Hydroxy-1,2,3-propanetricarboxylic acid; Propane-1,2,3-tricarboxylic acid, 2-hydroxy-; beta-hydroxytricarballylic acid
Use	boilers
Initial Supplier Identifier	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7
Prepared By	ClearTech Industries Inc. Technical Writer Phone: 1 (800) 387-7503
24-Hour Emergency Phone	Phone: 1 (306) 664 – 2522

# Section 02 - Hazard Identification

### **GHS-Classification**

Category 2
Category 2A
Category 1

# Warning

#### Hazard Statements H290 May be corrosive to metals.

H315 Causes skin irritation. H319 Causes serious eye irritation.

#### Pictograms



#### **Precautionary Statements**

P234 - Keep only in original container.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective clothing, chemical resistant gloves, and safety glasses.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P390 - Absorb spillage to prevent material damage.

# Section 03 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight %	Unique Identifiers
Citric Acid	77-92-9	48-52%	
Water	7732-18-5	48-52%	
Section 04 - First Aid	Measures		

Inhalation	Remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen. Seek medical attention if you feel unwell.
Skin Contact / Absorption	Remove contaminated clothing. Rinse skin with lukewarm, gently flowing water for 30 minutes. Seek immediate medical attention. Completely decontaminate clothing, shoes and leather goods before reuse or discard.
Eye Contact	Contact lenses should never be worn when working with this product. Flush immediately with water for at least 30 minutes. Forcibly hold eyelids apart to ensure complete irrigation of eye tissue. If a contact lens is present, remove only if easy to do so. Seek immediate medical attention.
Ingestion	Seek medical attention. Do not give anything by mouth if individual is drowsy or unconscious, place individual on left side with head down. Consult with a physician or poison control center whether to induce vomitting. Do not leave individual unattended.
Additional Information	Pre-existing disorders of skin and lung may be aggravated with exposure to material.

# **Section 05 - Fire Fighting Measures**

Suitable Extinguishing Media	Water, carbon dioxide, dry chemical powder or appropriate foam.
Unsuitable Extinguishing Media	Not Available
Specific Hazards Arising From the Chemical	May form carbon dioxide, carbon monoxide. Incomplete combustion may produce irritating fumes and acrid smoke.
Special Protective Equipment and Precautions for Fire-Fighters	Wear NIOSH-approved self-contained breathing apparatus and protective clothing.
Further Information	Not Available

## **Section 06 - Accidental Release Measures**

Personal Precautions / Protective	Wear appropriate personal protective equipment. Ventilate area. Only enter area with
Equipment / Emergency	PPE. Stop or reduce leak if safe to do so. Flush with water to remove any residue.
Procedures	

# Section 07 - Handling and Storage

Precautions for Safe Handling	Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.		
Conditions for Safe Storage	Store in a cool, dry area away from ignition source, direct sunlight or where freezing is possible. Store away from incompatible materials.		
Incompatibilities	Stong oxidizing agents a	and reducing agents, strong bases, a	and metal nitrates.
Section 08 - Exposure C	ontrols and Perso	nal Protection	
Exposure Limit(s)			
Component	Regulation	Type of Listing	Value
Citric Acid	Not Available		
Engineering Control(s)			
Ventilation Requirements	Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.		
Other	Emergency shower and eyewash must be available and tested in accordance with regulations and be in close proximity.		
Protective Equipment			
Eyes/Face	Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when product is handled. Contact lenses should not be worn; they may contribute to severe eye injury.		
Hand Protection	Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.		
Skin and Body Protection	Body suite, aprons, and/or coveralls of chemical resistant material should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.		
	Impervious boots of che footwear is required othe	mically resistant material should be er than what is mandated at place of	worn at all times. No special work.
Respiratory Protection	Wear a NIOSH-approved respirator for acid vapour.		
Thermal Hazards	Not Available		
Section 09 - Physical an	d Chemical Prope	rties	

#### **Appearance**

Physical State

ooloui	Colourless to pale yellow
Odour	Characteristic odour
Odour Threshold	Not Available
<u>Property</u>	
рН	<1
Melting Point/Freezing Point	10-15°C
Initial Boiling Point and Boiling Range	>100°C
Flash Point	Not Applicable
Evaporation Rate	<1 (butyl acetate=1)
Flammability	Non-Flammable.
Upper Flammable Limit	Not Applicable
Lower Flammable Limit	Not Applicable
Vapour Pressure (mm Hg, 20°C)	Not Available
Vapour Density (Air=1)	Not Available
Relative Density	Not Available
Solubility(ies)	Completely soluble in water
Partition Coefficient: n- octanol/water	Log K <sub>ow</sub> = -1.64
Auto-ignition Temperature	Not Applicable
Decomposition Temperature	Not Available
Viscosity	7.0cP at 25°C
Explosive Properties	Material is not considered flammable but residue may burn in presence of a strong ignition source after water has evaporated.
Specific Gravity (Water=1)	1.24-1.26
% Volatiles by Volume	Not Available
Formula	C <sub>6</sub> H <sub>8</sub> O <sub>7</sub> (Anhydrous)
Molecular Weight	192.13 (Anhydrous)
Section 10 - Stability and	d Reactivity

#### Not Available

Stability

Reactivity

Stable under normal conditions. Dilute aqueous solutions of citric acid may ferment if left standing for long period of time.

Possibility of Hazardous Reactions	None known
Conditions to Avoid	Heat, flames, sparks, build-up of static electricity, and other ignition sources.
Incompatible Materials	Metal nitrates, strong bases and ozidizers. Corrosive to brass, copper, zinc, aluminum and their alloys, lead, cast iron and steel.
Hazardous Decomposition Products	Carbon dioxide and carbon monoxide, incomplete combustion may produce irritating fumes and acrid smoke.

# Section 11 - Toxicological Information

# Acute Toxicity

Component	Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>	Inhalation LC <sub>50</sub>
Citric Acid (50%)	6000mg/kg (rat)	Not Available	Not Available
Chronic Toxicity – Carcinogenic	ity		
Componen	t	IARC	
Citric Acid		Citric acid is not known to b	be carcinogenic.
Skin Corrosion/Irritation	Corrosive. Capable of producing s	severe burns, blister, ulcers a	nd permanent scarring.
Ingestion	Ingesting small amounts not likely however, be harmful.	to cause harmful effects. Ing	esting large amounts may
Inhalation	Breathing of vapour or mist is pos	sible, may cause irritation.	
Serious Eye Damage/Irritation	Concentrated solutions may be co	prrosive to the eyes and cause	e corneal ulcerations.
Respiratory or Skin Sensitization	Citric acid aerosols may induce correported to have allergenic proper sensitization to the sun.	oughing and bronchoconstricti rties, and might cause allergic	ion. Citric Acid has been contact dermatitis and
Germ Cell Mutagenicity	Citric acid is not known to be muta	agenic.	
Reproductive Toxicity	Citric acid is not known to cause reproductive toxicity.		
STOT-Single Exposure	May cause respiratory irritation.		
STOT-Repeated Exposure	Chronic, high concentration overe plasma calcium concentration, wh output and, in severe cases, death	xposure to Citric Acid can res iich can lead to cardiac arrhyt h.	ult in a reduction of hmias, reduced cardiac
Aspiration Hazard	Not Available		
Synergistic Materials	Not Available		

# Section 12 – Ecological Information

<b>Ecotoxicity</b>			
Component	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and Other Aquatic Invertebrates
Citric Acid	EC <sub>0</sub> (Scenedesmus quadricauda, 7d): 640mg/L	LC <sub>50</sub> (Leuciscus idus melanotus, 48hr): 440mg/L	LC <sub>50</sub> (Carcinus maenas, 48hr): 160mg/L EC <sub>50</sub> (Daphnia magna, 24hr): 1535mg/L
Biodegradability	Readily biodegradable.		
Bioaccumulation	Does not bioaccumulate.		

Due to its physico-chemical characteristics citric acid is highly mobile in the environment and will partition to the aquatic compartment.

Other Adverse Effects	Not Available		
Section 13 – Disposal Considerations			
Waste From Residues/Unused Products	Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.		
Contaminated Packaging	Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.		
Section 14 – Transport Information			

UN Number	UN3265	
UN Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Citric acid)	
Transport Hazard Class(es)	8	
Packaging Group	III	
Environmental Hazards	Not listed as a marine pollutant under Canadian TDG Regulations.	
Special Precautions	Not Available	
Transport in Bulk	Not Available	
Additional Information	<u>Packing Group</u> I II III	<u>Limited Quantity Index</u> 0 1 L 5 L

TDG Other

Secure containers (full and/or empty) with suitable hold down devises during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

## Section 15 – Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

NSF Certification...... Product is certified under NSF for pH adjustment and membrane cleaner at a maximum dosage of: 250 mg/L

NSF product use restrictions based on requirements obtained from the NSF website for current requirements.

# Section 16 – Other Information

**Preparation Date** August 19, 2015

**Revision Date** 

2018 January 2

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

#### Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution<sup>®</sup> initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

#### **References:**

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada
- 5) PAN
- 6) HSDB
- 7) ECHA

### **ClearTech Industries Inc. - Locations**

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7 Phone: 1(306) 664 – 2522 Fax: 1(888) 281-8109

www.cleartech.ca

### 24 Hour Emergency Number - All Locations - 1(306) 664-2522