

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Revision Date: 08/25/2016 Date of Issue: 09/04/2015 Version: 2.0

### **SECTION 1: IDENTIFICATION**

<u>Product Identifier</u> <u>Product Form:</u> Mixture

**Product Name:** ARM & HAMMER<sup>™</sup> Liquid Laundry Detergent, XTRA<sup>™</sup> Liquid Laundry Detergent

**Intended Use of the Product** 

Laundry detergent.

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

www.churchdwight.com

**Emergency Telephone Number** 

Emergency Number : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

### **SECTION 2: HAZARDS IDENTIFICATION**

### Classification of the Substance or Mixture

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

#### **GHS-US/CA Classification**

Skin Irrit. 2 H315 Eye Irrit. 2A H319 Aquatic Acute 2 H401 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

<u>Label Elements</u> GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)

GHS07

Signal Word (GHS-US/CA) : Warning

Hazard Statements (GHS-US/CA) : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H401 - Toxic to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US/CA): P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

08/25/2016 EN (English US) 1/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

#### **Other Hazards**

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### **Unknown Acute Toxicity (GHS-US/CA)**

No data available

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Sodium lauryl ether sulfate	(CAS No) 68585-34-2	3 - 10	Acute Tox. 4 (Oral), H302
			Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			Aquatic Acute 2, H401
			Aquatic Chronic 3, H412
Disodium carbonate	(CAS No) 497-19-8	1 - 7	Eye Irrit. 2A, H319
Alcohols, C12-13, ethoxylated	(CAS No) 66455-14-9	0.23-0.5	Eye Dam. 1, H318
			Aquatic Acute 1, H400
			Aquatic Chronic 3, H412
Benzenesulfonic acid, alkyl derivatives	(CAS No) 42615-29-2	0.1 - 2.5	Acute Tox. 4 (Oral), H302
			Acute Tox. 3 (Dermal), H311
			Skin Corr. 1C, H314
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
Lillial	(CAS No) 80-54-6 at a	0.0036 -	Acute Tox. 4 (Oral), H302
	maximum	0.1975	Skin Irrit. 2, H315
	concentration of 0.2%		Skin Sens. 1B, H317
	does not present a		Repr. 1B, H360
	reproductive toxicity		Aquatic Acute 2, H401
	issue in this product.		Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

### **SECTION 4: FIRST AID MEASURES**

### **Description of First-aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation. Causes skin irritation.

**Inhalation:** Prolonged exposure may cause irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Eve Contact:** Contact causes severe irritation with redness and swelling of the conjunctiva.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Repeated exposure may cause skin dryness or cracking.

08/25/2016 EN (English US) 2/8

<sup>\*</sup>Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

### **SECTION 5: FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

#### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Sulfur oxides. Nitrogen oxides. Toxic fumes may be released.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

### **Reference to Other Sections**

Refer to Section 9 for flammability properties.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Avoid all contact with skin, eyes, or clothing.

### **For Non-Emergency Personnel**

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

### Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### **Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

### **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

### Specific End Use(s)

Laundry detergent.

08/25/2016 EN (English US) 3/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

### **Exposure Controls**

**Appropriate Engineering Controls:** For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Materials for Protective Clothing:** For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves.

Eye Protection: For occupational/workplace settings: Chemical safety goggles and face shield.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on Basic Physical and Chemical Properties**

Physical State : Liquid

**Appearance** : Blue or colorless

Odor : Perfumed or unscented

**Odor Threshold** Not available 11.5 - 12.2 pН **Evaporation Rate** Not available **Melting Point** Not available **Freezing Point** Not available **Boiling Point** Not available **Flash Point** Not combustible. **Auto-ignition Temperature** Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20°C Not available **Relative Density** Not available

Specific Gravity: 1.02 - 1.03Solubility: Water: CompletePartition Coefficient: N-Octanol/Water: Not availableViscosity: 300 cP

### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

08/25/2016 EN (English US) 4/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products: None known.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### **Information on Toxicological Effects - Product**

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified
LD50 and LC50 Data: Not available

**Skin Corrosion/Irritation:** Causes skin irritation.

pH: 11.5 - 12.2

**Eye Damage/Irritation:** Causes serious eye irritation.

pH: 11.5 - 12.2

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified

**Aspiration Hazard: Not classified** 

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects. **Chronic Symptoms:** Repeated exposure may cause skin dryness or cracking.

### Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Poly(oxy-1,2-ethanediyl), .alphasulfoomega(dodecyloxy)-, sodium salt (68585-34-2)		
LD50 Oral Rat	1600 mg/kg	
Alcohols, C12-13, ethoxylated (66455-14-9)		
LD50 Oral Rat	1600 mg/kg	
LD50 Dermal Rabbit	2500 mg/kg	
Disodium carbonate (497-19-8)		
LD50 Oral Rat	4090 mg/kg	
LC50 Inhalation Rat	2300 mg/m³ (Exposure time: 2 h)	
Benzenesulfonic acid, alkyl derivatives (42615-29-2)		
LD50 Oral Rat	437 mg/kg	
LD50 Dermal Rabbit	501 mg/kg	
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl- (80-54-6)		
LD50 Oral Rat	1390 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	

### **SECTION 12: ECOLOGICAL INFORMATION**

### **Toxicity**

**Ecology - General:** Harmful to aquatic life with long lasting effects.

Poly(oxy-1,2-ethanediyl), .alphasulfoomega(dodecyloxy)-, sodium salt (68585-34-2)		
EC50 Other Aquatic Organisms 1	3.12 (2.43 - 4.01) mg/l (Species Ceriodaphnia, exposure time: 48 hr)	
NOEC Chronic Fish	20 ppm 20 - 30	
NOEC Chronic Crustacea	0.3 - 6.3 mg/l	
NOEC Chronic Algae	0.35 mg/l 0.35 - 0.9	

08/25/2016 EN (English US) 5/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Alcohols, C12-13, ethoxylated (66455-14-9)	
LC50 Fish 1	0.59 mg/l
Disodium carbonate (497-19-8)	
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	310 - 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Benzenesulfonic acid, alkyl derivatives (42615-29-2)	
LC50 Fish 1	2.9 - 5 mg/l (Exposure time: 96 h, pimephales promelas)
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl- (80-54-6)	
LC50 Fish 1	2.2 - 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)

### Persistence and Degradability

ARM & HAMMER <sup>™</sup> Liquid Laundry Detergent, XTRA <sup>™</sup> Liquid Laundry Detergent	
Persistence and Degradability	May cause long-term adverse effects in the environment.

### **Bioaccumulative Potential**

ARM & HAMMER <sup>TM</sup> Liquid Laundry Detergent, XTRA <sup>TM</sup> Liquid Laundry Detergent	
Bioaccumulative Potential	Not established.
Disodium carbonate (497-19-8)	
BCF Fish 1	(no bioaccumulation)
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl- (80-54-6)	
Log POW	4.2 (at 24 °C)

Mobility in Soil Not available

**Other Adverse Effects** 

Other Information: Avoid release to the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

### **SECTION 14: TRANSPORT INFORMATION**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOTNot regulated for transportIn Accordance with IMDGNot regulated for transportIn Accordance with IATANot regulated for transportIn Accordance with TDGNot regulated for transport

### **SECTION 15: REGULATORY INFORMATION**

### **US Federal Regulations**

ARM & HAMMER <sup>TM</sup> Liquid Laundry Detergent, XTRA <sup>TM</sup> Liquid Laundry Detergent		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
Poly(oxy-1,2-ethanediyl), .alphasulfoomega(dodecyloxy)-	, sodium salt (68585-34-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Alcohols, C12-13, ethoxylated (66455-14-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Disodium carbonate (497-19-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl- (80-54-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

08/25/2016 EN (English US) 6/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### **US State Regulations**

Neither this product nor its chemical components appear on any US state lists.

### **Canadian Regulations**

Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-(dodecyloxy)-, sodium salt (68585-34-2)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-13, ethoxylated (66455-14-9)

Listed on the Canadian DSL (Domestic Substances List)

Disodium carbonate (497-19-8)

Listed on the Canadian DSL (Domestic Substances List)

Benzenepropanal, 4-(1,1-dimethylethyl)-.alpha.-methyl- (80-54-6)

Listed on the Canadian DSL (Domestic Substances List)

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** 

: 08/25/2016

**Other Information** 

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

#### **GHS Full Text Phrases:**

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Repr. 1B	Reproductive toxicity Category 1B
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1B	Skin sensitization Category 1B
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H360	May damage fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

08/25/2016 EN (English US) 7/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

NA GHS SDS 2015 (US, Can)

08/25/2016 EN (English US) 8/8