MATERIAL SAFETY DATA SHEET



OHP, INC.

P.O. BOX 230, MAINLAND, PA 19451 800-659-6745

Rev. Date: 06/15/2006 Approval Date: 03/25/2004 Supersedes: 05/03/2002

TRANSPORTATION EMERGENCY

CHEMTREC (800)-424-9300

EMERGENCY AND PRODUCT INFORMATION

COMPASS™ O 50WDG

EPA Registration Number: 432-1371-59807

I. CHEMICAL PRODUCT INFORMATION

PRODUCT NAME : Compass O 50WDG

CHEMICAL FAMILY : Strobilurin

CHEMICAL NAME : Benzeneacetic acid, (E,E)-

alpha-(methoxylmino)-2-((((1-(3-trifluoromethyl) phenyl)ethylidene)amino)oxy)methy)-,methyl ester **SYNONYMS** : Trifloxystrobin

EPA Registration No....: 432-1371-59807

PRODUCT USE Fungicide

II. COMPOSITION / INFORMATION ON INGREDIENTS

Component Name

/CAS No. Concentration % by Weight Minimum Maximum **Trifloxystrobin Technical**

141517-21-7 48.5000 51.5000

Crystalline silica (originates from carrier)

14808-60-7 0.8330

III. HAZARDS IDENTIFICATION

NOTE: Please refer to Section XI for detailed toxicological information.

Emergency Overview . . : Caution! Causes moderate eye irritation. Harmful if absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

Physical State : Solid granules

Odor.........: Weak odor, indeterminate

Appearance : Grey to Beige

Routes of Exposure : Inhalation, skin contact, skin

absorption, eye contact.

IMMEDIATE EFFECTS

General : CARCINOGENICITY: This product is not listed as a carcinogen by NTP or IARC, or regulated as a carcinogen by OSHA. However, it may contain crystalline silica (quartz), a substance which is classified by NTP as a Group 2 carcinogen and by IARC as a Group I carcinogen. Crystalline silica is a naturally-occurring mineral component of many sands and clays. Although controversial, the carcinogenic potential of crystalline silica must be considered if it is inhaled under excessive exposure conditions. However, the respirable portion of the silica which may be contained in this product is small, such that excessive inhalation exposure during normal conditions of use is unlikely.

NTP: Crystalline silica is classified as an NTP Anticipated Human Carcinogen "Substances or groups of substances that may reasonably be anticipated to be carcinogens."

IARC: IARC has classified crystalline silica as a Group I carcinogen. "There is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica (quartz) from occupational sources."

OSHA: Not regulated.

Eye Non-irritating

Skin Mildly toxic, Non-irritating. May

cause an allergic reaction.

Ingestion : Essentially non-toxic.

CHRONIC OR DELAYED

 $\textbf{LONG-TERM} \dots \dots \dots \dots : \textbf{This product contains respirable}$ crystalline silica. Excessive long-term exposure to respirable crystaline silica may case silicosis, a form of progressive pulmonary fibrosis. Severe and permanent lung damage may result.

MEDICAL CONDITIONS

AGGRAVATED BY EXPOSURE: . . . : Individuals with allergic history or pre-existing dermatitis should use extra care in handling this product. Pulmonary and respiratory diseases may be aggravated by exposure to respirable crystalline silica.

IV. FIRST AID MEASURES

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Inhalation. Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Note to Physician : If ingested, induce emesis or lavage stomach. Treat symptomatically.

V. FIRE FIGHTING MEASURES

Flash point Not applicable Auto Ignition Temperature : 320° C / 608° F

Suitable Exitinguishing Media. . . : Dry chemical, Foam, Carbon

Fire Fighting Instructions : Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential

MATERIAL SAFETY DATA SHEET

COMPASS™ O 50WDG

EPA Registration Number: 432-1371-59807

a particulate filter, NIOSH approved per 42 CRF Part 84. Select

Sensitization : Guinea pig: Not a dermal

Sub-Chronic Toxicity : In a 28-day dermal toxicity study in rats, trifloxystrobin was tolerated without local effects at

doses up to and including the limit dose of 1000 mg/kg/day.

Systemic effects were observed in males at the limit dose and included increased organ weights (liver and kidney).

personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of con-

made of waterproof material such as neoprene, butyl rubber,

Respiratory Protection. : To avoid breathing dust, use

Body Protection : Long-sleeved shirt and

barrier laminate or nitrile rubber.

long pants. Shoes plus socks. Coveralls.

N or R or P type as appropriate for the oil characteristics of any taminated buildings, area, and equipment until decontamiother air contaminates present. Filter efficiency may range from 95-99.97% as appropriate for the size distribution of dusts present. **VI. ACCIDENTAL RELEASE MEASURES** General Protection : Follow manufacture's instructions for cleaning / maintaining PPE. If no such instructions for General and Disposal........... Do not walk through spilled washables, use detergent and hot water. Keep and wash PPE material. Keep unauthorized people away. separately from other laundry. Land Spill and Leaks : Small Spill: Sweep up, keep-Do not enter treated areas without protective clothing until ing dust to a minimum, and place in an approved chemical sprays have dried. container. Wash the spill area with water containing a strong detergent, absorb with pet litter or other absorbent material, sweep up and place in a chemical container. Seal the container and handle in an approved manner. Flush the area IX. PHYSICAL AND CHEMICAL PROPERTIES with water to remove any residue. Do not allow wash water to contaminate water supplies. Appearance : Grey to Beige Physical State : Solid granules VII. HANDLING AND STORAGE Odor....: Weak odor, indeterminate pH.....9-11 (1% suspension in water) Handling Procedures : Handle and open container in a manner as to prevent spillage. Do not use, pour, spill or Boiling Point : No applicable store near heat or open flame. Melting / Freezing Point : 70.9° C Solubility (in water): 0.00061 g/1 Storing Procedures : Do not contaminate water, food, or feed by storage or disposal. Store in a cool, dry place and in such a manner as to prevent X. STABILITY AND REACTIVITY cross contamination with other pesticides, fertilizer, food and feed. Store in original container and out of the reach of Chemical Stability. : This is a stable material. children, preferably in a locked area. **Incompatibility** : Not known. Work/Hygienic Procedures : Recommendations for Hazardous Products. : None known. eposure control / personal protection are intended for the manufacture, formulation and packaging of the product. of Decomposition For end-use applications consult the product label. Hazardous Polymerization : Will not occur. Wash hands before eating, drinking, chewing gum, using (Conditions to Avoid) tobacco or using the toilet. XI. TOXICOLOGICAL INFORMATION Remove clothing immediately if pesticide gets inside. **Acute Oral Toxicity** : Male/Female Combined Rat: Then wash thoroughly and put on clean clothing. LD50: >5,050 mg/kg Wash thoroughly with soap and water after handling. Acute Dermal Toxicity. : Male/Female Combined Rat: LD50: > 2,000 mg/kg**VIII. EXPOSURE CONTROLS / PERSONAL PROTECTION** Acute Inhalation Toxicity : Male/Female Combined Rat: Engineering Controls : When handlers use closed LC50: 4-hr exposure to dust: > 2.74 mg/1 (actual) systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard Male/Female Combined Rat: 1-hr exposure to dust (extrapolated (WPS) for agricultural pesticides [(40 CFR 170.240(d) (4-6)], from 4-hr LC50): > 10.96 mg/1 (actual). the handler PPE requirements may be reduced or modified as specified in the WPS. **Skin Irritation** : Rabbit: slight dermal irritant. **Eye/Face Protection** : Safety glasses with side-**Eye Irritation** Rabbit: Mild irritation to the shields. Chemical goggles. cornea and conjunctiva was observed with all irritation clearing within 7 days post-treatment. Hand Protection Chemical-resistant gloves

sensitizer.

MATERIAL SAFETY DATA SHEET

COMPASS™ O 50WDG

EPA Registration Number: 432-1371-59807

Chronic Toxicity	: In chronic toxicity studies in
mice and dogs, the major p	orimary target organ appears to be
the liver following dietary ac	dministration of trifloxystrobin. Liver
effects were not seen in a c	hronic toxicity rat study with
trifloxystrobin.	

Assessment Carcinogenicity . . : Trifloxystrobin did not cause any treatment-related increase in general tumor incidence, any elevated incidence of rare tumors, or shortened time to the development of palpable or rapidly lethal tumors in an 18-month mouse and a 24-month rat study.

ACGIH	NTP	IARC	OSHA
None	None	None	None

Reproductive &

Developmental Toxicity : REPRODUCTION: In a two generation reproduction study using rats, trifloxystrobin was not a primary reproductive toxicant.

DEVELOPMENTAL TOXCITY: In a developmental toxicity studies using rats and rabbits, trifloxystrobin was not a primary developmental toxicant.

Mutagenicity : Trifloxystrobin has been tested for its potential to induce gene mutation and chromosomal changes in 5 different test systems. Taken collectively, these studies demonstrate trifloxystrobin is not genotoxic or mutagenic.

XII. ECOLOGICAL INFORMATION

Environmental Precautions . . . : This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal area below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

XIII. DISPOSAL CONSIDERATIONS

General Disposal Guidance. . . . : Pesticide Disposal: Pesticide wastes may be toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal. : Triple rinse (or equivalent).

Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke

RCRA Classification :

XIV. TRANSPORT INFORMATION

TRANSPORTATION CLASSIFICATION:Not regulated for Transportation

XV. REGULATORY INFORMATION

RCRA STATUS: If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

US Federal Regulations

EPA Registration No. : 432-1371-59807

TSCA list

None

TSCA 12b export notification

None

SARA Title III - section 302 - notification and information

SARA Title III - section 313 - toxic chemical release reporting None

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the state of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State right-to-know ingredients

None

Canadian Regulations

Canadian Registrat. No.

Canadian Domestic Substance List

None

Environmental

CERCLA

None

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None

XVI. OTHER INFORMATION

	Health	Flammability	Reactivity	Others
NFPA	1	1	0	

MSDS Revision: New EPA Registration Number, new format.

Approval Date: 03/25/2004 Supersedes Date: 05/03/2002

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions.

Compass is a registered trademark of Bayer AG. Bayer Environmental Science



MSDS OHP 06/06