Printing date December 7 2015

Reviewed on December 7 2015

Printing date December 7, 2015	Reviewed on December 7, 2015
1 Identification	
· Product identifier	
[.] Trade name: <u>Spede-Heat™ Continuous Discharge</u>	Chemical Grenade, CS
· Article number: 1072 (1011567)	
Recommended use and restriction on use Recommended use: Crowd Control Device Restrictions on use: Contact manufacturer	
Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200	
• Emergency telephone number: ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585	тм
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
Flam. Sol. 1 H228 Flammable solid.	
GHS06 Skull and crossbones	
Acute Tox. 3 H301 Toxic if swallowed.	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
Resp. Sens. 1 H334 May cause allergy or asthma syn	nptoms or breathing difficulties if inhaled.
GHS07	
Acute Tox. 4 H312 Harmful in contact with skin.	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Skin Sens. 1 H317 May cause an allergic skin reacti	on.
STOT SE 3 H335 May cause respiratory irritation.	
 Additional information: There are no other hazards not otherwise classified that 	t have been identified
0 % of the mixture consists of component(s) of unknow	
	(Cont'd. on page 2)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

	(Cont'd. of page 1)
Label elements	
GHS label elements	
The product is classified and labeled according to the Global Hazard pictograms :	ly Harmonized System (GHS).
GHS02 GHS06 GHS07 GHS08	
Signal word: Danger	
Hazard-determining components of labeling:	
[(2-chlorophenyl)methylene]malononitrile	
potassium chlorate	
Hazard statements:	
H228 Flammable solid.	
H301+H331 Toxic if swallowed or if inhaled.	
H312 Harmful in contact with skin.	
H315 Causes skin irritation.	
H319 Causes serious eye irritation.	thing difficultion if inhold
H334 May cause allergy or asthma symptoms or breat H317 May cause an allergic skin reaction.	uning difficulties if innaled.
, , , , , , , , , , , , , , , , , , , ,	
H335 May cause respiratory irritation. Precautionary statements:	
P210 Keep away from heat/sparks/open flames	/hot surfaces. No smoking
P284 Wear respiratory protection.	not suraces. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapor	s/sprav
P264 Wash thoroughly after handling.	olopidy
P280 Wear protective gloves/protective clothing	a/eve protection/face protection.
P270 Do not eat, drink or smoke when using thi	
P271 Use only outdoors or in a well-ventilated a	
P272 Contaminated work clothing must not be a	
P301+P310 IF SWALLOWED: Immediately call a POI	
P305+P351+P338 If in eyes: Rinse cautiously with water fo present and easy to do. Continue rinsing.	r several minutes. Remove contact lenses, if
P302+P352 IF ON SKIN: Wash with plenty of water.	
P304+P340 IF INHALED: Remove person to fresh air	and keep comfortable for breathing
P330 Rinse mouth.	and keep connortable for breathing.
P342+P311 If experiencing respiratory symptoms: Cal	a POISON CENTER/doctor.
P312 Call a POISON CENTER/doctor if you fee	
P333+P313 If skin irritation or rash occurs: Get medica	
P337+P313 If eye irritation persists: Get medical advic	
P370+P378 In case of fire: Use for extinction: CO2, pc	
P362+P364 Take off contaminated clothing and wash	
P405 Store locked up.	
P403+P233 Store in a well-ventilated place. Keep cont	
P501 Dispose of contents/container in accorda regulations.	ance with local/regional/national/international
	(Cont'd. on page 3)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat[™] Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 2)

 Classification system NFPA ratings (scale 0 - 4)



Fire = 0Reactivity = 4

The substance possesses oxidizing properties. · HMIS-ratings (scale 0 - 4)

*3 Health = *3 HEALTH Fire = 0 FIRE REACTIVITY 4 Reactivity = 4

* - Indicates a long term health hazard from repeated or prolonged exposures.

Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

Product will contain various combinations of the following substances. Not all substances will be in each product.

Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
2698-41-1 [(2-chlorophenyl)methylene]malononitrile	20-40%
 Acute Tox. 3, H301; Acute Tox. 2, H330 Resp. Sens. 1, H334 Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335 	
3811-04-9 potassium chlorate	20-40%
© Ox. Sol. 1, H271 Acute Tox. 4, H302; Acute Tox. 4, H332	
9004-70-0 Nitrocellulose, colloided, granular	10-20%
Expl. 1.1, H201	
57-50-1 sucrose, pure	10-20%
(Cont	d. on page 4)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

7440-213 gillcon 0.1-1.0% ③ Fiam: Sol 2, H228 0.1-1.0% 557-04-0 magnesium distearate, pure 0.1-1.0% • Additional information: 0.1-1.0% For the wording of the listed Hazard Statements refer to section 16. For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. • Notable Trace Components (≤ 0,1% w/w) 7758-97-6 lead chromate ③ Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373 4 First-aid measures • Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373 4 First-aid measures • Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373 4 First-aid measures • Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373 4 First-aid measures • Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373 5 5 - 0.1 Description of first aid measures • General information: Immediately remove any clothing solied by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. • After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiraton. • After skin contact: Provide oxygen treatment if affected person has difficul			(Cc	ont'd. of page 3)
557-04-0 magnesium distearate, pure 0.1-1.0% • Additional information: For the wording of the listed Hazard Statements refer to section 16. For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. • Notable Trace Components (\$ 0,1% w/w) 7758-97-6 lead chromate 4 First-aid measures • General information: Immediately remove any clothing solied by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. • After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. • After skin contact: Immediately remove for several minutes under running water. Then consult a doctor. • After seallowing: Unlikely rout of sesveral minutes under running water. If skin irritation continues, consult a doctor. • After swallowing: Unlikely rout of exposure. Rines out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Informatit of exposure. <th></th> <td>7440-21-3 silicon</td> <td></td> <td></td>		7440-21-3 silicon		
557-04-0 magnesium distearate, pure 0.1-1.0% • Additional information: For the wording of the listed Hazard Statements refer to section 16. For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. • Notable Trace Components (\$ 0,1% w/w) 7758-97-6 lead chromate 4 First-aid measures • General information: Immediately remove any clothing solied by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. • After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. • After skin contact: Immediately remove for several minutes under running water. Then consult a doctor. • After seallowing: Unlikely rout of sesveral minutes under running water. If skin irritation continues, consult a doctor. • After swallowing: Unlikely rout of exposure. Rines out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Informatit of exposure. <th></th> <td>🐼 Flam. Sol. 2, H228</td> <td></td> <td>-</td>		🐼 Flam. Sol. 2, H228		-
Additional information: For the wording of the listed Hazard Statements refer to section 16. For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. Notable Trace Components (≤ 0,1% w/w) 7758-97-6 lead chromate ♦ Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373 Immediately remove any clothing solied by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. • After eye contact: Immediately rines with water. If skin irritation continues, consult a doctor. • After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Wost important				0.1-1.0%
For the wording of the listed Hazard Statements refer to section 16. For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. Notable Trace Components (\$0,1% wiw) 7758-97-6 lead chromate 4 First-aid measures • Description of first aid measures • • Description of first aid measures • • General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. • After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. • After science: Protect unharmed eye. Remove contact: Immediately rines with water. If skin irritation continues, consult a doctor. • After swallowing: Wonkey or several minutes under running water. Then consult a doctor. • After swallowing: Wonkey for several minutes under running water. Then consult a doctor. • After swallowing: Wonkey for several minutes under running water. Binse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor • Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger Danger of blast or crush-type injuries. Danger of blast or crush-type injuries. Danger of disturbed cardiac rhythm.		e		
For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. Notable Trace Components (≤ 0,1% w/w) 7758-97-6 lead chromate			nts refer to section 16	
Notable Trace Components (≤ 0,1% w/w) 7758-97-6 lead chromate				secret
7758-97-6 lead chromate 4 First-aid measures 9 Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373 4 First-aid measures General information: Immediately remove any clothing solled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rimove consult a doctor. After syle contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting: immediately call for medical help. Information for doctor Most important symptoms and				
4 First-aid measures General information: Immediately remove any clothing solled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. • After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. • After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. • After sequencitate of several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Information for doctor • Most important Symptoms and effects, both acute and delayed: Astima attacks Blast injury if mishandled. Dizziness Irritant to skin and mucous membranes. Breathing difficulty </td <th></th> <td>• • • •</td> <td></td> <td></td>		• • • •		
 Description of first aid measures General information: Immediately remove any clothing solied by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Astima attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of plast or crush-type injuries. Danger of plast or crush-type injuries. Danger of disturbed cardiac trythm. 		7758-97-6 lead chromate	🚱 Carc. 1B, H350; Repr. 1A, H360; STOT RE	2, H373
 Description of first aid measures General information: Immediately remove any clothing solied by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Astima attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of plast or crush-type injuries. Danger of plast or crush-type injuries. Danger of disturbed cardiac trythm. 				
 Description of first aid measures General information: Immediately remove any clothing solied by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Astima attacks Blast injury if mishandled. Diziness Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm. 				
 General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthm attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of blast or crush-type injuries. Danger of disturbed cardiac rhythm. 	· ·	First-aid measures		
 General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if wom. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthm attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of blast or crush-type injuries. Danger of blast or crush-type injuries. Danger of disturbed cardiac rhythm. 	1	· Description of first aid measures		
Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. • After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. • After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. • After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Information for doctor • Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant of plast or crush-type injuries. Danger of blast or crush-type injuries. Danger of disturbed cardiac rhythm.				
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant of the dimentiones. Breathing difficulty Coughing Allergic reactions Disorientation Darger: Danger of blast or crush-type injuries.			e product	
hours after the accident. After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to eyes. Irritant to eyes. Breathing difficulty Coughing Allergic reactions Disorientation Danger: Danger of blast or crush-type injuries. Danger of blast or crush-type injuries.				or at least 48
 After inhalation: Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of blast or crush-type injuries. Danger of oduce or crush-type injuries. Danger of of blast or crush-type injuries. Danger of oduce or crush-type injuries. 				
 Supply fresh air. Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to eyes. Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. 				
Seek immediate medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of blast or crush-type injuries. Danger of plumonary edema. Danger of plumonary edema.				
In case of irregular breathing or respiratory arrest provide artificial respiration. Provide oxygen treatment if affected person has difficulty breathing. • After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. • After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Information for doctor • Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to eyes. Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of blast or crush-type injuries. Danger of blast or crush-type injuries.				
Provide oxygen treatment if affected person has difficulty breathing. • After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. • After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Information for doctor • Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.			rest provide artificial respiration.	
 After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm. 				
Immediately rinse with water. If skin irritation continues, consult a doctor. • After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Information for doctor • Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.			3	
If skin irritation continues, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of pulmonary edema.				
 After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of disturbed cardiac rhythm. 				
Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Information for doctor • Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to eyes. Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of blast or crush-type injuries. Danger of disturbed cardiac rhythm.				
Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Information for doctor • Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
 After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm. 		Remove contact lenses if worn.		
Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.		Rinse opened eye for several minutes under	running water. Then consult a doctor.	
Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
 Information for doctor Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm. 				
 Most important symptoms and effects, both acute and delayed: Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm. 			nedical help.	
Asthma attacks Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Blast injury if mishandled. Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.			th acute and delayed:	
Dizziness Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Irritant to eyes. Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Irritant to skin and mucous membranes. Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Breathing difficulty Coughing Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Coughing Allergic reactions Disorientation Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Allergic reactions Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Disorientation • Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
 Danger: Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm. 				
Danger of blast or crush-type injuries. Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Danger of pulmonary edema. Danger of disturbed cardiac rhythm.				
Danger of disturbed cardiac rhythm.				
		<u> </u>	(Co	nt'd. on page 5)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat[™] Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 4)

Danger of convulsion. Danger of impaired breathing. Toxic if swallowed.

Toxic if inhaled.

Harmful in contact with skin.

Danger of cerebral edema.

Indication of any immediate medical attention and special treatment needed:

Contains 2-chloroacetophenone. May produce an allergic reaction.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

5 Fire-fighting measures

Extinguishing media

• Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

· For safety reasons unsuitable extinguishing agents: None.

· Special hazards arising from the substance or mixture

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

Hazardous combustions products: Metal Compounds, Carbon Monoxide, Carbon Dioxide, Nitrous Oxides, Various complex oxides of metals, Nitrogen.

• Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information:

Evacuate area and fight fire from from the upwind side.

Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Isolate area and prevent access.

Keep people at a distance and stay upwind.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

Keep away from ignition sources.

Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

(Cont'd. on page 6)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 5)

Suppress gases/fumes/haze with water spray. Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling · Precautions for safe handling: Handle with care. Avoid jolting, friction and impact. Keep away from heat and direct sunlight. Use only outdoors or in a well-ventilated area. Information about protection against explosions and fires: Prevent impact and friction. Keep respiratory protective device available. Emergency cooling must be available in case of nearby fire. Protect from heat. Keep ignition sources away - Do not smoke. · Conditions for safe storage, including any incompatibilities · Storage · Requirements to be met by storerooms and receptacles: Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame. · Information about storage in one common storage facility: Store away from foodstuffs. Store away from flammable substances. Do not store together with oxidizing and acidic materials. Store away from water. Further information about storage conditions: Protect from heat and direct sunlight. Store in dry conditions. Store receptacle in a well ventilated area. · Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Cont'd. on page 7)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

		(Cont'd. of pa
Control parame		
•	ith limit values that require monitoring at the workplace:	
	hlorophenyl)methylene]malononitrile	
PEL (USA)	Long-term value: 0.4 mg/m ³ , 0.05 ppm	
REL (USA)	Ceiling limit value: 0.4 mg/m³, 0.05 ppm Skin	
TLV (USA)	Ceiling limit value: 0.39 mg/m³, 0.05 ppm Skin	
EL (Canada)	Ceiling limit value: 0.05 ppm Skin	
EV (Canada)	Ceiling limit value: 0.4 mg/m³, 0.05 ppm Skin	
LMPE (Mexico)	Ceiling limit value: 0.05 ppm A4, PIEL	
57-50-1 sucros	e, pure	
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction	
TLV (USA)	Long-term value: 10 mg/m³	
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	
7440-21-3 silico	Dn	
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ (e)	
	esium distearate, pure	
TLV (USA)	Long-term value: 10 mg/m³	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	
		(Cont'd. on pag

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat[™] Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 7)

· Exposure controls · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Avoid close or long term contact with the skin. Avoid contact with the eyes. Do not inhale dust / smoke / mist. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Do not inhale gases / fumes / aerosols. · Engineering controls: Provide adequate ventilation. · Breathing equipment: Combined Organic Vapor and Particulate Respirator is recommended for use during all processing activities. Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities. Respiratory protection required. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses · Body protection: Protective work clothing • Limitation and supervision of exposure into the environment No relevant information available. Risk management measures

See Section 7 for additional information.

(Cont'd. on page 9)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 8)

Organizational measures should be in place for all activities involving this product.

9 Physical and chemical properties		
 Information on basic physical and General information 	chemical properties	
· Appearance:		
Form:	Solid material	
Color:	Gray	
· Odor:	Characteristic	
Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
 Change in condition: Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.	
· Flash point:	Not applicable.	
• Flammability (solid, gaseous):	Not determined.	
• Auto-ignition temperature:	Not determined.	
 Decomposition temperature: 	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Extreme risk of explosion by shock, friction, fire or other sources of ignition.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density:	Not determined.	
Relative density:	Not determined.	
· Vapor density:	Not applicable.	
· Evaporation rate:	Not applicable.	
 Solubility in / Miscibility with: 		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No relevant information available.	

(Cont'd. on page 10)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 9)

_	bility and reactivity
	ctivity: No relevant information available.
	mical stability:
	rmal decomposition / conditions to be avoided:
	lecomposition if used and stored according to specifications. sibility of hazardous reactions:
	nmable solid.
	tact with acids releases toxic gases.
	c fumes may be released if heated above the decomposition point.
	react violently with oxygen rich (oxidizing) material. Danger of Explosion.
	ng exothermic reaction with acids.
	elops toxic gases / fumes.
	ditions to avoid:
	p ignition sources away - Do not smoke. e away from oxidizing agents.
	p away from heat and direct sunlight.
	ridge may detonate if case is punctured or severely damaged.
	mpatible materials: Contact with acids liberates toxic gas.
	ardous decomposition products:
	oon monoxide and carbon dioxide
	rocarbons
	doxide vapor
	umoxide vapor ogen oxides (NOx)
	vrine compounds
	onous gases/vapors
	nt gases/vapors
Тох	cicological information
· Info	rmation on toxicological effects
Acu	te toxicity:
	-C50 values that are relevant for classification:
	3-41-1 [(2-chlorophenyl)methylene]malononitrile
Oral	LD50 178 mg/kg (rat)
3811	I-04-9 potassium chlorate
<u> </u>	LD50 1870 mg/kg (rat)
Oral	hary irritant effect:
	he skin: Irritant to skin and mucous membranes.
· Prin · On t	
· Prin · On t · On t	he eye: Strong irritant with the danger of severe eye injury.
· Prin · On t · On t	

None of the ingredients are listed.

(Cont'd. on page 11)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 10)

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

 Probable route(s) of exposure: Ingestion.
 Inhalation.
 Eye contact.
 Skin contact.
 Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes, respiratory system and skin.

Harmful in contact with skin.

Toxic if swallowed or if inhaled.

· Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

12 Ecological information · Toxicity · Aquatic toxicity: Toxic for aquatic organisms The product contains materials that are harmful to the environment. 2698-41-1 [(2-chlorophenyl)methylene]malononitrile EC50 0.2-0.3 mg/kg (Oncorhynchus mykiss) • Persistence and degradability: The product is partially biodegradable. Significant residuals remain. · Behavior in environmental systems · Bioaccumulative potential: May be accumulated in organism · Mobility in soil: No relevant information available. · Ecotoxical effects: · Remark: Toxic for fish · Additional ecological information · General notes: This statement was deduced from the properties of the single components. The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary. Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground. Other adverse effects: No relevant information available.

(Cont'd. on page 12)

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 11)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN1700	
	811788	
 UN proper shipping name DOT 		
	Tear gas candles 1700 TEAR GAS CANDLES	
	TEAR GAS CANDLES	
· Transport hazard class(es)		
· DOT		
· Class	6.1 Toxic substances	
· Label	6.1, 4.1	
· ADR		
· Class	6.1 (TF3) Toxic substances	
·Label	6.1+4.1	
·IMDG		
· Class	6.1 Toxic substances	

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous I	Discharge Chemical Grenade, CS
--------------------------------------	--------------------------------

	(Cont'd. of pa	ige
·Label	6.1/4.1	
·IATA		
· Class	6.1 Toxic substances	
· Label	6.1 (4.1)	
· Packing group		
DOT, ADR, IMDG, IATA	II	
· Environmental hazards	Not applicable.	
· Special precautions for user	Warning: Toxic substances	
[·] Danger code (Kemler):	-	
· EMS Number:	F-A,S-G	
· Transport in bulk according to Annex	(II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
 Excepted quantities (EQ) 	Code: E0	
	Not permitted as Excepted Quantity	
· UN "Model Regulation"	UN1700, Tear gas candles, 6.1 (4.1), II	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

· SARA

• Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 304 (emergency release notification):

None of the ingredients are listed.

· Sections 311/312 (hazardous chemical threshold planning quantity in pounds):

manganese

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act)

All ingredients are listed.

(Cont'd. on page 14)

10000

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date December 7, 2015

Reviewed on December 7, 2015

	(Cont'd. of page
Proposition 65 (California)	
• Chemicals known to cause cancer:	
Contains trace quantities of substances known to the State of California to cause cancer.	
592-87-0 lead dithiocyanate 10294-40-3 barium chromate	
7758-97-6 lead chromate	
 Chemicals known to cause reproductive toxicity for females: Present in trace quantities. 	
10294-40-3 barium chromate	
7758-97-6 lead chromate	
· Chemicals known to cause reproductive toxicity for males:	
Present in trace quantities.	
10294-40-3 barium chromate	
7758-97-6 lead chromate	
· Chemicals known to cause developmental toxicity:	
Present in trace quantities.	
10294-40-3 barium chromate	
7758-97-6 lead chromate	
Carcinogenic categories	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
Canadian substance listings	
Canadian Domestic Substances List (DSL):	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%):	
None of the ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 1%):	
2698-41-1 [[(2-chlorophenyl)methylene]malononitrile	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision December 7, 2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Cont'd. on page 15)

Printing date December 7, 2015

Reviewed on December 7, 2015

Trade name: Spede-Heat™ Continuous Discharge Chemical Grenade, CS

(Cont'd. of page 14)

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Expl. 1.1: Explosives, Division 1.1 Flam. Sol. 1: Flammable solids, Hazard Category 1 Flam. Sol. 2: Flammable solids, Hazard Category 2 Ox. Sol. 1: Oxidising Solids, Hazard Category 1 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 2: Acute toxicity, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com