# **Material Safety Data Sheet**

**Electrolyte Concentrate** 



# Section 1. Product and Company Identification

Product name	: Electrolyte Concentrate
Product code	: R02582
Synonym	: None.
Material uses	: Other non-specified industry: Laboratory Reagent
Manufacturer	: EMD Chemicals Inc. P.O. Box 70 480 Democrat Road Gibbstown, NJ 08027 856-423-6300 Technical Service Monday - Friday: 8:00 - 5:00 PM
Validation date	: 7/26/2006.
Print date	: 7/31/2006.
In case of emergency	: 800-424-9300 CHEMTREC (USA) 613-996-6666 CANUTEC (Canada) 24 Hours/Day: 7 Days/Week

# Section 2. Hazards Identification

Physical state	: Liquid.
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview	: WARNING!
	CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS: KIDNEYS, RESPIRATORY TRACT, SKIN, EYE, LENS OR CORNEA. MAY BE HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
	Do not ingest. Avoid contact with skin and clothing. Avoid breathing vapor or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.
Routes of entry	: Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health eff	<u>ect</u> s
Eyes	: Moderately irritating to eyes.
Skin	: Moderately irritating to the skin.
Inhalation	: Moderately irritating to the respiratory system.
Ingestion	: Harmful if swallowed.
Carcinogenic effects	: No known significant effects or critical hazards.
Mutagenic effects	: No known significant effects or critical hazards.
Teratogenicity / Reproductive toxicity	: No known significant effects or critical hazards.
Medical conditions aggravated by over- exposure	: Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged exposure to the substance can produce lung damage. Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to the substance can produce target organs damage.

See toxicological information (section 11)

#### R02582

# Section 3. Composition/Information on Ingredients

United	<b>States</b>
Name	

Name	<u>CAS number</u>	<u>% by Weight</u>
Glycerin	56-81-5	82 - 85
Potassium Iodide	7681-11-0	3
Water	7732-18-5	12 - 15

### **Section 4. First Aid Measures**

Eye contact	: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.
Skin contact	: Flush contaminated skin with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation	: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ingestion	: Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

# **Section 5. Fire Fighting Measures**

Flammability of the product	:	No specific hazard.
Extinguishing media		
Suitable	:	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	:	None known.
Special exposure hazards	:	Not available.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# **Section 6. Accidental Release Measures**

Personal precautions		ediately contact emergency personnel. Keep unnecessary personnel away. Use able protective equipment.
Environmental precautions		id dispersal of spilled material and runoff and contact with soil, waterways, drains sewers.
Methods for cleaning up	abso mate spille	nergency personnel are unavailable, contain spilled material. For small spills, add orbent (soil may be used in the absence of other suitable materials), scoop up erial and place in a sealable, liquid-proof container for disposal. For large spills, dike ed material or otherwise contain material to ensure runoff does not reach a erway. Place spilled material in an appropriate container for disposal.

### Section 7. Handling and Storage

Handling

: Do not ingest. Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling.

Storage

: Keep container tightly closed. Keep container in a cool, well-ventilated area.

### **Section 8. Exposure Controls/Personal Protection**

Product name	Exposure limits
United States	
Glycerin	<ul> <li>ACGIH TLV (United States, 1/2005). Notes: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. TWA: 10 mg/m<sup>3</sup> 8 hour/hours. Form: Mist</li> <li>OSHA PEL (United States, 8/1997). TWA: 5 mg/m<sup>3</sup> 8 hour/hours. Form: Respirable fraction TWA: 15 mg/m<sup>3</sup> 8 hour/hours. Form: Total dust</li> <li>OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m<sup>3</sup> 8 hour/hours. Form: Respirable fraction TWA: 10 mg/m<sup>3</sup> 8 hour/hours. Form: Total dust</li> </ul>
	for acceptable exposure limits.
Engineering measures	: No special ventilation requirements. Good general ventilation should be sufficient to control airborne levels. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Personal protection	
Eyes	<ul> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.</li> <li>Recommended: safety glasses with side-shields</li> </ul>
Skin	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> <li>Body: Recommended: lab coat, gloves</li> </ul>
Respiratory	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

# **Section 9. Physical and Chemical Properties**

Physical state	: Liquid.	
Color	: Clear. Colorless.	
Boiling/condensation point	: The lowest known value is 99.9°C (211.8°F) (Water). Weighted average: 263.54°C (506.4°F)	
Melting/freezing point	: May start to solidify at 19.85°C (67.7°F) based on data for: Glycerin. Weighted average 17.07°C (62.7°F)	
Relative density	: Weighted average: 1.29 (Water = 1)	
Vapor density	: The highest known value is 3.1 (Air = 1) (Glycerin).	

#### **Continued on Next Page**

#### R02582

### **Section 9. Physical and Chemical Properties**

**Evaporation rate** : 0.36 (Water) compared with(n-Butyl Acetate =1)

### Section 10. Stability and Reactivity

Stability and reactivity	:	The product is stable.
Incompatibility with various substances	:	Reactive or incompatible with the following materials: oxidizing materials and alkalis.
Hazardous decomposition products	:	These products are halogenated compounds., COx
Hazardous polymerization	:	Will not occur.
Conditions of reactivity	:	Slightly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and oxidizing materials.
		Explosive in the presence of the following materials or conditions: oxidizing materials.

# Section 11. Toxicological Information

<u>Test</u> LD50 LD50 LD50	<u>Result</u> 12600 mg/kg 4090 mg/kg 7750 mg/kg	<u>Route</u> Oral Oral Oral	<u>Species</u> Rat Mouse Guinea pig
LDLo LDLo	916 mg/kg 1862 mg/kg	Oral Oral	Rabbit Mouse
		-	wing organs: kidneys, upper
		rritant), of eye co	ontact (irritant), of ingestion, of
: No known sig	nificant effects or critic	al hazards.	
: No known sig	nificant effects or critic	al hazards.	
: No known significant effects or critical hazards.			
: No known sig	nificant effects or critic	al hazards.	
: Moderately in	ritating to the respirato	ry system.	
: Moderately in	ritating to eyes.		
: Moderately in	ritating to the skin.		
	LD50 LD50 LD50 LDLo LDLo : Contains mat respiratory tra : Hazardous in inhalation (lur : No known sig : Moderately ir : Moderately ir	LD5012600 mg/kgLD504090 mg/kgLD507750 mg/kgLDL0916 mg/kgLDL01862 mg/kg: Contains material which causes dar respiratory tract, skin, eye, lens or c: Hazardous in case of skin contact (i inhalation (lung irritant).: No known significant effects or critic: No known significant effects or critic	LD5012600 mg/kgOralLD504090 mg/kgOralLD507750 mg/kgOralLDL0916 mg/kgOralLDL01862 mg/kgOralContains material which causes damage to the follor respiratory tract, skin, eye, lens or cornea.Hazardous in case of skin contact (irritant), of eye con inhalation (lung irritant).No known significant effects or critical hazards.No known significant effects or critical hazards.Moderately irritating to the respiratory system.Moderately irritating to eyes.

# **Section 12. Ecological Information**

Ecotoxicity data				
United States				
Product/ingredient name		<u>Species</u>	Period	<u>Result</u>
Glycerin		Oncorhynchus mykiss (LC50)	96 hour/hours	54000 mg/l
Potassium Iodide		Oncorhynchus mykiss (LC50)	96 hour/hours	896 mg/l
		Oncorhynchus mykiss (LC50)	96 hour/hours	2190 mg/l
<b>Environmental precautions</b>	: N	No known significant effects or critica	l hazards.	
Products of degradation	: These products are carbon oxides (CO, CO 2) and water, halogenated compounds. Some metallic oxides.			
Toxicity of the products of biodegradation	: 1	The products of degradation are less	toxic than the produ	ict itself.

#### **Section 13. Disposal Considerations**

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

### **Section 14. Transport Information**

	•					
Regulatory information	UN number	Proper shipping name	Class	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		Not available.

PG\* : Packing group

# Section 15. Regulatory Information

United	<b>States</b>

HCS Classification	: Irritating material
	Target organ effects
U.S. Federal regulations	: TSCA 8(b) inventory: Listed
	SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: Potassium lodide ; Glycerin SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Potassium lodide : Immediate (acute) health hazard, Delayed (chronic) health hazard; Glycerin: Immediate (acute) health hazard, Delayed (chronic) health hazard
	Clean Water Act (CWA) 307: No products were found.
	Clean Water Act (CWA) 311: No products were found.
	Clean Air Act (CAA) 112 accidental release prevention: No products were found.
	Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
	Clean Air Act (CAA) 112 regulated toxic substances: No products were found.
State regulations	: Pennsylvania RTK: Glycerin: (generic environmental hazard) Massachusetts RTK: Glycerin New Jersey: Electrolyte Concentrate
<u>Canada</u>	
WHMIS (Canada)	: Not controlled under WHMIS (Canada).
CEPA DSL/CEPA NDSL	: CEPA DSL: Potassium Iodide ; Glycerin; Water

#### Continued on Next Page

#### R02582

#### Section 15. Regulatory Information

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

EU regulations	
Risk phrases	: This product is not classified according to EU legislation.
International regulations	
International lists	: Australia (NICNAS): Potassium Iodide ; Glycerin; Water
	China: Potassium Iodide ; Glycerin
	Germany water class: Glycerin
	Japan (METI): Potassium Iodide ; Glycerin; Water
	Korea (TCCL): Potassium Iodide ; Glycerin; Water
	Philippines (RA6969): Potassium Iodide ; Glycerin; Water

#### Section 16. Other Information

I abol	requirem	ontc
Laver	IEUUIIEII	ισπισ

Label requirements	: WARNING!
	CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS:
	KIDNEYS, RESPIRATORY TRACT, SKIN, EYE, LENS OR CORNEA.
	MAY BE HARMFUL IF SWALLOWED.
	MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
National Fire Protection Association (U.S.A.)	:
	Health 1 0 Instability
	Special

#### Notice to reader

The statements contained herein are based upon technical data that EMD Chemicals Inc. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD CHEMICALS INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.