

# FREMONT

## WATER SOLUTIONS

### FREMONT 9177WR Cooling Water Treatment

#### Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 02/01/2015

Supersedes: 04/05/2005

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : FREMONT 9177WR Cooling Water Treatment  
Product form : Mixture

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cooling Water Treatment

##### 1.3. Details of the supplier of the safety data sheet

FREMONT INDUSTRIES, INC.  
4400 Valley Industrial Blvd. N.  
P.O. Box 67  
Shakopee, MN 55379-0067

##### 1.4. Emergency telephone number

Emergency number : (952) 445-4121  
CHEMTREC: (800) 424-9300

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (GHS-US)

Eye Irrit. 2A H319  
Skin Sens. 1 H317

##### 2.2. Label elements

###### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) :

**Warning**

Hazard statements (GHS-US) :

H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

Precautionary statements (GHS-US) :

P261 - Avoid breathing mist  
P264 - Wash skin and clothing thoroughly after handling  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear eye protection, protective clothing, protective gloves  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P321 - Specific treatment (see first aid instructions on this label)  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P362+P364 - Take off contaminated clothing and wash it before reuse  
P501 - Dispose of contents/container to licensed waste handling facility

##### 2.3. Other hazards

No additional information available

##### 2.4. Unknown acute toxicity (GHS-US)

No data available

#### SECTION 3: Composition/information on ingredients

##### 3.1. Substance

Not applicable

# FREMONT 9177WR Cooling Water Treatment

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 3.2. Mixture

Name	Product identifier	%
1,2,4-Butanetricarboxylic acid, 2-phosphono-	(CAS No) 37971-36-1	3 - 7
2-Butenedioic acid (Z)-, homopolymer	(CAS No) 26099-09-2	1 - 5
Phosphonic acid, reaction products with maleic anhydride, sodium salts	(CAS No) 180513-31-9	1 - 5
Tannins	(CAS No) 1401-55-4	1 - 5
Maleic acid	(CAS No) 110-16-7	0.1 - 1

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : IF ON SKIN: Immediately rinse with plenty of water (for at least 15 minutes). If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : IF SWALLOWED: Rinse mouth, Do NOT induce vomiting, Call a POISON CENTER/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes serious eye irritation. May cause an allergic skin reaction.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : Prolonged or repeated contact may result in irritative or allergic dermatitis.
- Symptoms/injuries after eye contact : Causes serious eye irritation.
- Symptoms/injuries after ingestion : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
- Chronic symptoms : No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Carbon dioxide. Alcohol-resistant foam. Dry powder.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Product is not flammable.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known under normal conditions of use.

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Keep upwind. Ventilate area. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

#### 6.1.1. For non-emergency personnel

- Protective equipment : Wear Protective equipment as described in Section 8.
- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

# FREMONT 9177WR Cooling Water Treatment

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections  
No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe mists. Keep away from sources of ignition - No smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Maleic acid (110-16-7)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

Phosphonic acid, reaction products with maleic anhydride, sodium salts (180513-31-9)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

2-Butenedioic acid (Z)-, homopolymer (26099-09-2)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

1,2,4-Butanetricarboxylic acid, 2-phosphono- (37971-36-1)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

Tannins (1401-55-4)	
Remark (ACGIH)	OELs not established
Remark (US OSHA)	OELs not established

#### 8.2. Exposure controls

Personal protective equipment : Gloves. Protective goggles.



Hand protection : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Natural rubber ("latex"), Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing. Wear long sleeves.

Respiratory protection : Where excessive vapor, mist, or dust may result, use approved respiratory protection equipment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear.

Color : Dark Orange.

Odor : Sweet.

# FREMONT 9177WR Cooling Water Treatment

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor Threshold	: No data available
pH	: 4 - 5 (neat)
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 100 °C (212 °F)
Flash point	: Nonflammable (T.C.C.)
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.15
Solubility	: Water: Complete
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Sparks. Heat. Open flame.

### 10.5. Incompatible materials

Strong bases.

### 10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Phosphorus oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Maleic acid (110-16-7)	
LD50 oral rat	708 mg/kg (Source: IUCLID)
LD50 dermal rabbit	1560 mg/kg (Source: NLM_CIP)
LC50 inhalation rat (mg/l)	> 720 mg/m <sup>3</sup> 1 h; (Source: NLM_CIP)

1,2,4-Butanetricarboxylic acid, 2-phosphono- (37971-36-1)	
LD50 oral rat	> 4000 mg/kg (Source: IUCLID)
LD50 dermal rat	> 4000 mg/kg (Source: NLM_CIP)
LC50 inhalation rat (mg/l)	> 1979 mg/m <sup>3</sup> 4 h; (Source: IUCLID)

Skin corrosion/irritation	: Not classified pH: 4 - 5 (neat)
Serious eye damage/irritation	: Causes serious eye irritation. pH: 4 - 5 (neat)
Respiratory or skin sensitization	: May cause an allergic skin reaction.

# FREMONT 9177WR Cooling Water Treatment

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

### Tannins (1401-55-4)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Prolonged or repeated contact may result in irritative or allergic dermatitis.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic symptoms : No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities. No discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

Not applicable

### 14.2. UN proper shipping name

Not applicable

### 14.3. Additional information

Other information : No supplementary information available.

### Overland transport

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

# FREMONT 9177WR Cooling Water Treatment

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### FREMONT 9177WR Cooling Water Treatment

All chemical substances in this product are listed in the EPA (Environmental Protection Agency) TSCA (Toxic Substances Control Act) Inventory  
SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard

##### Maleic acid (110-16-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on SARA Section 313 (Specific toxic chemical listings)

RQ (Reportable quantity, section 304 of EPA's List of Lists) : | 5000 lb Final

##### Phosphonic acid, reaction products with maleic anhydride, sodium salts (180513-31-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### 2-Butenedioic acid (Z)-, homopolymer (26099-09-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### 1,2,4-Butanetricarboxylic acid, 2-phosphono- (37971-36-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

##### Tannins (1401-55-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### CANADA

##### Maleic acid (110-16-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### Phosphonic acid, reaction products with maleic anhydride, sodium salts (180513-31-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### 2-Butenedioic acid (Z)-, homopolymer (26099-09-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### 1,2,4-Butanetricarboxylic acid, 2-phosphono- (37971-36-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### Tannins (1401-55-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### 15.2.2. National regulations

##### Maleic acid (110-16-7)

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on KECI (Chemical Inventory of Korea)

##### Phosphonic acid, reaction products with maleic anhydride, sodium salts (180513-31-9)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.

##### 2-Butenedioic acid (Z)-, homopolymer (26099-09-2)

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on KECI (Chemical Inventory of Korea)

##### 1,2,4-Butanetricarboxylic acid, 2-phosphono- (37971-36-1)

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.  
Listed on KECI (Chemical Inventory of Korea)

##### Tannins (1401-55-4)

Listed on the AICS (the Australian Inventory of Chemical Substances)  
Listed on Inventory of Existing Chemical Substances (IECSC)  
Listed on KECI (Chemical Inventory of Korea)

#### 15.3. US State regulations

# FREMONT 9177WR Cooling Water Treatment

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


Maleic acid (110-16-7)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### SECTION 16: Other information

Indication of changes : Revision 1.0 – 15 Apr 2014 - New SDS Created.  
Other information : Author. JAH.

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.  
NFPA fire hazard : 0 - Materials that will not burn.  
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating  
Health : 1  
Flammability : 0  
Physical : 0  
Personal Protection :

FREMONT'S PRODUCTS ARE SOLD "AS IS." FREMONT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO ITS PRODUCTS OR RELATED SERVICES. ALL SUCH EXPRESS AND IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE SPECIFICALLY DISCLAIMED.