## MATERIAL SAFETY DATA SHEET



## 1. Product and Company Identification

Product Name Evap Pow'R C (4168)

CAS # Mixture

Product use Evaporator Coil Cleaner

Manufacturer Nu-Calgon 2008 Altom Court

St. Louis, MO 63146 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

## 2. Hazards Identification

Emergency overview CAUTION

MAY CAUSE SKIN IRRITATION. MAY CAUSE EYE IRRITATION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

Potential short term health effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

**Eyes** May cause irritation.

**Skin** May cause irritation. May be absorbed through the skin.

NIOSH - Pocket Guide - Skin Notations

Ethylene glycol monobutyl ether 111-76-2 Potential for dermal absorption

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous

system effects (headache, dizziness).

IngestionMay cause stomach distress, nausea or vomiting.Target organsBlood. Eyes. Kidney. Liver. Respiratory system. Skin.

**Chronic effects** Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Potential environmental effects Components of this product have been identified as having potential

environmental concerns.

# 3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Ethylene glycol monobutyl ether	111-76-2	3 - 7
Alcohols, C7-21, ethoxylated	68991-48-0	1 - 5
Sodium xylene sulphonate	1300-72-7	1 - 5

## 4. First Aid Measures

First aid procedures

**Eye contact** Immediately flush with cool water. Remove contact lenses, if applicable, and continue

flushing for 15 minutes. Obtain medical attention immediately.

**Skin contact** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation

persists.

Inhalation Remove affected person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a

poison control center or doctor for further treatment advice.

**Ingestion** Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.

Obtain medical attention.

Notes to physician Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

## 5. Fire Fighting Measures

Flammable properties

Not flammable by WHMIS/OSHA criteria.

Extinguishing media

Suitable extinguishing media Water spray. Fog. Dry chemical. Carbon dioxide.

Unsuitable extinguishing media

Not available

Not available

**Protection of firefighters** 

Specific hazards arising from

the chemical

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

**Hazardous combustion products** 

May include and are not limited to: Oxides of carbon. Oxides of sulphur.

**Explosion data** 

Sensitivity to mechanical impact Not available Sensitivity to static discharge Not available

## 6. Accidental Release Measures

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not Personal precautions

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** Methods for containment

Do not discharge into lakes, streams, ponds or public waters.

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Before attempting clean up, refer to hazard data given above. Small spills may be Methods for cleaning up

absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

# 7. Handling and Storage

Handling Use good industrial hygiene practices in handling this material.

When using do not eat or drink. Avoid contact with skin and clothing.

Avoid contact with eyes.

Avoid breathing vapors or mists of this product.

Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.

Keep out of reach of children. Storage

Store in a closed container away from incompatible materials.

#18450 Page 2 of 6 Issue date 25-Oct-2012

## 8. Exposure Controls / Personal Protection

Exposure limits	
Ingredient(s)	Exposure Limits
Alcohols, C7-21, ethoxylated	ACGIH-TLV
	Not established
	OSHA-PEL
	Not established
Ethylene glycol monobutyl ether	ACGIH-TLV
	TWA: 20 ppm
	OSHA-PEL
	TWA: 50 ppm
Sodium xylene sulphonate	ACGIH-TLV
	Not established
	OSHA-PEL
	Not established
Engineering controls	General ventilation normally adequate.
Personal protective equipment	
Eve / face protection	Wear safety glasses with side shields.

Eye / face protection Wear safety glasses with side shields.

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Handle in accordance with good industrial hygiene and safety practice. **General hygiene considerations** 

When using do not eat or drink.

Wash hands before breaks and immediately after handling the product.

# 9. Physical and Chemical Properties

Clear **Appearance** Color Green Liquid **Form** butyl Odor

Not available Odor threshold

Liquid **Physical state** 

Ηд 7.9 (Concentrate) **Melting point** Not available Not available Freezing point Not available **Boiling point** Not available Pour point Not available **Evaporation rate** Not available Flash point Not available **Auto-ignition temperature** Flammability limits in air, lower, % Not available by volume Flammability limits in air, upper, % Not available

by volume

Not available Vapor pressure Not available Vapor density Not available Specific gravity Not available Octanol/water coefficient Not available **Viscosity** Not available Percent volatile

## 10. Stability and Reactivity

**Reactivity** Reacts vigorously with acids.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

**Conditions to avoid** Do not mix with other chemicals.

Incompatible materials Acids. Oxidizers.

Hazardous decomposition products May include and are not limited to: Oxides of carbon. Oxides of sulphur.

# 11. Toxicological Information

Component analysis - LC50

Ingredient(s) LC50

Alcohols, C7-21, ethoxylated

Ethylene glycol monobutyl ether

Sodium xylene sulphonate

Not available

Not available

Component analysis - Oral LD50

Ingredient(s) LD50

Alcohols, C7-21, ethoxylated

Ethylene glycol monobutyl ether

470 mg/kg rat; 320 mg/kg rabbit

Sodium xylene sulphonate

7200 mg/kg rat

Effects of acute exposure

**Eye** May cause irritation.

**Skin** May cause irritation. May be absorbed through the skin.

NIOSH - Pocket Guide - Skin Notations

Ethylene glycol monobutyl ether 111-76-2 Potential for dermal absorption

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous

system effects (headache, dizziness).

**Ingestion** May cause stomach distress, nausea or vomiting.

SensitizationNon-hazardous by WHMIS/OSHA criteria.Chronic effectsNon-hazardous by WHMIS/OSHA criteria.

Carcinogenicity See below.

ACGIH - Threshold Limit Values - Carcinogens

Ethylene glycol monobutyl ether 111-76-2

76-2 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

IARC - Group 3 (Not Classifiable)

Ethylene glycol monobutyl ether 111-76-2 Monograph 88 [2006]

MutagenicityNon-hazardous by WHMIS/OSHA criteria.Reproductive effectsNon-hazardous by WHMIS/OSHA criteria.TeratogenicityNon-hazardous by WHMIS/OSHA criteria.

Name of Toxicologically Synergistic Not available

**Products** 

# 12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

**Ecotoxicity - Freshwater Fish - Acute Toxicity Data** 

Ethylene glycol monobutyl ether 111-76-2 96 Hr LC50 Lepomis macrochirus: 1490 mg/L [static]; 96 Hr LC50 Lepomis

macrochirus: 2950 mg/L

**Ecotoxicity - Water Flea - Acute Toxicity Data** 

Ethylene glycol monobutyl ether 111-76-2 24 Hr EC50 Daphnia magna: 1698 - 1940 mg/L; 48 Hr EC50 Daphnia magna: >1000

mg/L

Persistence / degradability

Bioaccumulation / accumulation

Mobility in environmental media

Environmental effects

Not available

Not available

Aquatic toxicityNot availablePartition coefficientNot availableChemical fate informationNot availableOther adverse effectsNot available

# 13. Disposal Considerations

**Disposal instructions** 

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Not available

Contaminated packaging

Not available

## 14. Transport Information

### **U.S. Department of Transportation (DOT)**

Not regulated as dangerous goods.

### Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

## 15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canada - CEPA - Schedule I - List of Toxic Substances

Ethylene glycol monobutyl ether 111-76-2 Present

Canada - WHMIS - Ingredient Disclosure List

Ethylene glycol monobutyl ether 111-76-2 1 %

WHMIS status Controlled

WHMIS classification Class D - Division 2B

WHMIS labeling



### Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

Yes

**US Federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

### **CERCLA (Superfund) reportable quantity**

None

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

INO

Section 311 hazardous chemical Yes

Clean Water Act (CWA) Not available

#18450 Page 5 of 6 Issue date 25-Oct-2012

#### State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Massachusetts - Right To Know List

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Minnesota - Hazardous Substance List

Ethylene glycol monobutyl ether 111-76-2 Skin U.S. - New Jersey - Right to Know Hazardous Substance List Ethylene glycol monobutyl ether 111-76-2 sn 0275

U.S. - Pennsylvania - RTK (Right to Know) List

Ethylene glycol monobutyl ether 111-76-2 Present

U.S. - Rhode Island - Hazardous Substance List

Ethylene glycol monobutyl ether 111-76-2 Toxic (skin)

## Inventory name

Country(s) or region	Inventory name On inventory (ye	:s/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
A "Yes" indicates that all components	of this product comply with the inventory requirements administered by the governing country(s)	

## 16. Other Information

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

 Issue date
 25-Oct-2012

 Effective date
 15-Oct-2012

 Expiry date
 15-Oct-2015

Prepared by Nu-Calgon Technical Service (314) 469-7000

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.