

SUR-GARD™ 1700

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	SUR-GARD™ 1700
Other means of identification	:	Not applicable.
Recommended use	:	OXYGEN SCAVENGER
Restrictions on use	:	Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.
Company	:	Nalco Company 1601 W. Diehl Road Naperville, Illinois 60563-1198 USA TEL: (630) 305-1000
Emergency telephone number	:	(800) 424-9300 (24 Hours) CHEMTREC
Issuing date	:	01/07/2022

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

GHS Classification		
Skin irritation Eye irritation	:	Category 2 Category 2A
GHS Label element		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	Causes skin irritation. Causes serious eye irritation.
Precautionary Statements	:	 Prevention: Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection. Response: IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Storage: Protect product from freezing.
Other hazards	:	None known.

SUR-GARD™ 1700

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture	: Mixture		
Chemical Name		CAS-No.	Concentration: (%)
Diethylethanolamine		100-37-8	5 - 10

Section: 4. FIRST AID MEASURES

In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
If swallowed	:	Rinse mouth. Get medical attention if symptoms occur.
If inhaled	:	Get medical attention if symptoms occur.
Protection of first-aiders	:	In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
Notes to physician	:	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during firefighting	:	Not flammable or combustible.
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx)
Special protective equipment for firefighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

SUR-GARD™ 1700			
Personal precautions, protective equipment and emergency procedures	:	Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.	
Environmental precautions	:	Do not allow contact with soil, surface or ground water.	
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.	
Section: 7. HANDLING AND STORAGE			
Advice on safe handling	:	Avoid contact with skin and eyes. Wash hands thoroughly after handling. Use only with adequate ventilation. Protect product from freezing.	
Conditions for safe storage	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.	
Storage temperature	:	0 °C to 65 °C	
Suitable material	:	The following compatibility data is suggested based on similar product data and/or industry experience: Stainless Steel 304, Stainless Steel 316L, Brass, CPVC (rigid), HDPE (high density polyethylene), LLDPE, Nylon 11, Plexiglass, Polypropylene, Teflon (PTFE), PVC, UHMWPE, EPDM, Kalrez, Perfluoroelastomer, Viton, Fluoroelastomer, Buna-N	
Unsuitable material	:	The following compatibility data is suggested based on similar product data and/or industry experience: Mild steel, Neoprene	

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Diethylethanolamine	100-37-8	TWA	2 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	NIOSH REL
		TWA	10 ppm 50 mg/m3	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection	:	Wear impervious chemical-resistant gloves when handling this product. The following glove types are recommended based on our review of glove manufacturer information and/or other available sources.

SUR-GARD™ 1700

		Nitrile rubber butyl-rubber Viton Other glove types may be used for short term, incidental contact if determined by testing to provide adequate worker protection. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	:	Wear suitable protective clothing.
Respiratory protection	:	Use local exhaust ventilation or other engineering controls as necessary to control airborne vapour and mist. Where concentrations in air may exceed the limits given in this section or when significant vapours are generated, use an approved air purifying respirator fitted with a gas and vapour cartridge. Use a particulate pre-filter where operations generate significant mists or aerosols. Recommended gas and vapour cartridge: Organic vapor cartridge. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA or supplied-air respirator should be used.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

:	Liquid
:	brown
:	mild
:	does not flash
:	8.8 - 9.2,(100 %), (25 °C), Method: ASTM E 70
:	no data available
:	-3 °C, ASTM D-1177
:	100 °C
:	1.5, (BuAc = 1)
:	Not applicable.
:	no data available
:	no data available
:	24 mm Hg, (25 °C),
:	no data available
	:::::::::::::::::::::::::::::::::::::::

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

SUR-GARD™ 1700

Relative density	:	1.04, (25 °C), ASTM D-1298
Density	:	1.04 g/cm3 , 8.7 lb/gal
Water solubility	:	completely soluble
Solubility in other solvents	:	no data available
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Thermal decomposition	:	no data available
Viscosity, dynamic	:	4 mPa.s (25 °C), Method: ASTM D 2983
Viscosity, kinematic	:	no data available
Molecular weight	:	no data available
VOC	:	no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Freezing temperatures. Extremes of temperature
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	In case of fire, hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NOx)

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

Potential Health Effects

:	Causes serious eye irritation.
:	Causes skin irritation.
:	Health injuries are not known or expected under normal use.
:	Health injuries are not known or expected under normal use.
:	Health injuries are not known or expected under normal use.
	:

Experience with human exposure

SUR-GARD™ 1700

Eye contact	:	Redness, Pain, Irritation
Skin contact	:	Redness, Irritation
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.
Toxicity		
Product		
Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 62.31 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	no data available
Respiratory or skin sensitization	:	no data available
Carcinogenicity	:	no data available
Reproductive effects	:	no data available
Germ cell mutagenicity	:	no data available
Teratogenicity	:	no data available
STOT - single exposure	:	no data available
STOT - repeated exposure	:	no data available
Aspiration toxicity	:	no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity	
Environmental Effects	This product has no known ecotoxicological effects.
Product	
Toxicity to fish	 LC50 Pimephales promelas (fathead minnow): > 1,000 mg/l Exposure time: 96 hrs Test substance: Product
	LC50 Lepomis macrochirus (Bluegill sunfish): > 1,000 mg/l Exposure time: 96 hrs Test substance: Product
	LC50 Oncorhynchus mykiss (rainbow trout): > 1,000 mg/l Exposure time: 96 hrs Test substance: Product

SUR-GARD™ 1700

	NOEC Pimephales promelas (fathead minnow): 1,000 mg/l Exposure time: 96 hrs Test substance: Product
Toxicity to daphnia and other : aquatic invertebrates	LC50 Daphnia magna (Water flea): > 1,000 mg/l Exposure time: 48 hrs Test substance: Product
	NOEC Daphnia magna (Water flea): 600 mg/l Exposure time: 48 hrs Test substance: Product
Components	
Toxicity to algae :	Diethylethanolamine EC50 : 44 mg/l Exposure time: 72 h

Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	: <5%
Water	: 30 - 50%
Soil	: 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods

: Where possible recycling is preferred to disposal or

SUR-GARD™ 1700	
	incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Section: 15. REGULATORY INFORMATION		
Proper shipping name	: PRODUCT IS NOT REGULATED DURING TRANSPORTATION	
Sea transport (IMDG/IMO)		
Air transport (IATA) Proper shipping name	: PRODUCT IS NOT REGULATED DURING TRANSPORTATION	
Proper shipping name	: PRODUCT IS NOT REGULATED DURING TRANSPORTATION	
Land transport (DOT)		

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	n corrosion or irritation rious eye damage or eye irritation	
SARA 302	s material does not contain any components with a S TPQ.	section 302
SARA 313	s material does not contain any chemical compone S numbers that exceed the threshold (De Minimis) ablished by SARA Title III, Section 313.	

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SUR-GARD™ 1700

INTERNATIONAL CHEMICAL CONTROL LAWS :

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).


New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION



SUR-GARD™ 1700

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.