



Be Right™

SAFETY DATA SHEET

Issue Date 14-Mar-2019

Revision Date 14-Mar-2019

Version 6

Page 1 / 16

1. IDENTIFICATION

Product identifier

Product Name FerroVer® Iron Reagent

Other means of identification

Product Code(s) 2507025

Safety data sheet number M00135

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Iron determination.

Uses advised against Consumer use.

Restrictions on use For Laboratory Use Only.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Chronic aquatic toxicity	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Danger



Hazard statements

H302 - Harmful if swallowed
H315 - Causes skin irritation
H318 - Causes serious eye damage
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

P270 - Do not eat, drink or smoke when using this product
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P330 - Rinse mouth
P501 - Dispose of contents/ container to an approved waste disposal plant
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P285 - In case of inadequate ventilation wear respiratory protection
P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P273 - Avoid release to the environment

Other Hazards Known

Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family
Chemical nature

Mixture.
Mixture of organic compounds.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sodium metabisulfite	7681-57-4	20 - 30%	-
Sodium dithionite	7775-14-6	10 - 20%	-
1,10-Phenanthroline, mono(4-methylbenzenesulfonate)	92798-16-8	1 - 5%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Inhalation	Remove to fresh air. May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. May produce an allergic reaction. Get immediate medical advice/attention.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.
Hazardous combustion products	Sulfur oxides. Sodium monoxide. Carbon monoxide, Carbon dioxide.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.
--------------------	--

Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sodium metabisulfite CAS#: 7681-57-4	TWA: 5 mg/m ³	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves. Impervious gloves.
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	Color	White to yellow
Appearance	crystalline	Odor threshold	No data available
Odor	Sulfur-like		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	Not applicable	
pH	5.29	5% Solution
Melting point/freezing point	No data available	
Boiling point / boiling range	No data available	
Evaporation rate	Not applicable	
Vapor pressure	Not applicable	
Vapor density (air = 1)	Not applicable	
Specific gravity (water = 1 / air = 1)	2.27	
Partition Coefficient (n-octanol/water)	log K _{ow} ~ -1.33	
Soil Organic Carbon-Water Partition Coefficient	log K _{oc} ~ -0.03	
Autoignition temperature	No data available	
Decomposition temperature	192.22 °C / 378 °F	
Dynamic viscosity	Not applicable	
Kinematic viscosity	Not applicable	

Solubility(ies)

Water solubility

Product Code(s) 2507025
Issue Date 14-Mar-2019
Version 6

Product Name FerroVer® Iron Reagent
Revision Date 14-Mar-2019
Page 6 / 16

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Steel Corrosion Rate 2.69 mm/yr / 0.11 in/yr
Aluminum Corrosion Rate 0.08 mm/yr / 0 in/yr

Volatile Organic Compounds (VOC) Content

Not applicable

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sodium metabisulfite	7681-57-4	Not applicable	-
Sodium dithionite	7775-14-6	No data available	-
1,10-Phenanthroline, mono(4-methylbenzenesulfonate)	92798-16-8	No data available	-

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limit No data available
Lower flammability limit No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products

Sulfur oxides. Carbon monoxide. Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation	May cause sensitization in susceptible persons. May cause irritation of respiratory tract.
Eye contact	Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause additional effects as listed under "Inhalation". Harmful if swallowed.

Symptoms

Redness. Burning. May cause blindness. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. May cause redness and tearing of the eyes.

Acute toxicity

Harmful if swallowed

Product Acute Toxicity Data

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4	Rat LD ₅₀	500 mg/kg	None reported	None reported	Vendor SDS
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	Mouse LD ₅₀	1500 mg/kg	None reported	None reported	ERMA (New Zealand's Environmental Risk Management Authority)
1,10-Phenanthroline, mono(4-methylbenzene sulfonate) (1 - 5%) CAS#: 92798-16-8	Rat LD ₅₀	245.6 mg/kg	None reported	None reported	Internal Data

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4	Rat LD ₅₀	2000 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Dust/Mist) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4	Rat LC ₅₀	2.01 mg/L	4 hours	None reported	ERMA (New Zealand Environmental Risk Management Authority)

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,370.80 mg/kg
ATEmix (dermal)	7,639.40 mg/kg
ATEmix (inhalation-dust/mist)	7.68 mg/L
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Classification based on data available for ingredients. Irritating to skin.

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	Standard Draize Test	Rabbit	800 mg	None reported	Mild skin irritant	IUCLID (The International Uniform Chemical Information Database)

Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium metabisulfite (20 - 30%)	Standard Draize Test	Rabbit	107 mg	None reported	Corrosive to eyes	RTECS (Registry of Toxic Effects of

Product Code(s) 2507025
Issue Date 14-Mar-2019
Version 6

Product Name FerroVer® Iron Reagent
Revision Date 14-Mar-2019
Page 9 / 16

CAS#: 7681-57-4						Chemical Substances)
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	Standard Draize Test	Rabbit	100 mg	None reported	Eye irritant	IUCLID (The International Uniform Chemical Information Database)

Respiratory or skin sensitization

May cause sensitization by inhalation.

Product Sensitization Data

No data available.

Ingredient Sensitization Data

No data available.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	Based on human experience	Human	Not confirmed to be a skin sensitizer	OECD 429: Skin Sensitization: Local Lymph Node Assay

Respiratory Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4	Based on human experience	Human	Confirmed to be a respiratory sensitizer	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

STOT - single exposure

May cause respiratory irritation.

Product Specific Target Organ Toxicity Single Exposure Data

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Repeat Dose Data

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4	Rat TD _{Lo}	75 mg/kg	15 days	Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (phosphatases and dehydrogenases) Kidney, Ureter, or Bladder Other changes in urine composition	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Code(s) 2507025
Issue Date 14-Mar-2019
Version 6

Product Name FerroVer® Iron Reagent
Revision Date 14-Mar-2019
Page 10 / 16

Sodium dithionite (10 - 20%) CAS#: 7775-14-6	Rat NOAEL	217 mg/kg	None reported	None reported	OECD 429: Skin Sensitization: Local Lymph Node Assay
--	--------------	-----------	------------------	---------------	---

Carcinogenicity

Based on available data, the classification criteria are not met.

Product Carcinogenicity Data

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sodium metabisulfite	7681-57-4	-	Group 3	-	-
Sodium dithionite	7775-14-6	-	-	-	-
1,10-Phenanthroline, mono(4-methylbenzenesul fonate)	92798-16-8	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Group 3 - Not classifiable as a human carcinogen
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	Does not apply

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	None reported	942 mg/kg	2 years	Negative results for carcinogenicity	No information available

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4	Cytogenetic analysis	Hamster ovary	0.18 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	Mutation in microorganisms	<i>Salmonella typhimurium</i>	None reported	None reported	Negative test result for mutagenicity	IUCLID (The International Uniform Chemical Information Database)

Product Germ Cell Mutagenicity *invivo* Data

Product Code(s) 2507025
Issue Date 14-Mar-2019
Version 6

Product Name FerroVer® Iron Reagent
Revision Date 14-Mar-2019
Page 11 / 16

No data available.

Ingredient Germ Cell Mutagenicity *in vivo* Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	Cytogenetic analysis	Rat	1200 mg/kg	None reported	Negative test result for mutagenicity	IUCLID (The International Chemical Information Database)

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product Reproductive Toxicity Data

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4	Rat TD _{Lo}	20000 mg/kg	None reported	Effects on Newborn Stillbirth	RTECS (Registry of Toxic Effects of Chemical Substances)

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Product Ecological Data

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Ingredient Ecological Data

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium metabisulfite	96 hours	<i>Salmo gairdneri</i>	LC ₅₀	15 mg/L	IUCLID (The International

Product Code(s) 2507025
Issue Date 14-Mar-2019
Version 6

Product Name FerroVer® Iron Reagent
Revision Date 14-Mar-2019
Page 12 / 16

(20 - 30%) CAS#: 7681-57-4					Uniform Chemical Information Database)
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	96 hours	<i>Leuciscus idus</i>	LC ₅₀	>= 46 mg/L	IUCLID (The International Uniform Chemical Information Database)
1,10-Phenanthroline, mono(4-methylbenzenesulfonate) (1 - 5%) CAS#: 92798-16-8	96 hours	None reported	LC ₅₀	1353 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	48 Hours	<i>Daphnia magna</i>	EC ₅₀	98 mg/L	IUCLID (The International Uniform Chemical Information Database)
1,10-Phenanthroline, mono(4-methylbenzenesulfonate) (1 - 5%) CAS#: 92798-16-8	48 Hours	None reported	LC ₅₀	717 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium metabisulfite (20 - 30%) CAS#: 7681-57-4	96 hours	<i>Scenedesmus subspicatus</i>	EC ₅₀	40 mg/L	IUCLID (The International Uniform Chemical Information Database)
1,10-Phenanthroline, mono(4-methylbenzenesulfonate) (1 - 5%) CAS#: 92798-16-8	96 hours	None reported	EC ₅₀	402 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™

Aquatic Chronic Toxicity

No data available.

Persistence and degradability

Product Biodegradability Data

No data available.

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

log K_{ow} ~ -1.33

Mobility

Soil Organic Carbon-Water Partition Coefficient

log K_{oc} ~ -0.03

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Product Code(s) 2507025
Issue Date 14-Mar-2019
Version 6

Product Name FerroVer® Iron Reagent
Revision Date 14-Mar-2019
Page 13 / 16

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	Not applicable

14. TRANSPORT INFORMATION

U.S. DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated
Note:	No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Does not comply
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

Product Code(s) 2507025
Issue Date 14-Mar-2019
Version 6

Product Name FerroVer® Iron Reagent
Revision Date 14-Mar-2019
Page 14 / 16

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Sodium dithionite (10 - 20%) CAS#: 7775-14-6	Sabotage/Contamination

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium metabisulfite 7681-57-4	X	X	X
Sodium dithionite 7775-14-6	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sodium metabisulfite	-	21 CFR 182.3766
Sodium dithionite	-	21 CFR 182.90

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Sodium metabisulfite 7681-57-4	Declarable Substance (LR) Prohibited Substance (LR)	0.0 %

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 2 - *	Flammability - 0	Physical hazards - 0	Personal protection - X

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH *Immediately Dangerous to Life or Health*
 ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
 NDF *no data*

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department
Issue Date 14-Mar-2019
Revision Date 14-Mar-2019
Revision Note SDS sections updated
 2

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

Product Code(s) 2507025
Issue Date 14-Mar-2019
Version 6

Product Name FerroVer® Iron Reagent
Revision Date 14-Mar-2019
Page 16 / 16

End of Safety Data Sheet