



**Be Right™**

# SAFETY DATA SHEET

Issue Date 17-Jul-2018

Revision Date 17-Aug-2018

Version 2.4

Page 1 / 16

## 1. IDENTIFICATION

### Product identifier

**Product Name** pPb-6 Decolorizer Solution

### Other means of identification

**Product Code(s)** 2374755

**Safety data sheet number** M00619

### Recommended use of the chemical and restrictions on use

**Recommended Use** Lead test reagent.

**Uses advised against** None.

**Restrictions on use** None.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

#### **Emergency telephone number**

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

#### **Hazards not otherwise classified (HNOC)**

Not applicable

#### **Label elements**

#### **Hazard statements**

The product contains no substances which at their given concentration, are considered to be hazardous to health

#### **Other Hazards Known**

Harmful to aquatic life

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Not applicable

**Mixture**

Chemical name	CAS No.	Percent Range	HMRIC #
Formaldehyde	50-00-0	<0.1%	-
Methyl alcohol	67-56-1	<0.1%	-

#### 4. FIRST AID MEASURES

**Description of first aid measures**

<b>General advice</b>	No hazards which require special first aid measures. Use first aid treatment according to the nature of the injury.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** See Section 11 for additional Toxicological Information.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable Extinguishing Media</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Hazardous combustion products</b>	No information available.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

#### 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice** Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Flammability class** Not applicable

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde CAS#: 50-00-0	STEL: 0.3 ppm TWA: 0.1 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Methyl alcohol CAS#: 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) SKN*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Showers  
 Eyewash stations  
 Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

<b>Hand Protection</b>	Wear suitable gloves.
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and body protection</b>	No special protective equipment required.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice.
<b>Environmental exposure controls</b>	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
<b>Thermal hazards</b>	None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Color</b>	colorless
<b>Appearance</b>	aqueous solution	<b>Odor threshold</b>	No data available
<b>Odor</b>	None		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Molecular weight</b>	No data available	
<b>pH</b>	4.8	
<b>Melting point/freezing point</b>	0 °C / 32 °F	
<b>Boiling point / boiling range</b>	100 °C / 212 °F	
<b>Evaporation rate</b>	0.64 (water = 1)	
<b>Vapor pressure</b>	23.702 mm Hg / 3.16 kPa at 25 °C / 77 °F	Estimation based on theoretical calculation
<b>Vapor density (air = 1)</b>	0.62 (air = 1)	
<b>Specific gravity (water = 1 / air = 1)</b>	1.010	
<b>Partition Coefficient (n-octanol/water)</b>	Not applicable	
<b>Soil Organic Carbon-Water Partition Coefficient</b>	Not applicable	
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	
<b>Dynamic viscosity</b>	No data available	
<b>Kinematic viscosity</b>	No data available	

### Solubility(ies)

#### **Water solubility**

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

**Product Code(s)** 2374755  
**Issue Date** 17-Jul-2018  
**Version** 2.4

**Product Name** pPb-6 Decolorizer Solution  
**Revision Date** 17-Aug-2018  
**Page** 5 / 16

#### Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

#### Other Information

##### Metal Corrosivity

**Steel Corrosion Rate** No data available  
**Aluminum Corrosion Rate** No data available

##### Volatile Organic Compounds (VOC) Content

See ingredients information below

<b>Chemical name</b>	<b>CAS No.</b>	<b>Volatile organic compounds (VOC) content</b>	<b>CAA (Clean Air Act)</b>
Formaldehyde	50-00-0	No data available	X
Methyl alcohol	67-56-1	No data available	X

##### Explosive properties

**Upper explosion limit** No data available  
**Lower explosion limit** No data available

##### Flammable properties

**Flash point** No data available

##### Flammability Limit in Air

**Upper flammability limit** No data available  
**Lower flammability limit** No data available

##### Oxidizing properties

No data available.

##### Bulk density

No data available

##### Particle Size

No information available

##### Particle Size Distribution

No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

Not applicable.

#### Chemical stability

**Stability** Stable under normal conditions.

#### Explosion data

**Sensitivity to Mechanical Impact** None  
**Sensitivity to Static Discharge** None.

#### Possibility of Hazardous Reactions

**Possibility of Hazardous Reactions** None under normal processing.

#### Hazardous polymerization

None under normal processing.

**Conditions to avoid**

**Conditions to avoid** None known based on information supplied.

**Incompatible materials**

**Incompatible materials** Strong oxidizing agents, strong acids, and strong bases.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION**

**Information on Likely Routes of Exposure**

**Product Information**

**Inhalation** No known effect based on information supplied.

**Eye contact** No known effect based on information supplied.

**Skin contact** No known effect based on information supplied.

**Ingestion** No known effect based on information supplied.

**Symptoms** No information available.

**Aggravated Medical Conditions** None known.

**Toxicologically synergistic products** None known.

**Toxicokinetics, metabolism and distribution** See ingredients information below.

Chemical name	Toxicokinetics, metabolism and distribution
Formaldehyde (<0.1%) CAS#: 50-00-0	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.
Methyl alcohol (<0.1%) CAS#: 67-56-1	Metabolism of methanol appears to be similar regardless of administrative route. Methanol is converted to formaldehyde, which is converted to formate which is oxidized to carbon dioxide in primates.

**Product Acute Toxicity Data**

**Oral Exposure Route** No data available

**Dermal Exposure Route** No data available

**Inhalation (Dust/Mist) Exposure Route** No data available

**Inhalation (Vapor) Exposure Route** No data available

**Inhalation (Gas) Exposure Route** No data available

**Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

**Acute Toxicity Estimations (ATE)**

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	72,327.00 mg/kg
<b>ATEmix (dermal)</b>	No information available
<b>ATEmix (inhalation-dust/mist)</b>	No information available
<b>ATEmix (inhalation-vapor)</b>	No information available
<b>ATEmix (inhalation-gas)</b>	No information available

**Ingredient Acute Toxicity Data**

**Oral Exposure Route**

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD <sub>50</sub>	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

**Dermal Exposure Route**

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD <sub>50</sub>	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

**Inhalation (Dust/Mist) Exposure Route**

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC <sub>50</sub>	0.578 mg/L	4 hours	None reported	LOLI

**Inhalation (Vapor) Exposure Route**

If available, see data below

**Inhalation (Gas) Exposure Route**

If available, see data below

**Product Specific Target Organ Toxicity Single Exposure Data**

**Oral Exposure Route**

No data available

**Dermal Exposure Route**

No data available

**Inhalation (Dust/Mist) Exposure Route**

No data available

**Inhalation (Vapor) Exposure Route**

No data available

**Inhalation (Gas) Exposure Route**

No data available

**Ingredient Specific Target Organ Toxicity Single Exposure Data**

**Oral Exposure Route**

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD <sub>Lo</sub>	70 mg/kg	None reported	<b>Gastrointestinal Kidney, Ureter, or Bladder Liver</b> Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Human LD <sub>Lo</sub>	143 mg/kg	None reported	<b>Lungs, Thorax, or Respiration</b> Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TD <sub>Lo</sub>	643 mg/kg	None reported	<b>Gastrointestinal Lungs, Thorax, or Respiration</b> Nausea or vomiting Respiratory obstruction Ulcerated stomach	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Man LD <sub>Lo</sub>	3.571 mg/kg	None reported	<b>Lungs, Thorax, or Respiration</b> Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

**Dermal Exposure Route**

If available, see data below

**Inhalation (Dust/Mist) Exposure Route**

If available, see data below

**Inhalation (Vapor) Exposure Route**

If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
---------------	----------	----------	----------	-----------------------	-------------------------------

	type	dose	time		sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Human TC <sub>Lo</sub>	300 mg/L	None reported	<b>Lungs, Thorax, or Respiration</b> Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

**Inhalation (Gas) Exposure Route**

If available, see data below

**Aspiration toxicity**

No data available

**Product Skin Corrosion/Irritation Data**

No data available.

**Ingredient Skin Corrosion/Irritation Data**

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	20 mg	24 hours	Skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

**Product Serious Eye Damage/Eye Irritation Data**

No data available.

**Ingredient Eye Damage/Eye Irritation Data**

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	40 mg	None reported	Eye irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

**Sensitization Information**

**Product Sensitization Data**

**Skin Sensitization Exposure Route**

No data available.

**Respiratory Sensitization Exposure Route**

No data available.

**Ingredient Sensitization Data**

**Skin Sensitization Exposure Route**

If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealand's Environmental Risk Management Authority)

**Respiratory Sensitization Exposure Route**

If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

**Chronic Toxicity Information**



**Product Specific Target Organ Toxicity Repeat Dose Data**

Oral Exposure Route No data available.  
 Dermal Exposure Route No data available.  
 Inhalation (Dust/Mist) Exposure Route No data available.  
 Inhalation (Vapor) Exposure Route No data available.  
 Inhalation (Gas) Exposure Route No data available.

**Ingredient Specific Target Organ Toxicity Repeat Exposure Data**

Oral Exposure Route If available, see data below  
 Dermal Exposure Route If available, see data below  
 Inhalation (Dust/Mist) Exposure Route If available, see data below  
 Inhalation (Vapor) Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC <sub>Lo</sub>	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC <sub>Lo</sub>	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route If available, see data below

**Product Carcinogenicity Data**

Oral Exposure Route No data available  
 Dermal Exposure Route No data available  
 Inhalation (Dust/Mist) Exposure Route No data available  
 Inhalation (Vapor) Exposure Route No data available  
 Inhalation (Gas) Exposure Route No data available

**Ingredient Carcinogenicity Data**

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Formaldehyde	50-00-0	A1	Group 1	Known	X
Methyl alcohol	67-56-1	-	-	-	-

**Legend**

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	Does not apply

Oral Exposure Route If available, see data below  
 Dermal Exposure Route If available, see data below  
 Inhalation (Dust/Mist) Exposure Route If available, see data below  
 Inhalation (Vapor) Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route If available, see data below

**Product Germ Cell Mutagenicity *in vitro* Data**

Product Code(s) 2374755  
 Issue Date 17-Jul-2018  
 Version 2.4

Product Name pPb-6 Decolorizer Solution  
 Revision Date 17-Aug-2018  
 Page 10 / 16

No data available.

**Ingredient Germ Cell Mutagenicity *invitro* Data**

If available, see data below

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

**Product Germ Cell Mutagenicity *invivo* Data**

Oral Exposure Route No data available  
 Dermal Exposure Route No data available  
 Inhalation (Dust/Mist) Exposure Route No data available  
 Inhalation (Vapor) Exposure Route No data available  
 Inhalation (Gas) Exposure Route No data available

**Ingredient Germ Cell Mutagenicity *invivo* Data**

Oral Exposure Route If available, see data below

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Cytogenetic analysis	Mouse	1000 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route If available, see data below  
 Inhalation (Dust/Mist) Exposure Route If available, see data below  
 Inhalation (Vapor) Exposure Route If available, see data below

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route If available, see data below

**Product Reproductive Toxicity Data**

Oral Exposure Route No data available  
 Dermal Exposure Route No data available  
 Inhalation (Dust/Mist) Exposure Route No data available  
 Inhalation (Vapor) Exposure Route No data available  
 Inhalation (Gas) Exposure Route No data available

**Ingredient Reproductive Toxicity Data**

**Oral Exposure Route**

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rat TD <sub>Lo</sub>	4118 mg/kg	10 days	<b>Effects on Embryo or Fetus Specific Developmental Abnormalities</b> Ear Eye Fetotoxicity (except death e.g. stunted fetus) Urogenital System	RTECS (Registry of Toxic Effects of Chemical Substances)

**Dermal Exposure Route**

If available, see data below

**Inhalation (Dust/Mist) Exposure Route**

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rat TC <sub>Lo</sub>	0.0026 mg/L	22 days	<b>Effects on Embryo or Fetus</b> Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)

**Inhalation (Vapor) Exposure Route**

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC <sub>Lo</sub>	40 mg/L	14 days	<b>Effects on Embryo or Fetus</b> Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC <sub>Lo</sub>	.001 mg/L	24 weeks	<b>Effects on Embryo or Fetus</b> Cytological changes (including somatic cell genetic material)	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Mouse TC <sub>Lo</sub>	1500 mg/L	7-9 days	<b>Specific Developmental Abnormalities</b> Central Nervous System	RTECS (Registry of Toxic Effects of Chemical Substances)

**Inhalation (Gas) Exposure Route**

If available, see data below

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product Ecological Data**

**Aquatic toxicity**

Fish

No data available

Crustacea

No data available

Algae

No data available

**Ingredient Ecological Data**

**Aquatic toxicity**

Fish

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC <sub>50</sub>	6.7 mg/L	PEEN (Pan European Ecological Network)

Crustacea

If available, see ingredient data below

Chemical name	Exposure	Species	Endpoint	Reported	Key literature references and
---------------	----------	---------	----------	----------	-------------------------------

**Product Code(s)** 2374755  
**Issue Date** 17-Jul-2018  
**Version** 2.4

**Product Name** pPb-6 Decolorizer Solution  
**Revision Date** 17-Aug-2018  
**Page** 12 / 16

	time		type	dose	sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	<i>Daphnia pulex</i>	EC <sub>50</sub>	5.8 mg/L	PEEN (Pan European Ecological Network)

**Algae**

If available, see ingredient data below

**Other Information**

**Persistence and degradability**

**Product Biodegradability Data**

No data available.

**Ingredient Biodegradability Data**

Chemical name	Test method	Biodegradation	Exposure time	Results
Glycine, N,N-1,2-ethanediylbis [N-(carboxymethyl)-, disodium salt, dihydrate (1 - 5%) CAS#: 6381-92-6	Estimation through BIOWIN v4.10 part of the Estimation Programs Interface (EPI) Suite™	None reported	None reported	Readily biodegradable

**Bioaccumulation**

**Product Bioaccumulation Data**

No data available.

**Partition Coefficient (n-octanol/water)**

Not applicable

**Ingredient Bioaccumulation Data**

Chemical name	Test method	Exposure time	Species	Bioconcentration factor (BCF)	Results
Formaldehyde (<0.1%) CAS#: 50-00-0	Estimation through BCFBAF v3.01 part of the Estimation Programs Interface (EPI) Suite™	None reported	None reported	BCF = 3.16228	Does not have the potential to bioaccumulate
Methyl alcohol (<0.1%) CAS#: 67-56-1	OECD Test 305: Bioaccumulation in Fish	None reported	None reported	BCF < 10	Does not have the potential to bioaccumulate

**Mobility**

**Soil Organic Carbon-Water Partition Coefficient**

Not applicable

**Water solubility**

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

**Other adverse effects**

Contains a substance with an endocrine-disrupting potential.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** U154 U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	U154

**Special instructions for disposal** Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain.

### 14. TRANSPORT INFORMATION

**U.S. DOT** Not regulated

**TDG** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**Note:** No special precautions necessary.

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

### 15. REGULATORY INFORMATION

#### National Inventories

**TSCA** Complies

**DSL/NDSL** Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### International Inventories

**EINECS/ELINCS** Complies

**ENCS** Complies

**IECSC** Complies

**KECL** Complies

**PICCS** Complies

**TCSI** Complies

**Product Code(s)** 2374755  
**Issue Date** 17-Jul-2018  
**Version** 2.4

**Product Name** pPb-6 Decolorizer Solution  
**Revision Date** 17-Aug-2018  
**Page** 14 / 16

**AICS** Complies  
**NZIoC** Does not comply

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TCSI** - Taiwan Chemical Substances Inventory  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Methyl alcohol (CAS #: 67-56-1)	1.0

#### SARA 311/312 Hazard Categories

**Acute health hazard** Yes  
**Chronic Health Hazard** No  
**Fire hazard** No  
**Sudden release of pressure hazard** No  
**Reactive Hazard** No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Methyl alcohol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

#### U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

Product Code(s) 2374755  
 Issue Date 17-Jul-2018  
 Version 2.4

Product Name pPb-6 Decolorizer Solution  
 Revision Date 17-Aug-2018  
 Page 15 / 16

## US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methyl alcohol (CAS #: 67-56-1)	Developmental



**WARNING:** This product can expose you to chemicals including Formaldehyde, Methyl alcohol, which are known to the State of California to cause cancer or birth defects or reproductive harm.

For more information, go to <http://www.P65Warnings.ca.gov>

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Formaldehyde 50-00-0	X	X	X
Methyl alcohol 67-56-1	X	X	X

### U.S. EPA Label Information

Chemical name	FIFRA	FDA
Methyl alcohol	180.0910	-

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

### Special Comments

None

### Additional information

#### Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Formaldehyde 50-00-0	Declarable Substance (FI) Prohibited Substance (LR) Declarable Substance (LR)	0.0 % 0.1 %
Methyl alcohol 67-56-1	Declarable Substance (FI)	0.1 %

### NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 0	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH

Immediately Dangerous to Life or Health

**Product Code(s)** 2374755  
**Issue Date** 17-Jul-2018  
**Version** 2.4

**Product Name** pPb-6 Decolorizer Solution  
**Revision Date** 17-Aug-2018  
**Page** 16 / 16

ACGIH  
NDF

ACGIH (American Conference of Governmental Industrial Hygienists)  
*no data*

**Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

**Prepared By** Hach Product Compliance Department

**Issue Date** 17-Jul-2018

**Revision Date** 17-Aug-2018

**Revision Note** SDS sections updated  
2

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY©2018**

**End of Safety Data Sheet**