

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME	MEDI-WHITE PETROLEUM JELLY, USP
PRODUCT CODE	0040
SUPPLIER	MEDISCA Inc. Tel.: 1.800.932.1039 Fax.: 1.855.850.5855 661 Route 3, Unit C, Plattsburgh, NY, 12901 3955 W. Mesa Vista Ave., Unit A-10, Las Vegas, NV, 89118 6641 N. Belt Line Road, Suite 130, Irving, TX, 75063 MEDISCA Pharmaceutique Inc. Tel.: 1.800.665.6334 Fax.: 514.338.1693 4509 Rue Dobrin, St. Laurent, QC, H4R 2L8 21300 Gordon Way, Unit 153/158, Richmond, BC V6W 1M2 MEDISCA Australia PTY LTD Tel.: 1.300.786.392 Fax.: 61.2.9700.9047 Unit 7, Heritage Business Park 5-9 Ricketty Street, Mascot, NSW 2020
EMERGENCY PHONE	CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 NSW Poisons Information Centre: 131 126
USES	Ointment base (Topical)

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION	Based on available	e data, th	ne classification cr	riteria are not	met.		
PICTOGRAM	Not Applicable						
SIGNAL WORD	Not applicable						
HAZARD STATEMENT(S)	Not applicable						
AUSTRALIA-ONLY HAZARDS	Not Applicable.						
PRECAUTIONARY STATEMENT(S)	Prevention	Not app	licable				
	Response	Not app	licable				
	Storage	Not app	licable				
	Disposal	Not app	licable				
HMIS CLASSIFICATION	Health Hazard		0		Flammability	1	
	Reactivity		0		Personal Protection	А	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Not applicable
BOTANICAL NAME	Not applicable
SYNONYM	White petroleum jelly
CHEMICAL FORMULA	Not applicable
CAS NUMBER	Not applicable
ALTERNATE CAS NUMBER	Not applicable



MOLECULAR WEIGHT COMPOSITION

Not applicable

CHEMICAL NAME	CAS NUMBER	% BY WEIGHT
PETROLATUM	8009-03-8	100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as health hazards and hence require reporting in this section.

SECTION 4: FIRST-AID MEASURES

IN CASE OF EYE CONTACT	Not expected to be an eye hazard under normal use occurs. Flush with copious amounts of water for 15 minutes, separating eyelids with fingers if irritation occurs. If irritation persists seek medical aid.
IN CASE OF SKIN CONTACT	Not expected to be a skin hazard under normal use. Wash with soap and water if irritation occurs. Seek medical attention if irritation develops and persists.
IF SWALLOWED	Call a physician. Wash out mouth with water. Do not induce vomiting without medical advice.
IF INHALED	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician
SYMPTOMS AND EFFECTS	Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 5: FIREFIGHTING MEASURES

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable			
FLAMMABLE PROPERTIES	May be combustible at high temperature			
HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, hazardous fumes will be present.			
EXTINGUISHING MEDIA	Small fire: dry chemical, CO ₂ or water spray. Large fire: dry chemical, CO ₂ , alcohol resistant foam or water spray. Do not get water inside containers.			
PROTECTIVE EQUIPMENT AND	Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eves.			

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

PRECAUTIONS FOR FIREFIGHTERS

METHODS & MATERIAL FOR CONTAINMENT CLEANUP PROCEDURE Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

On land, sweep or shovel into suitable containers. Minimize generation of dust.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Shut off all sources of ignition. Evacuate the area. If necessary, employ water fog to disperse the vapors. Absorb the matter with compatible vermiculite or other absorbing material. Place in a suitable container and retain for disposal. Ventilate and clean the affected area. Do not flush into sewerage system or to drains.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Do not inhale. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash thoroughly after handling.



STORAGE CONDITIONS

Store in original container, tightly sealed container, protected from direct sunlight, in a dry and well-ventilated area, away from incompatible materials. Store in accordance with local regulations. Eliminate all ignition sources. Separate from oxidizing materials. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. Do not store or handle at temperatures greater than 40°C. Preserve in well-closed containers.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Chemical Name: PETROLATUM CAS #: 8009-03-8

	TWA	Ceiling	STEL	REL	IDLH	Remarks
OSHA PEL	N/L	N/L	-	-	-	-
ACGIH TLV	N/L	N/L	N/L	-	-	-
NIOSH	N/L	N/L	N/L	N/L	N/L	-
AIHA WEEL	N/L	N/L	N/L	-	-	-
Safe Work Australia HSIS	N/L	N/L	N/L	-	-	-
HSE	N/L	N/L	N/L	-	-	-

N/L = Not Listed

EXPOSURE GUIDELINESConsult local authorities for provincial or state exposure limits. Particulates not otherwise regulated, respirable
fraction: 5 mg/m³.PERSONAL PROTECTIVE EQUIPMENTEyes: Not needed for normal use. Operate according to good working practices. Skin: No special precaution
must be adopted for normal use. Operate according to good working practices. Clothing: Not needed for normal
use. Operate according to good working practices. Not needed for normal
use. Operate according to good working practices. Respirators: Not needed for normal use. Operate according
to good working practices. Respirators: Not needed for normal use. Operate according
to good working practices.SPECIFIC ENGINEERING CONTROLSAdequate mechanical ventilation. Fumehood, eye wash station, and safety shower.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid					
DESCRIPTION	White	e or faintly yellowish,	unctuous mass, transparent in thir	n layers even after coo	oling to 0 °C.	
SOLUBILITY		Freely soluble in benzene, in carbon disulfide, and in chloroform; soluble in ether, in solvent hexane, and in most fixed and volatile oils; slightly soluble in cold or hot alcohol, and in cold dehydrated alcohol; insoluble in water.				
ODOR	Odor	less at room tempera	ture.			
FLAMMABILITY	May I	be combustible at hig	h temperature			
ODOR THRESHOLD		Not available	рН	Not available	MELTING POINT	(38 - 60)°C, (100.4 - 140)°F
BOILING POINT		> 230 °C, > 446 ° F	FREEZING POINT	> 51.7 °C, > 125.06 °F	FLASH POINT	> 93.4 °C, > 200.12 °F
SPECIFIC GRAVITY		0.815 - 0.880	EVAPORATION RATE	Not available	EXPLOSIVE LIMIT	Not available
UPPER FLAMMABLE		Not available	LOWER FLAMMABLE/ EXPLOSIVE LIMIT(S)	Not available	VAPOR PRESSURE	< 0.1 kPa (20°C)



VAPOR DENSITY (AIR = 1) Not available

RELATIVE DENSITY (WATER = 1) Not available

log P (OCTANOL-WATER) > 6

AUTO-IGNITION TEMPERATURE

Not available

DECOMPOSITION TEMPERATURE Not available

VISCOSITY

Not available

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY	Not established
STABILITY	Stable under recommended storage conditions
MATERIALS TO AVOID	Strong oxidants, acids and bases.
HAZARDOUS DECOMPOSITION PRODUCTS	Toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides and other gases may occur
HAZARDOUS POLYMERIZATION	Will not occur
POSSIBLITY OF HAZARDOUS REACTION	Not established
CONDITIONS TO AVOID	Extreme temperatures, flames, temperatures above the material's flash point.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Dermal: Rabbit: I	Oral: Rat: LD50: (mg/kg): Not available Dermal: Rabbit: LD50: (mg/kg): 3600 Inhalation: Rat: LD50: (mg/L/4hr): Not available		
SKIN CORROSION/IRRITATION	Due to lack of da	Due to lack of data the classification is not possible.		
SERIOUS EYE DAMAGE/EYE IRRITATION	Due to lack of da	Due to lack of data the classification is not possible.		
RESPIRATORY OR SKIN SENSITIZATION	Due to lack of da	ata the classification is not possible.		
GERM CELL MUTAGENICITY	Due to lack of da	ata the classification is not possible.		
CARCINOGENICITY	OSHA	PETROLATUM is not listed.		
	NTP	PETROLATUM is not listed.		
	IARC	PETROLATUM is not evaluated.		
	California Proposition 65	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.		
ADDITIONAL CARCINOGENICITY INFORMATION	Due to lack of data the classification is not possible.			
REPRODUCTIVE TOXICITY	Due to lack of da	Due to lack of data the classification is not possible.		
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	Due to lack of da	Due to lack of data the classification is not possible.		
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	Due to lack of data the classification is not possible.			
ASPIRATION HAZARDS	Due to lack of da	Due to lack of data the classification is not possible.		
SIGNS AND SYMPTOMS OF EXPOSURE	Not expected to present a significant hazard under anticipated conditions of normal use. Inhalation of vapors in high concentration may cause irritation of respiratory system. Ingestion may cau gastrointestinal irritation, nausea, vomiting and diarrhea.			
	gaoromoorman			



 POTENTIAL HEALTH EFFECTS
 Inhalation
 Not expected to present a significant hazard. May cause irritation to mucous membranes and respiratory tract.

 Ingestion
 May be harmful if swallowed.

 Skin
 Not expected to present a significant hazard. May cause skin irritation.

 Eyes
 May cause irritation.

SECTION 12: ECOLOGICAL INFORMATION

ΤΟΧΙΟΙΤΥ	EC50: 48 Hr: Crustacea: (mg/L): Not available LC50: 96 Hr: Fish: (mg/L): Not available IC50: 72 Hr: Algae: (mg/L): Not available	
PERSISTENCE AND DEGRADABILITY	Not available	
BIOACCUMULATIVE POTENTIAL	LogPow: > 6.	
MOBILITY IN SOIL	Insoluble in water.	
OTHER ADVERSE EFFECTS	Not available	

This product is not intended to be released into the environment

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Dispose of in accordance with federal / local laws and regulations. Avoid release into the environment.

SECTION 14: TRANSPORT INFORMATION

UNITED STATES & CANADA	
UN PROPER SHIPPING NAME	Not dangerous good
UN NUMBER	Not applicable
CLASS	Not applicable
PACKING GROUP	Not applicable
AUSTRALIA	
UN PROPER SHIPPING NAME	Not dangerous good
UN NUMBER	Not applicable
CLASS	Not applicable
PACKING GROUP	Not applicable
HAZCHEM	Not applicable
ENVIRONMENTAL HAZARDS	Not available
SPECIAL SHIPPING INFORMATION	Not applicable

SECTION 15: REGULATORY INFORMATION



Chemical Name & CAS	CERCLA 40 CFR Part 302.4	SARA (Title III) 40 CFR Part 372.65	EPA 40 CF Appendix A	FR Part 355 Appendix B	Pennsylvania	Right-to-know New Jersey	Massachusetts	California Prop 65
PETROLATUM 8009-03-8	N/L	N/L	N/L	N/L	N/L	N/L	N/L	N/L

N/L = Not Listed; X = Listed

AUSTRALIAN REGULATIONS

Chemical Name & CAS	Poisons and Therapeutic Goods Regulation	Therapeutic Goods Act	Code of Practices - Illicit Drug Precursors
PETROLATUM 8009-03-8	N/L	N/L	N/L

SECTION 16: OTHER INFORMATION

REFERENCES	Available upon request				
ABBREVIATIONS AND ACRONYMS	CAS – Chemical Abstract Service; GHS – Global Harmonized System; OSHA PEL – Occupational Safety & Health Administration Permissible Exposure Limits; TWA – Time Weighted Average; HSIS – Hazardous Substances Information System; STEL – Short Term Exposure Limit; AIHA WEEL – American Industrial Hygiene Association Workplace Environment Exposure Levels; LD50 – Lethal Dose, 50%; IARC – International Agency for Research on Cancer; NTP – National Toxicology Program; WHMIS – Workplace Hazardous Materials Information System; SARA – Superfund Amendments and Reauthorization Act; EPA – Environmental Protection Agency; CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act; HMIS – Hazardous Materials Information System; NIOSH – National Institute for Occupational Safety and Health; MSHA - Mine Safety and Health Administration; ACGIH - American Conference of Governmental Industrial Hygienists; IDHL - Immediately Dangerous to Health or Life; TLV – Threshold Limit Value; HSE – Health and Safety Executive; REL - Recommended Exposure Limit				
LAST REVISION	04/2017				
SUPERSEDES	10/2016				
DISCLAIMER	This document was created in accordance with OSHA, Safe Work Australia and WHMIS regulations. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. MEDISCA® shall not be held liable for any damage resulting from handling or from contact with the above product. Recipients of the product must take responsibility for observing existing laws and regulations.				