

SECTION - 1

# **SAFETY DATA SHEET**

Tann-X® Revision Date 1/6/2016

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Tann-X®

PRODUCT USE Coffee Stain Remover

COMPANY NAME Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 2A

Irritant (eye)

WARNING Causes serious eye irritation

May be harmful if swallowed, Do not get in eyes, Use personal protective equipment as required, Wash thoroughly after

handling, Avoid release into the environment

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

 CHEMICAL NAME
 COMMON NAME AND SYNONYMS
 CAS #
 IMPURITIES
 PERCENT

 Sodium Metabisulfite
 Sodium Pyrosulfite
 7681-57-4
 1 - 5%

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with water, If irritation occurs or persists seek medical aid

**INHALATION** Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

**Eyes** Can cause serious eye irritation, redness, tearing, burning

SkinMay cause mild skin irritationInhalationSpray mist may cause mild irritation

**Ingestion** May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, discomfort, redness, tearing, burning, or pain

**Skin** Causes mild skin irritation, itching, redness

Inhalation Sodium Metabisulfite, may cause allergy or asthma symptoms or breathing difficulties, to asthmatics or sulfite-

sensitive individuals

Ingestion May be harmful if swallowed, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, sulfur dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong acids

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

#### SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags or towels to prevent spill from spreading

Clean Up Procedures

Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal

Dispose of material in accordance with all State and Federal Guidelines and Regulations

# SECTION - 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye contact, May be harmful if swallowed, Wash thoroughly after

handling, Avoid release to the environment, Triple rinse container before discarding

Storage Keep container closed when not in use, Store away from incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

#### SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Sodium Metabisulfite	5 mg/m³	5 mg/m³			RT

#### PERSONAL PROTECTIVE EQUIPMENT



Chemical Safety Glasses, Goggles or Face Shield

Ventilation
General Ventilation

# **HMIS HAZARD RATINGS**

Health 1
Flammability 0
Reactivity 0
Personal Protection A

### SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.02
Flammable Limits	ND	pH (± 0.3)	4.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Mild	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 98%	Partition Coefficient	ND
VOC	0.00%	Molecular Weight (g/mol)	~ 23.12
LVP-VOC	0.00%	Decomposition Temperature	ND

## SECTION - 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable under normal ambient and anticipated conditions of use

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong acids

Thermal Decomposition Burning or thermal decomposition can produce, sulfur dioxide, and other toxic fumes

Page 3 of 4 Tann-X® Revision Date 1/6/2016

#### SECTION – 11 TOXICOLOGICAL INFORMATION

# **ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE** 

Eyes Can cause serious eye irritation, redness, tearing, burning

SkinMay cause mild skin irritationInhalationSpray mist may cause mild irritation

Ingestion May be harmful if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, discomfort, redness, tearing, burning, or pain

**Skin** Causes mild skin irritation, itching, redness

Inhalation Sodium Metabisulfite, may cause allergy or asthma symptoms or breathing difficulties, to asthmatics or sulfite-

sensitive individuals

Ingestion May be harmful if swallowed, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

Acute Tox Calculated Oral: 38,094 mg/kg Dermal: 67,363 mg/kg Inhaled: > 50.0 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info Persons with allergies or asthma may exhibit hypersensitivity to sulfites. Symptoms of exposure may include burning

sensation, coughing, wheezing, laryngitis, shortness of breath, chest pain, headache, nausea or vomiting.

Target Organs Eyes (Lens or cornea)

Medical Conditions Preexisting, eye, allergies, asthma, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption, Treat symptoms

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:** 

CHEMICAL NAMENTPACGIHIARCGHS Category

None Listed NA NA NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

**COMPONENTS ACUTE TOXICITY** 

**CHEMICAL NAME** Result Value **Type Form** Subject **Exposure Time GHS Category** Sodium Metabisulfite LD50 Oral Rat 1,131 mg/kg 4 (>300, ≤2000 mg/kg) LD50 Dermal Rat > 2,000 mg/kg (>2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

**CHEMICAL NAME Type** Subject Subject Latin Result Value Exposure Time **GHS Category** Sodium Metabisulfite LD50 Rainbow Trout (Oncorhynchus mykiss) 150 mg/L 4 (>100 mg/L) 96 Hours EC50 Water Flea (Daphnia magna) 89 ma/L 24 Hours 3 (>10. ≤100 mg/L)

Presistence And Degradability No specific biodegradation test data was located

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In SoilThis material is a partially mobile liquidOther Adverse EffectsHarmful to aquatic life with long lasting effects

#### SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

#### **ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill

## SECTION – 14 TRANSPORT INFORMATION

# **DOT CLASSIFICATION**

<u>UN Number</u> <u>Proper Shipping Name</u> n.o.s. (Chemicals ) or "Limits"

Not Regulated Non Hazardous – Compounds Cleaning Liquid

Hazard Class Packing Group Label Codes Reportable Quantity (lbs) Response Marine Pollutant Hazard Label Secondary

None None None 154 No

**Additional Info:** 

Page 4 of 4 Tann-X® Revision Date 1/6/2016

rage + or +				allii-A	9					EVISION Da		1/0/2010
SECTION – 15 REGULATOR	Y INFORMATION											
TSCA												
CHEMICAL NAME	Sec 8(b) Inventory	9	Sec 8(d) H	ealth A	nd Safety	Se	ec 4(a) Chen	nical Test R	lules	Sec 12(b	) Expor	t Notification
Sodium Metabisulfite	Yes											
REPORTABLE QUANTITIES	Extremely	Hazardoı	ıs		Reportable	Quantity	Emission	Reporting				
CHEMICAL NAME	EPCRA TPQ Sec 302	EPCR/	A RQ Sec	304	CERCLA RC	Sec 103	TRI S	ec 313	RC	CRA Code	RMF	TQ Sec 112
None Listed												
SARA	Section 31	1				Section	on 311 / 3 <sup>.</sup>	12 Hazard	ls			
CHEMICAL NAME	Hazardous Che	emical		Acute		Chronic	Fla	mmable		Pressure		Reactive
Sodium Metabisulfite	Yes			Yes								
RIGHT TO KNOW					STATE							
CHEMICAL NAME	CA CT	FL	IL	LA	. NJ	NY	PA	MI	MN	MA	RI	WI
Sodium Metabisulfite					Yes		Yes			Yes		
CALIFORNIA		WARN	ING! Thi	s prod	duct conta	ins chem	icals kno	wn to the	state	of Californ	ia to c	ause:
CHEMICAL NAME	CAS#	Birth [	Defects		Reprodu	ctive Har	m	Carcino	gen	D	evelop	omental
None Listed												
CLEAN AIR WATER ACTS		Clear	n Air Act	s				C	lean V	Vater Acts		
CHEMICAL NAME	CAS#	HAP		Ozor	ne Class 1	Ozoı	ne Class 2	<u> </u>	IS	PP		TP
None Listed												
NTERNATIONAL REGULATIONS - The components of this product are listed on the chemical inventories of the following countries:												
CHEMICAL NAME	Australia	С	anada	Е	urope (EIN	IECS)	Japai	n	K	orea		UK
Sodium Metabisulfite	Yes		Yes		Yes		Yes		`	Yes		Yes
WHMIS Classification												
CHEMICAL NAME	DSL	Class	Descr	iption	l							
Sodium Metabisulfite	Yes	D-2B	Mate	rials C	Causing O	ther Tox	ic Effects	; Toxic M	lateria	ıl		

## SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

#### Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.