

SAFETY DATA SHEET

Creation Date 30-Apr-2010

Revision Date 27-Mar-2019

Revision Number 5

1. Identification

Product Name Sodium hypochlorite

Cat No. :

SS290-1; SS290-4; SS290-4LC

Synonyms

No information available

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Skin Corrosion/irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure)	Category 1 Category 1 B Category 1 Category 3
Target Organs - Respiratory system.	Calegory 3

Label Elements

Signal Word Danger

Hazard Statements

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Keep only in original container Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Spills Absorb spillage to prevent material damage Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

Toxic to aquatic life with long lasting effects Contact with acids liberates toxic gas

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Water	7732-18-5	94-96
Sodium hypochlorite	7681-52-9	4-6

	4. First-aid measures
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Call a physician immediately.

Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
Ingestion	Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	Not applicable
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Hydrogen chloride gas Sodium oxides Thermal decomposition can lead to release of irritating gases and vapors **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 3	Flammability 0	Instability 1	Physical hazards N/A
		6. Accidental rel	ease measures	
Personal	Precautions		n. Use personal protective equivation of spill/le	uipment. Evacuate personnel to eak.
Environmental Precautions		contaminate ground water	ater or sanitary sewer system. system. Prevent product from cant spillages cannot be conta	entering drains. Local authorities

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not ingest.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

8. E	xposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tightly fitting safety goggles. Face-shield.
Skin and body protection	Long sleeved clothing.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Light yellow
Odor	Chlorine
Odor Threshold	No information available
рН	No information available ≈11
Melting Point/Range	0 °C / 32 °F
Boiling Point/Range	No information available
Flash Point	Not applicable
Evaporation Rate	> 1 (Ether = 1.0)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	14 mmHg
Vapor Density	No information available
Specific Gravity	1.1
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	NaOCI
Molecular Weight	75.4492

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat.
Incompatible Materials	Strong oxidizing agents, Strong acids, Strong bases, Strong reducing agents

• · · · · · · · · · · · · · · · · · · ·							
Hazardous Decomposition Products Hydrogen chloride gas, Sodium oxides, Thermal decomposition can lead to release of irritating gases and vapors				to release of			
Hazardous Polymerization		Hazardous polymerization does not occur.					
Hazardous Reaction	าร		None under norma	l processing.			
			11. Toxico	logical ir	formation		
Acute Toxicity							
Product Information Oral LD50 Dermal LD50 Vapor LC50 Component Informa			Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.				
Componer			LD50 Oral		LD50 Dermal	LC50	Inhalation
Water			-		Not listed		ot listed
Sodium hypoch	lorite		LD50 = 8.91 g/kg (Ra	at) LD50	> 10000 mg/kg (Rabbit)) > 10500	mg/I (Rat) 1h
Toxicologically Syn Products Delayed and immed	-	as w	No information ava		and long-term expos	ure	
Irritation			Causes burns by all exposure routes				
Sensitization			No information available				
Carcinogenicity			The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Component	CAS-N	0	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18		Not listed	Not listed	Not listed	Not listed	Not listed
Sodium hypochlorite	7681-52	2-9	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects			No information available				
Reproductive Effect	ts		No information available.				
Developmental Effe	cts		No information available.				
Teratogenicity			No information available.				
STOT - single expos STOT - repeated ex			Respiratory system None known				
Aspiration hazard			No information available				
Symptoms / effects,both acute and delayed		e and	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation				
Endocrine Disruptor Information		on	No information available				
Other Adverse Effe	Other Adverse Effects		The toxicological properties have not been fully investigated.				
			12. Ecolo	ogical info	ormation		

Ecotoxicity The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium hypochlorite	EC50: = 0.095 mg/L, 24h	Pimephales promelas:	-	2.1 mg/L EC50 = 96 h
	(Skeletonema costatum)	LC50=0.82-0.98 mg/L 96h		0.033-0.044 mg/L EC50 48

6

	h			
Persistence and Degradability	No information available			
Bioaccumulation/ Accumulation	No information available.			
Mobility				
	13. Disposal considerations			
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.			
	14. Transport information			
DOT				
UN-No	UN1791			
Proper Shipping Name	HYPOCHLORITE SOLUTIONS			
Hazard Class	8			
Packing Group				
TDG				
UN-No	UN1791			
Proper Shipping Name	HYPOCHLORITE SOLUTION			
Hazard Class	8			
Packing Group				
IATA				
UN-No	UN1791			
Proper Shipping Name	HYPOCHLORITE SOLUTION			
Hazard Class	8			
Packing Group III				

Ir	International Inventories											
Γ	Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Γ	Water	Х	Х	-	231-791-2	-		Х	-	Х	Х	KE-3540
												0
Г	Sodium hypochlorite	Х	Х	-	231-668-3	-		Х	Х	Х	Х	KE-3150

15. Regulatory information

All of the components in the product are on the following Inventory lists: China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (ECL) China (IECSC) Japan (ENCS) Philippines (PICCS)

I	ogond.	

IMDG/IMO

UN-No

Hazard Class

Packing Group

Proper Shipping Name

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

UN1791

8

Ш

HYPOCHLORITE SOLUTION

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)	Not applicable		
SARA 313	Not applicable		

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Sodium hypochlorite	Х	100 lb	-	-

Clean Air Act

Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

Not applicable

Component		Hazardous Substances RQs	CERCLA EHS RQs	
Sodium hypochlorite		100 lb	-	
California Proposition 65 This		does not contain any Proposition 65 che	emicals	

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Sodium hypochlorite	Х	Х	Х	-	-

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade	No information available					
	16. Other information					
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com					
Creation Date Revision Date Print Date Revision Summary	30-Apr-2010 27-Mar-2019 27-Mar-2019 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).					

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text