

Sherlock Leak Detector Type F

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

Date of issue: August 23, 2015 Supersedes: 020311 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form : Mixture
Product name : Sherlock Leak Detector Type F
Product code : F
Other means of identification : Type F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Leak testing

1.3 Details of the supplier of the safety data sheet

Winton Products Company Inc.
2500 West Blvd.
Charlotte, NC, 28236
United States of America
T 704-399-5151 - F 704-392-5389
wintonprod@aol.com - <http://www.wintonproducts.com>

1.4 Emergency telephone number

Emergency number : CHEMTREC - 1-800-424-9300 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (GHS-US, GHS-CA)

Eye Irrit. 2A	H319 -	Causes serious eye irritation
Skin Sens. 1	H317 -	May cause an allergic skin reaction
Carc. 2	H351 -	Suspected of causing cancer
STOT SE 2	H371 -	May cause damage to organs
STOT RE 2	H373 -	May cause damage to organs through prolonged or repeated exposure

Full text of H-phrases: see section 16

WHMIS Classification

D2A – Carcinogen, D2B –Eye irritant, Skin Sensitizer, Chronic Toxin (WHMIS 1998)

2.2 Label elements

GHS-US and GHS-CA labeling

Hazard pictograms (GHS-US, GHS-CA) :



Signal word (GHS-US, GHS-CA) :

Warning

Hazard statements (GHS-US, GHS-CA) :

H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H351 - Suspected of causing cancer
H371 - May cause damage to organs
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS-US, GHS-CA) :

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P264 - Wash clothing, hands, forearms and face thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P272 - Contaminated work clothing must not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Sherlock Leak Detector Type F

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

P302 + P352 - If on skin: Wash with plenty of water
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308 + P313 - If exposed or concerned: Get medical advice/attention
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P405 - Store locked up
P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US/CA)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US/CA)
ethanediol, ethylene glycol	(CAS No) 107-21-1	10 - 15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320 STOT SE 2, H371 STOT RE 2, H373 Asp. Tox. 1, H304
SODIUM DODECYLBENZENESULFONATE	(CAS No) 25155-30-0	< 2.5	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
COCAMIDE DEA	(CAS No) 68603-42-9	< 0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351
2,2'-iminodiethanol, diethanolamine	(CAS No) 111-42-2	< 0.4	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Carc. 2, H351

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact : Remove contaminated clothing and shoes. Gently wash with plenty of mild soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact : IF IN EYES: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention
First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell..

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : May cause an allergic skin reaction.
Symptoms/injuries after eye contact : Irritation to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Sherlock Leak Detector Type F

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not flammable.
Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.
Reactivity : Stable under normal conditions.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid allowing fire-fighting water to enter environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. Avoid breathing mist, spray, vapors. Avoid contact with skin and eyes. For further information refer to section 8 Exposure controls/personal protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Contain and/or absorb spill with inert material (sand), then place in suitable container.
Methods for cleaning up : Wipe up with absorbent material (for example cloth). Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid breathing mist, spray, vapors. Avoid contact with skin and eyes.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in original container. Store in a well-ventilated place. Keep container closed when not in use. Store above 35°F (2°C) in a dry place out of sunlight.
Incompatible products : Strong bases, strong acids, oxidizing and reducing agents, isocyanates, nitrosating agents.
Incompatible materials : None known.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Diethanolamine (111-42-2)		
ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (Inhalable Fraction and Vapor)

Sherlock Leak Detector Type F

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

Diethanolamine (111-42-2)		
ACGIH	Remark (ACGIH)	Skin
OSHA	Not applicable	

ethanediol, ethylene glycol (107-21-1)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
ACGIH	Remark (ACGIH)	URT & eye irr

ACGIH: American Conference of Governmental Industrial Hygienists, TWA: Time Weighted Average, OSHA: Occupational Safety and Health Administration, URT: Upper Respiratory Tract, irr: irritation.

8.2 Exposure controls

Appropriate engineering controls	: Not necessary with sufficient ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Wash hands, forearms and face thoroughly after handling. Gloves. Protective goggles. Apron.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Chemical resistant apron.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
Other information	: Do not breathe mist, vapor, or spray. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Color	: Red
Odor	: Characteristic
Odor threshold	: Not available
pH	: Not available
Relative evaporation rate (butyl acetate=1)	: Not available
Relative evaporation rate (water=1)	: 1.1
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 215°F, 102 °C
Flash point	: >100°C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: 17.00 mm Hg
Relative vapor density at 20 °C	: 1.18 (air=1)
Relative density	: 1.034 (water = 1)
Density	: Not available
Solubility	: Water: 100 %
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available.
Oxidizing properties	: No data available.
Explosion limits	: No data available

Sherlock Leak Detector Type F

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not applicable

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases, strong acids, oxidizing and reducing agents, isocyanates, nitrosating agents.

10.6. Hazardous decomposition products

Carbon monoxide, Carbon dioxide, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Ingestion; Inhalation; Skin and eye contact.

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Diethanolamine (111-42-2)	
LD50 oral rat	680 mg/kg female
LD50 dermal rabbit	8180 mg/kg male
LC50 inhalation rat (mg/l)	Not available

SODIUM DODECYLBENZENE SULFONATE (25165-30-0)	
LD50 oral rat	438 mg/kg
LC50 inhalation rat (mg/l)	0.31 mg/l
ATE US (oral)	438.000 mg/kg body weight
ATE US (vapors)	0.310 mg/l/4h
ATE US (dust, mist)	0.310 mg/l/4h

ethanediol, ethylene glycol (107-21-1)	
LD50 oral rat	4000 mg/kg
LD50 dermal rabbit	9530 mg/kg
LC50 inhalation rat (mg/l)	2725 mg/m ³
ATE US (oral)	500.000 mg/kg body weight
ATE US (dermal)	9530.000 mg/kg body weight

COCAMIDE DEA (88803-42-9)	
LD50 oral rat	12400 µl/kg

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Causes serious eye irritation

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Suspected of causing cancer. (Diethanolamine – Cocamide DEA are both IARC Group 2B – Possibly Carcinogenic to Humans)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Specific target organ toxicity (single exposure) : May cause damage to organs.

Specific target organ toxicity (repeated exposure) : May cause damage to organs through prolonged or repeated exposure.

Sherlock Leak Detector Type F

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Potential Adverse human health effects and symptoms	: Potential cancer hazard. Route of exposure not known.
Symptoms/injuries after inhalation	: None known
Symptoms/injuries after skin contact	: May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Irritation to eyes.
Symptoms/injuries after ingestion	: None known
Chronic symptoms	: None known

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not determined.

12.2. Persistence and degradability

Sherlock Leak Detector Type F

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

Sherlock Leak Detector Type F

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

Sherlock Leak Detector Type F

Ecology - soil	Not determined.
----------------	-----------------

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

US Department of Transportation (DOT)

Not a dangerous good for transport

Canadian Transportation of Dangerous Goods Act/Regulations (TDG)

Not a dangerous good for transport

Transport by sea

Not determined

Air transport

Not determined

SECTION 15: Regulatory information

15.1. US Federal regulations

USA

Sherlock Leak Detector Type F

USA OSHA Hazard Communication Standard
(According to Federal Register/ Vol. 77, No.58/ Mon
Mar 26, 2012/Rules & Regulations)


Classified as a hazardous product. See Section 2 for details.

Sherlock Leak Detector Type F

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

Sherlock Leak Detector Type F									
National Fire Protection Association® (NFPA®) Classification									
American Coatings Association (ACA) Hazardous Materials Identification System® (HMIS®) III Classification	<table border="1"> <tr> <td></td> <td>2*</td> </tr> <tr> <td></td> <td>1</td> </tr> <tr> <td>Physical Hazard</td> <td>0</td> </tr> <tr> <td>Personal Protection</td> <td>C</td> </tr> </table>		2*		1	Physical Hazard	0	Personal Protection	C
	2*								
	1								
Physical Hazard	0								
Personal Protection	C								

15.2: International regulations

CANADA

Sherlock Leak Detector Type F	
WHMIS 2015 – GHS	Classified as a hazardous product/ See Section 2 for details.
WHMIS Classification 1998 (Controlled products Regulations)	Class D2A - Very Toxic Material causing other toxic effects – Carcinogenicity, Class D2B – Toxic Material causing other toxic effects – Eye irritation, Skin sensitization, Chronic toxicity.
	This product has been classified in accordance with the hazard criteria of the <u>Controlled Products Regulations</u> and the MSDS contains all the information required by the <u>Controlled Products Regulations</u> .

National regulations

No additional information available

15.3: US State regulations

No additional information available

SECTION 16: Other information

Indication of changes	: New Safety Data Sheet (SDS).
Data sources	: GHS-US, GHS-CA classification parameters. References available upon request.
Other information	: None.
Date	: August 23, 2015

Sherlock Leak Detector Type F

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

According to Canadian Hazardous Products Regulation – January 29, 2015

Full text of H-phrases::

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure

SDS USA and SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product