Issuing Date 02-Mar-2016

SAFETY DATA SHEET

Revision Date 02-Mar-2016

Revision Number 4



.

.

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	Nu Finish Car Polish
Other means of identification	
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Automotive Polish
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name	Reed-Union Corporation
Supplier Address	875 North Michigan Avenue Chicago IL 60611 US
Supplier Phone Number	Phone:3126443200 Fax:3126443577
Supplier Email	nufinish@nufinish.com
Emergency telephone number	
Company Emergency Phone Number	3126443200

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Aspiration toxicity	Category 1



GHS Label elements, including precautionary statements

Emergency Overview		
Signal word	Danger	
Hazard Statements		
May cause genetic defects		
May cause cancer May be fatal if swallowed and enters		
Appearance White	Physical state Liquid	Odor Solvent

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 8 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Naphtha, petroleum, hydrotreated light	64742-49-0	7 - 13	*
Calcined flint clay	66402-68-4	7 - 13	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.	
Skin contact	Wash with soap and water.	
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Seek immediate medical attention/advice. Delayed pulmonary edema may occur.	
Ingestion	Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).	
Most important symptoms and effe	cts, both acute and delayed	
Most Important Symptoms and Effects	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.	
Indication of any immediate medical attention and special treatment needed		

Notes to Physician

Treat symptomatically.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.

Uniform Fire Code Combustible Liquid: III-B
Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required.		
Other Information	Refer to protective measures listed in Sections 7 and 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.		
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.		

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.	
Conditions for safe storage, includi	ing any incompatibilities	
Storage	Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep out of the reach of children. Store away from other materials.	
Incompatible Products	None known based on information supplied.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcined flint clay	STEL: 10 mg/m ³ Zr	TWA: 5 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr
66402-68-4	TWA: 5 mg/m ³ Zr TWA: 0.02	(vacated) TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ except Zirconium
	mg/m³ Mn	(vacated) STEL: 10 mg/m ³ Zr	tetrachloride Zr
	TWA: 0.1 mg/m ³ Mn	· · · · -	STEL: 10 mg/m ³ Zr

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	No special protective equipment required.
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state

Liquid



No information available

Solvent

Appearance Color	White No information available	Odor Odor Threshold
Property pH Melting / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density Specific Gravity Water Solubility Solubility in other solvents	Values8No data available100 °C / 212 °F94 C / 201 FNo data availableNo data available	Remarks Method None known None known None known None known None known None known None known None known None known
Partition coefficient: n-octanol/wat		None known
Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No data available No data available No data available No data available No data available No data available	None known None known None known None known
Other Information		
Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available	

10. STABILITY AND REACTIVITY

Reactivity

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> None known based on information supplied. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be



	fatal. May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.	
Skin contact	Repeated exposure may cause skin dryness or cracking.	
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, hydrotreated light 64742-49-0	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 73680 ppm (Rat)4 h

Information on toxicological effects

Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Asthma-like and/ or skin allergy-like symptoms.						
Delayed and immediate effects as well as chronic effects from short and long-term exposure							
Sensitization	No information available.						
Mutagenic Effects	Contains a known or suspected mutagen.						
Carcinogenicity	Contains no ingredient listed as a carcinogen.						
Reproductive toxicity	No information available.						
STOT - single exposure	No information available.						
STOT - repeated exposure	No information available.						
Chronic Toxicity	Contains a known or suspected mutagen. Possible risk of irreversible effects. Aspiration may cause pulmonary edema and pneumonitis. May cause adverse liver effects. Contains a known or suspected carcinogen.						
Target Organ Effects	May affect the genetic material in germ cells (sperm and eggs). Respiratory system. Central Nervous System (CNS). Eyes. Kidney. Skin. Liver. Testes. Gastrointestinal tract (GI).						
Aspiration Hazard	No information available.						
Numerical measures of toxicity Product Information							

The following values are calculated based on chapter 3.1 of the GHS document Not applicable



12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Naphtha, petroleum, hydrotreated light 64742-49-0				96h LC50: = 2.6 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Calcined flint clay	Toxic soluble
66402-68-4	Toxic

14. TRANSPORT INFORMATION

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated



ADN	Not regulated
ADR	Not regulated
RID	Not regulated
IMDG/IMO Hazard Class	Not regulated N/A
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A

15. REGULATORY INFORMATION

NDSL.

International Inventories

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Calcined flint clay - 66402-68-4	66402-68-4	7 - 13	0.1
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	Yes		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcined flint clay 66402-68-4		Х		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations



Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Calcined flint clay 66402-68-4			Х	Х	
Stoddard solvent 8052-41-3	Х	Х	Х		

International Regulations

Mexico

National occupational exposure limits

Component		Carcinogen Status	Exposure Limits	
	Calcined flint c	lay		Mexico: TWA 5 mg/m ³
	66402-68-4 (7 -	- 13)		Mexico: TWA 0.2 mg/m ³
				Mexico: STEL 10 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

D2A - Very toxic materials

16. OTHER INFORMATION							
NFPA	Health Hazards 2	Flammability 1	Instability 0	Physical and Chemical Hazards			
HMIS	Health Hazards 2*	Flammability 1	Physical Hazard 0	Personal Protection			
Chronic Hazard Star Legend * = Chronic Health Hazard							
Prepared By Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501							
Issuing Date Revision Date Revision Note	evision Date 02-Mar-2016						

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

