



Be Right™

SAFETY DATA SHEET

Issue Date 25-07-2018

Revision Date 08-Feb-2023

Version 1.3

Page 1 / 16

1. IDENTIFICATION

Product identifier

Product Name Nonionic surfactants TNTplus Vial

Other means of identification

Product Code(s) TNT875

Safety data sheet number M03633

UN/ID no UN3316

Recommended use of the chemical and restrictions on use

Recommended Use Water Analysis. Analytical reagent.

Uses advised against Consumer use.

Restrictions on use Not determined.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company, P.O.Box 389, Loveland, CO 80539, USA, +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word

Warning



Hazard statements

H226 - Flammable liquid and vapor

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements

P201 - Obtain special instructions before use

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical advice/attention if you feel unwell

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P280 - Wear protective gloves, protective clothing, eye protection, and face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P235 - Store in a well-ventilated place. Keep cool

Other Hazards Known

May be harmful if swallowed

May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Chemical nature

No information available.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No	Percent Range	HMRIC #
Dichloromethane	75-09-2	40 - 50%	-
Ethyl alcohol	64-17-5	3 - 7%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Symptoms	See Section 11 for additional Toxicological Information.
----------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazardous combustion products	Flammable/toxic gases may accumulate in confined areas (basements, tanks, hopper/tank cars etc.).
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
-------------	--

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take
----------------------	--

precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other Information

Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with particular national and local regulations.

Flammability class

Class II

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Dichloromethane CAS#: 75-09-2	TWA: 50 ppm	TWA: 25 ppm (vacated) TWA: 500 ppm (vacated) STEL: 2000 ppm	IDLH: 2300 ppm

		(vacated) Ceiling: 1000 ppm STEL: 125 ppm	
Ethyl alcohol CAS#: 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection

Wear suitable gloves. Impervious gloves.

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Antistatic boots.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Environmental exposure controls

Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Thermal hazards

None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid		
Appearance	clear	Color	green colorless
Odor	Solvent	Odor threshold	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	Not applicable	
pH	7.9	@ 20 °C
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Evaporation rate	No data available	
Vapor pressure	No data available	
Relative vapor density	No data available	
Specific Gravity	1.22	

Product Code(s) TNT875
Issue Date 25-07-2018
Version 1.3

Product Name Nonionic surfactants TNTplus Vial
Revision Date 08-Feb-2023
Page 6 / 16

Partition coefficient No data available
Soil Organic Carbon-Water Partition Coefficient No data available
Autoignition temperature No data available
Decomposition temperature No data available
Dynamic viscosity No data available
Kinematic viscosity No data available

Solubility(ies)

Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Completely soluble	20000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
None reported	No information available	No data available	No information available

Other information

Metal Corrosivity

Steel Corrosion Rate No data available
Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Dichloromethane	75-09-2	No data available	X
Ethyl alcohol	64-17-5	No data available	X

Explosive properties

Upper explosion limit No data available
Lower explosion limit No data available

Flammable properties

Flash point 45 °C / 113 °F
Method

Flammability Limit in Air

Upper flammability limit: No data available
Lower flammability limit: No data available

Oxidizing properties

No data available.

Bulk density

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Yes.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

No information available.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Hydrogen chloride. Phosgene.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known effect based on information supplied.

Eye contact No known effect based on information supplied.

Skin contact No known effect based on information supplied.

Ingestion No known effect based on information supplied.

Symptoms No information available.

Acute toxicity

Based on available data, the classification criteria are not met

Mixture

No data available.

Ingredient Acute Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dichloromethane (40 - 50%) CAS#: 75-09-2	Rat LD ₅₀	1600 mg/kg	None reported	None reported	GESTIS

Dermal Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dichloromethane (40 - 50%) CAS#: 75-09-2	Rat LD ₅₀	> 2000 mg/kg	None reported	None reported	IUCLID

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dichloromethane (40 - 50%) CAS#: 75-09-2	Rat LC ₅₀	49118 mg/L	4 hours	None reported	IUCLID

Unknown Acute Toxicity

0.001% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,916.60 mg/kg
ATEmix (dermal)	4,070.90 mg/kg
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Skin Corrosion/Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Standard Draize Test	Rabbit	20 mg	24 hours	Skin irritant	RTECS

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Eye Damage/Eye Irritation Data

Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Rinse Test	Rabbit	100 mg	4 seconds	Eye irritant	RTECS

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Sensitization Data

Test data reported below.

Skin Sensitization Exposure Route

Chemical name	Test method	Species	Results	Key literature references and sources for data
Dichloromethane (40 - 50%) CAS#: 75-09-2	Patch test	None reported	Not confirmed to be a skin sensitizer	IUCLID
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Patch test	Human	Not confirmed to be a skin sensitizer	HSDB

STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Single Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Human TD _{Lo}	500 mg/kg	None reported	Behavioral Depressed respiration	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Human TC _{Lo}	30 mg/L	4 hours	Peripheral Nerve and Sensation Recording from afferent nerve	RTECS

STOT - repeated exposure

May cause damage to organs.

Mixture

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Man TD _{Lo}	4623000 mg/kg	4380 days	Brain and Coverings Other degenerative changes	RTECS

Product Code(s) TNT875
Issue Date 25-07-2018
Version 1.3

Product Name Nonionic surfactants TNTplus Vial
Revision Date 08-Feb-2023
Page 10 / 16

Carcinogenicity

Classification based on data available for ingredients. Contains a known or suspected carcinogen.

Mixture

No data available.

Ingredient Carcinogenicity Data

Test data reported below.

Chemical name	CAS No	ACGIH	IARC	NTP	OSHA
Dichloromethane	75-09-2	A3	Group 2A	Reasonably Anticipated	X
Ethyl alcohol	64-17-5	A3	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA	Does not apply

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Mouse	320 mg/kg	50 weeks	Blood Lymphoma (including Hodgkin's disease) Liver Tumors	RTECS

Inhalation (Vapor) Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dichloromethane (40 - 50%) CAS#: 75-09-2	Mouse	2000 mg/L	2 years	Lungs, Thorax, or Respiration Tumors	RTECS

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture *in vitro* Data

No data available.

Substance *in vitro* Data

Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Sister chromatid exchange	Human lymphocyte	500 mg/L	72 hours	Positive test result for mutagenicity	RTECS

Mixture *in vivo* Data

No data available.

Substance *in vivo* Data

Test data reported below.

Oral Exposure Route

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Micronucleus test	Human	817600 mg/kg	6 years	Positive test result for mutagenicity	RTECS

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture

No data available.

Ingredient Reproductive Toxicity Data

Test data reported below.

Oral Exposure Route

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ethyl alcohol (3 - 7%) CAS#: 64-17-5	Woman TD _{Lo}	4676280 mg/kg	100 days	Effects on Newborn Delayed effects Specific Developmental Abnormalities Craniofacial (including nose and tongue)	RTECS

Aspiration hazard

Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on available data, the classification criteria are not met.

Unknown aquatic toxicity

0.001% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Mixture

Aquatic Acute Toxicity

No data available.

Aquatic Chronic Toxicity

No data available.

Substance

Aquatic Acute Toxicity

Test data reported below.

Fish

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Dichloromethane (40 - 50%) CAS#: 75-09-2	96 hours	<i>Pimephales promelas</i>	LC ₅₀	193 mg/L	PEEN

Product Code(s) TNT875
Issue Date 25-07-2018
Version 1.3

Product Name Nonionic surfactants TNTplus Vial
Revision Date 08-Feb-2023
Page 12 / 16

Crustacea

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Dichloromethane (40 - 50%) CAS#: 75-09-2	48 Hours	<i>Daphnia magna</i>	LC ₅₀	224000 mg/L	PEEN

Aquatic Chronic Toxicity
No data available.

Persistence and degradability

Mixture
No data available.

Bioaccumulation
There is no data for this product

Mixture
No data available.

Partition coefficient No data available

Mobility

Soil Organic Carbon-Water Partition Coefficient No data available

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

US EPA Waste Number D001, U080

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Dichloromethane 75-09-2	U080	Included in waste streams: F001, F002, F024, F025, F039, K009, K010, K156, K157, K158	-	U080

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Dichloromethane 75-09-2	Category I - Volatiles	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic	-

			hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	
--	--	--	---	--

14. TRANSPORT INFORMATION

DOT

UN/ID no	UN3316
Proper shipping name	CHEMICAL KIT
Transport hazard class(es)	9
Description	UN3316, CHEMICAL KIT, 9
Emergency Response Guide Number	171

TDG

UN/ID no	UN3316
Proper shipping name	CHEMICAL KIT
Transport hazard class(es)	9
Description	UN3316, CHEMICAL KIT, 9

IATA

UN number or ID number	UN3316
Proper shipping name	Chemical kit
Transport hazard class(es)	9
Packing group	II
ERG Code	9L
Special precautions for user	A163, A44
Description	UN3316, Chemical kit, 9

IMDG

UN number or ID number	UN3316
Proper shipping name	CHEMICAL KIT
Transport hazard class(es)	9
EmS-No	F-A, S-P
Special precautions for user	251, 340
Description	UN3316, CHEMICAL KIT, 9

Additional information

This product forms part of a kit. Information in this section relates to the kit as a whole.

15. REGULATORY INFORMATION

National Inventories

TSCA	Complies
DSL/NDL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL - Existing substances	Does not comply
PICCS	Does not comply
TCSI	Complies
AICS	Complies

NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TCSI - Taiwan Chemical Substances Inventory
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Dichloromethane (CAS #: 75-09-2)	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dichloromethane 75-09-2	-	X	X	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Dichloromethane 75-09-2	1000 lb 1 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Dichloromethane (CAS #: 75-09-2)	Carcinogen
Ethyl alcohol (CAS #: 64-17-5)	Carcinogen Developmental



WARNING: This product can expose you to chemicals including Ethyl alcohol, Dichloromethane, which are known to the State of California to cause cancer or birth defects or reproductive harm.

Product Code(s) TNT875
Issue Date 25-07-2018
Version 1.3

Product Name Nonionic surfactants TNTplus Vial
Revision Date 08-Feb-2023
Page 15 / 16

For more information, go to <http://www.P65Warnings.ca.gov>

IMERC: Not applicable

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dichloromethane 75-09-2	X	X	X
Ethyl alcohol 64-17-5	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Ethyl alcohol	180.0910	21 CFR 184.1293

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thresholds
Dichloromethane 75-09-2	Declarable Substance (FI)	0.1 %

NFPA and HMIS Classifications

NFPA	Health hazards - 0	Flammability - 2	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 1*	Flammability - 2	Physical hazards - 0	Personal protection - X -1

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
ATSDR	ATSDR (Agency for Toxic Substances and Disease Registry)
CCRIS	CCRIS (Chemical Carcinogenesis Research Information System)
CDC	CDC (Center for Disease Control)
CEPA	CEPA (Canadian Environmental Protection Agency)
CICAD	CICAD (Concise International Chemical Assessment Documents)
ECHA	ECHA (The European Chemicals Agency)
EEA	EEA (European Environment Agency)
EPA	EPA (Environmental Protection Agency)
ERMA	ERMA (New Zealand's Environmental Risk Management Authority)
ECOSARS	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
FDA	FDA (Food & Drug Administration)
GESTIS	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Product Code(s) TNT875
Issue Date 25-07-2018
Version 1.3

Product Name Nonionic surfactants TNTplus Vial
Revision Date 08-Feb-2023
Page 16 / 16

HSDB	HSDB (Hazardous Substances Data Bank)
INERIS	INERIS (The National Industrial Environment and Risks Institute)
IPCS INCHEM	IPCS INCHEM (International Programme on Chemical Safety)
IUCLID	IUCLID (The International Uniform Chemical Information Database)
NITE	Japan National Institute of Technology and Evaluation (NITE)
NIH	NIH (National Institutes of Health)
NIOSH	NIOSH (National Institute for Occupational Safety and Health)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
NDF	no data
NICNAS	Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH IDLH	Immediately Dangerous to Life or Health
OSHA	OSHA (Occupational Safety and Health Administration of the US Department of Labor)
PEEN	PEEN (Pan European Ecological Network)
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
SIDS	SIDS (Screening Information Dataset) for High Volume Chemicals
SYKE	The Finnish Environment Institute (SYKE)
USDA	USDA (United States Department of Agriculture)
USDC	USDC (United States Department of Commerce)
WHO	WHO (World Health Organization)

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 25-07-2018

Revision Date 08-Feb-2023

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2022

End of Safety Data Sheet