

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 11/12/2015 Date of issue: 11/12/2015

Version: 1.0

SECTION 1: IDENTIFICATION

<u>Product Identifier</u> <u>Product Form: Mixture</u>

Product Name: Arm & Hammer™ Essentials™ Fabric Softener Sheets (Mountain Rain)

Product Code: MSDS-404 Intended Use of the Product

Laundry Softener

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

www.churchdwight.com

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US classification

Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317 Aquatic Acute 2 H401 Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H401 - Toxic to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US): P261 - Avoid breathing vapors, mist, or spray.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P273 - Avoid release to the environment.

11/12/2015 EN (English US) 1/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

P280 - Wear eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see section 4 on this SDS).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national,

territorial, provincial, and international regulations.

<u>Other Hazards</u> Exposure may aggravate pre-existing eye, skin, or respiratory conditions. When heated to decomposition may emit toxic and irritating fumes. May cause an allergic reaction in sensitive individuals.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Product Identifier | % (w/w) | GHS-US classification |
|------------------------------------------------------------|------------------------|----------|-------------------------|
| Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, | (CAS No) 68921-27-7 | 60 - 100 | Comb. Dust |
| diesters with C12-18 fatty acids, methyl sulfates (salts) | | | Skin Irrit. 2, H315 |
| | | | Eye Irrit. 2A, H319 |
| | | | Aquatic Acute 2, H401 |
| | | | Aquatic Chronic 3, H412 |
| Fragrance (CREATIVE TYPE RR-3333 MOD 1) | (CAS No) Not available | 3 - 7 | Skin Irrit. 2, H315 |
| | | | Eye Irrit. 2A, H319 |
| | | | Skin Sens. 1A, H317 |

A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

Ingestion: Rinse mouth. Do NOT induce vomiting.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes irritation. Exposure may produce an allergic reaction.

Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of normal use. Inhalation of vapors from dryer sheet may cause upper respiratory tract irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: Ingestion is likely to be harmful or have adverse effects. **Chronic Symptoms:** None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Use of heavy stream of water may spread fire.

11/12/2015 EN (English US) 2/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Not available

Firefighting Instructions: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. **Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sulfur compounds. Nitrogen compounds.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not allow product to spread into the environment. Avoid skin and eye contact. Avoid breathing (vapors, fumes).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Contact competent authorities after a spill.

Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Keep in suitable, closed containers for disposal.

Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Specific End Use(s) Laundry Softener

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

| Fragrance (CREATIVE TYPE RR-3333 MOD 1) | | |
|-----------------------------------------|-----------------|---------------------------------------|
| USA ACGIH | ACGIH TWA (ppm) | 10 ppm (Benzyl Acetate, CAS 140-11-4) |
| Alberta | OEL TWA (mg/m³) | 61 mg/m³ |
| Alberta | OEL TWA (ppm) | 10 ppm |
| British Columbia | OEL TWA (ppm) | 10 ppm |
| Ontario | OEL TWA (ppm) | 10 ppm |

11/12/2015 EN (English US) 3/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective goggles.



Physical State



Hand Protection: For occupational/workplace settings: Wear protective gloves. **Eye Protection:** For occupational/workplace settings: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: Not required for normal conditions of use. Use a NIOSH-approved respirator or self-contained breathing

Solid

apparatus whenever exposure may exceed established Occupational Exposure Limits.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance : White polyester sheets

Odor
Odor : Product specific
Odor Threshold : Not available
pH : Not available
Evaporation Rate : Not available
Melting/Freezing Point : Not available
Boiling Point : Not available

Flash Point: Not availableAuto-ignition Temperature: Not availableDecomposition Temperature: Not availableFlammability (solid, gas): Not availableUpper/Lower Flammable Limit: Not availableVapor Pressure: Not available

Solubility : Not soluble in water
Partition Coefficient: N-Octanol/Water : Not available

Partition Coefficient: N-Octanol/Water : Not available **Viscosity** : Not available

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact. Explosion Data – Sensitivity to Static Discharge : Not expected to present an explosion hazard due to static discharge.

Not available

Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

<u>Possibility of Hazardous Reactions</u>: Hazardous polymerization will not occur.

Conditions to Avoid: Temperatures above 90 °F (32 °C) to prevent softening of the coating material.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products: Thermal decomposition generates: Carbon oxides (CO, CO₂). Sulfur and Nitrogen compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Information on Toxicological Effects - Product</u>

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

Relative Vapor Density at 20 °C

Specific Gravity

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

11/12/2015 EN (English US) 4/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of normal

use. Inhalation of vapors from dryer sheet may cause upper respiratory tract irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data: Not available

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Very toxic to aquatic life with long lasting effects.

Benzenepropanal, 4-(1,1-dimethylethyl)-.alpha.-methyl- (80-54-6)

| LC50 Fish 1 | 2.2 - 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) |
|----------------|----------------------------------------------------------------------------|
| EC50 Daphnia 1 | 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) |

<u>Persistence and Degradability</u> Not established. May cause long-term adverse effects in the environment.

Bioaccumulative Potential

| Benzenepropanal, 4-(1,1-dimethylethyl)alphamethyl- (80-54-6) | |
|--------------------------------------------------------------|----------------|
| Log POW | 4.2 (at 24 °C) |

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

| In Accordance with DOT | Not regulated for transport |
|-------------------------|-----------------------------|
| In Accordance with IMDG | Not regulated for transport |
| In Accordance with IATA | Not regulated for transport |
| In Accordance with TDG | Not regulated for transport |

Arm & Hammer™ Essentials™ Fabric Softener Sheets (Mountain Rain)

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--|
| Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, diesters with C12-18 fatty acids, methyl sulfates (salts) (68921-27- | | |
| 7) | | |
| Listed on the Canadian NDSL (Non-Domestic Substances List) | | |
| Listed on IECSC (Inventory of Existing Chemical Substances Proc | duced or Imported in China) | |
| Listed on the United States TSCA (Toxic Substances Control Act | inventory | |

| Fragrance (CREATIVE TYPE RR-3333 MOD 1) | |
|-----------------------------------------|---------------------------------|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard |
| | Delayed (chronic) health hazard |

11/12/2015 EN (English US) 5/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

US State Regulations Not available

Canadian Regulations

| Arm & Hammer™ Essentials™ Fabric Softener Sheets (Mountain Rain) | |
|------------------------------------------------------------------|-------------------------------------------------------------------------------|
| WHMIS Classification | Class D Division 2 Subdivision B - Toxic material causing other toxic effects |



| Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, diesters with C12-18 fatty acids, methyl sulfates (salts) (68921-27- | | |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|--|
| 7) | | |
| Listed on the Canadian NDSL (Non-Domestic Substances List) | | |
| WHMIS Classification | Class D Division 2 Subdivision B - Toxic material causing other toxic effects | |
| Fragrance (CREATIVE TYPE RR-3333 MOD 1) | | |
| WHMIS Classification | Class D Division 2 Subdivision B - Toxic material causing other toxic effects | |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date

11/12/2015

Other Information :

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

| Aquatic Acute 2 | Hazardous to the aquatic environment - Acute Hazard Category 2 |
|-------------------|------------------------------------------------------------------|
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Comb. Dust | Combustible Dust |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Repr. 2 | Reproductive toxicity Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization Category 1 |
| Skin Sens. 1A | Skin sensitization Category 1A |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H361 | Suspected of damaging fertility or the unborn child |
| H401 | Toxic to aquatic life |
| H412 | Harmful to aquatic life with long lasting effects |

Party Responsible for the Preparation of This Document

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

Church&Dwight NA GHS SDS

11/12/2015 EN (English US) 6/6