

COMPASS® O 50 WDG FUNGICIDE

EPA Registration Number: 432-1371-59807

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name: COMPASS® O 50 WDG
FUNGICIDE

EPA Registration No.: 432-1371-59807

Relevant identified uses of the substance or mixture and uses advised against

Use: Fungicide

Restrictions on use: See product label for restrictions.

Company information: OHP, Inc.
PO Box 51230
Mainland, PA 19451
(800) 659-6745

TRANSPORTATION EMERGENCY (24 hours a day) call: Chemtrec: 1-800-424-9300

MEDICAL EMERGENCY (24 hours a day) and Product Information call: 1-800-356-4647

SDS Information or Request.: ohp.com

2. HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity (Inhalation): Category 4

Eye irritation.: Category 2B

Skin sensitisation: Category 1B



Signal word: Warning

Hazard statements

Harmful if inhaled.
Causes eye irritation.
May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust, mist, spray.
Use only outdoors or in a well-ventilated area.
Wash thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/ physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local regulation.

Other hazards: No other hazards known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by weight
Trifloxystrobin	141517-21-7	50.00
Diatomaceous earth	61790-53-2	10.00

4. FIRST AID MEASURES

Description of first aid measures

General advice: When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Inhalation: Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.

Eye contact.: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

FIRST AID MEASURES continued next page

COMPASS® O 50 WDG FUNGICIDE

EPA Registration Number: 432-1371-59807

FIRST AID MEASURES continued

Ingestion : Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms : To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment : Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable : Dry chemical, Foam, Carbon dioxide (CO₂), Water

Unsuitable : None known.

Special hazards arising from the substance or mixture : In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NO_x)

Advice for firefighters

Special protective equipment for fire-fighters : Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information : Evacuate personnel to safe areas. Avoid contact with spilled product or contaminated surfaces. Contain the spread of the fire-fighting media. Keep out of smoke. Do not allow run-off from fire fighting to enter drains or water courses.

After fire is extinguished, do not turn any ignition source until the area is determined to be free from explosion or fire hazard.

Flash point : not applicable

Autoignition temperature . . : 320 °C / 608 °F

Lower explosion limit : not applicable

Upper explosion limit : not applicable

Explosivity : no data available

Dust explosion class : no data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions : Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

Methods and materials for containment and cleaning up

Methods for cleaning up . . : Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect and transfer the product into a properly labelled and tightly closed container. Decontaminate tools and equipment following cleanup. Clean contaminated floors and objects thoroughly, observing environmental regulations. Contaminated soil may have to be removed and disposed.

Additional advice : Do not allow to enter soil, waterways or waste water canal.

Reference to other sections : Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling . . : Handle and open container in a manner as to prevent spillage. Avoid contact with skin, eyes and clothing. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

COMPASS® O 50 WDG FUNGICIDE

EPA Registration Number: 432-1371-59807
Conditions for safe storage, including any incompatibilities
Requirements for storage
areas and containers : Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container. Store in a place accessible by authorized persons only.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION
Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Trifloxystrobin	141517-21-7	2.7 mg/m3 (TWA)		OES BCS*
Diatomaceous earth	61790-53-2	6 mg/m3 (TWA)	1989	OSHA Z1A
Diatomaceous earth (Respirable dust.)	61790-53-2	3 mg/m3 (TWA PEL)	09 2006	US CA OEL
Diatomaceous earth (Total dust.)	61790-53-2	6 mg/m3 (TWA PEL)	09 2006	US CA OEL
Diatomaceous earth	61790-53-2	6 mg/m3 (TWA PEL)	09 2006	US CA OEL
Diatomaceous earth (Particulate.)	61790-53-2	27ug/m3 (ST ESL)	07 2011	TX ESL
Diatomaceous earth (Particulate.)	61790-53-2	40ug/m3 (ST ESL)	07 2011	TX ESL
Diatomaceous earth (Particulate.)	61790-53-2	2ug/m3 (AN ESL)	07 2011	TX ESL
Diatomaceous earth (Particulate.)	61790-53-2	4ug/m3 (AN ESL)	07 2011	TX ESL
Diatomaceous earth	61790-53-2	6 mg/m3 (TWA)	1989	OSHA Z1A
Diatomaceous earth	61790-53-2	6 mg/m3 (TWA)	06 2008	TN OEL
Diatomaceous earth (Total dust.)	61790-53-2	6 mg/m3 (TWA PEL)	08 2010	US CA OEL
Diatomaceous earth (Respirable dust.)	61790-53-2	3 mg/m3 (TWA PEL)	08 2010	US CA OEL
Diatomaceous earth	61790-53-2	6 mg/m3 (TWA PEL)	08 2010	US CA OEL
Diatomaceous earth	61790-53-2	2ug/m3 (AN ESL)	03 2012	TX ESL
Diatomaceous earth	61790-53-2	4ug/m3 (AN ESL)	03 2012	TX ESL
Diatomaceous earth	61790-53-2	27ug/m3 (ST ESL)	03 2012	TX ESL
Diatomaceous earth	61790-53-2	40ug/m3 (ST ESL)	03 2012	TX ESL

Control parameters *continued*

Components	CAS-No.	Control parameters	Update	Basis
Sodium sulphate	7757-82-6	10 mg/m3 (TWA)		OES BCS*
Sodium sulphate (Particulate.)	7757-82-6	50ug/m3 (ST ESL)	02 2013	TX ESL
Sodium sulphate (Particulate.)	7757-82-6	5ug/m3 (AN ESL)	02 2013	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls
Personal protective equipment : In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection : When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection : Chemical resistant nitrile rubber gloves

Eye protection : Safety glasses with side-shields

Skin and body protection . . : Wear long-sleeved shirt and long pants and shoes plus socks.
Coveralls

General protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.

Keep and wash PPE separately from other laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES
Appearance : brown

Physical State : water-dispersible granules

Odor : none

Odour Threshold : no data available

pH : 9 - 11 at 1 % dispersion in water

Vapor Pressure : no data available

COMPASS® O 50 WDG FUNGICIDE

EPA Registration Number: 432-1371-59807

Vapor Density (Air = 1): no data available
Bulk density: 27 - 32 lb/ft³
Evaporation rate: not applicable
Boiling Point: no data available
Melting / Freezing Point: not applicable
Water solubility: dispersible
Minimum Ignition Energy: no data available
Decomposition temperature: no data available
Partition coefficient: n-octanol/water: no data available
Viscosity: not applicable
Flash point: not applicable
Autoignition temperature: 320 °C / 608 °F
Lower explosion limit: not applicable
Upper explosion limit: not applicable
Explosivity: no data available
Dust explosion class: no data available

10. STABILITY AND REACTIVITY

Reactivity
Thermal decomposition: no data available
Chemical stability: Stable under normal conditions.
Possibility of hazardous reactions: No dangerous reaction known under conditions of normal use.
Conditions to avoid: no data available
Incompatible materials: no data available
Hazardous decomposition products: No decomposition products expected under normal conditions of use.

11. TOXICOLOGICAL INFORMATION

Exposure routes: Eye contact, Skin contact, Skin Absorption, Inhalation
Immediate Effects
Eye: May cause mild irritation to eyes.
Skin: May cause slight irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Harmful if absorbed through skin.

Information on toxicological effects

Acute oral toxicity LD50 (rat) > 5,050 mg/kg
Acute inhalation toxicity LC50 (rat) > 2.7 mg/l
 Exposure time: 4 h
 Determined in the form of dust.
 LC50 (rat) > 10.8 mg/l
 Exposure time: 1 h
 Determined in the form of dust.
 Extrapolated from the 4 hr LC50.
Acute dermal toxicity LD50 (rat) > 2,000 mg/kg
Skin irritation Slight irritation (rabbit)
Eye irritation Mild eye irritation. (rabbit)
Sensitisation Sensitising (guinea pig)
 Sensitising (mouse)
 OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment repeated dose toxicity
 Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity
 Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity
 Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH: None.

NTP: None.

OSHA: None.

Assessment toxicity to reproduction
 Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

Assessment developmental toxicity
 Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Further information
 Only acute toxicity studies have been performed on the formulated product.
 The non-acute information pertains to the active ingredient(s).

COMPASS® O 50 WDG FUNGICIDE

EPA Registration Number: 432-1371-59807

12. ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Rainbow trout (Oncorhynchus mykiss))
0.015 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic invertebrates EC50 (Water flea (Daphnia magna))
0.016 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic plants IC50 (Desmodium subspicatus) 0.0053 mg/l
Growth rate;
Exposure time: 72 h
The value mentioned relates to the active ingredient trifloxystrobin.

Biodegradability Trifloxystrobin: not rapidly biodegradable

Koc Trifloxystrobin: Koc: 2377

Bioaccumulation Trifloxystrobin:
Bioconcentration factor (BCF) 431; Does not bioaccumulate.

Mobility in soil Trifloxystrobin: Slightly mobile in soils

Environmental precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

Do not apply when weather conditions favor runoff or drift.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product: Dispose in accordance with all local, state/provincial and federal regulations.

Follow container label instructions for disposal of wastes generated during use in compliance with the product label.

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.

Contaminated

packaging: Do not re-use empty containers.

Triple rinse containers.

Puncture container to avoid re-use.

Consult state and local regulations regarding the proper disposal of container.

Follow advice on product label and/or leaflet.

RCRA Information: Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

14. TRANSPORT INFORMATION

49CFR: Not dangerous goods / not hazardous material

IMDG

UN number: 3077

Class: 9

Packaging group: III

Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRIFLOXYSTROBIN MIXTURE)

IATA

UN number: 3077

Class: 9

Packaging group: III

Environm.

Hazardous Mark: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRIFLOXYSTROBIN MIXTURE)

COMPASS® O 50 WDG FUNGICIDE

EPA Registration Number: 432-1371-59807

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification : INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

15. REGULATORY INFORMATION

EPA Registration No. : 432-1371-59807

US Federal Regulations TSCA list

Diatomaceous earth : 61790-53-2

US. Toxic Substances Control Act (TSCA) Section**12(b) Export Notification**

(40 CFR 707, Subpt D) : None.

SARA Title III - Section 302 - Notification

and Information : None.

SARA Title III - Section 313 - Toxic Chemical

Release Reporting : None.

US States Regulatory

Reporting CA Prop65 : This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Diatomaceous earth 61790-53-2 IL, MN

Canadian Regulations**Canadian Domestic**

Substance List : None.

Environmental

CERCLA : None.

Clean Water Section 307

Priority Pollutants : None.

Safe Drinking Water Act Maximum

Contaminant Levels : None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word : Caution!

Hazard statements : Causes eye irritation.

Harmful if absorbed through skin.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling.

16. OTHER INFORMATION**NFPA 704 (National Fire Protection Association):**

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision : Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date : 03/13/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions.

The product names are registered trademarks of Bayer.