

**NALCO 2195 RESIN CLEANER**

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : NALCO 2195 RESIN CLEANER

Other means of identification : Not applicable.

Recommended use : RESIN CLEANER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630) 305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 08/01/2024

**Section: 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Skin corrosion : Category 1  
Serious eye damage : Category 1

**GHS Label element**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.  
**Storage:**  
Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET

## NALCO 2195 RESIN CLEANER

**Other hazards** : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Organic Acid	Proprietary	10 - 30
Hydroxyethylidenediphosphonic Acid	2809-21-4	1 - 5

### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides  
Oxides of phosphorus

Special protective equipment for firefighters : Use personal protective equipment.

## SAFETY DATA SHEET

### NALCO 2195 RESIN CLEANER

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

#### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers. Protect product from freezing.

Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is tested prior to use.

Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Brass, Mild steel

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

##### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

## SAFETY DATA SHEET

### NALCO 2195 RESIN CLEANER

Hand protection	: Wear protective gloves. Impervious gloves, resistant to chemicals. Nitrile rubber butyl-rubber Neoprene Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: colourless
Odour	: odourless
Flash point	: Not applicable.
pH	: 1.0,(100 %), Method: ASTM E 70, (undiluted)
Odour Threshold	: no data available
Melting point/freezing point	: Freezing Point: 0.0 °C, ASTM D-1177
Initial boiling point and boiling range	: 100.0 °C, Method: ASTM D 86
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.12, ASTM D-1298
Density	: no data available
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-	: no data available

## SAFETY DATA SHEET

### NALCO 2195 RESIN CLEANER

octanol/water

Auto-ignition temperature	:	no data available
Thermal decomposition	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Molecular weight	:	no data available
VOC	:	22 %, Calculation method

#### Section: 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	:	Freezing temperatures.
Incompatible materials	:	Strong bases
Hazardous decomposition products	:	In case of fire, hazardous decomposition products may be produced such as: Carbon oxides Oxides of phosphorus

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact, Ingestion

##### Potential Health Effects

Eyes	:	Causes serious eye damage.
Skin	:	Causes severe skin burns.
Ingestion	:	Causes digestive tract burns.
Inhalation	:	May cause nose, throat, and lung irritation.
Chronic Exposure	:	Health injuries are not known or expected under normal use.

##### Experience with human exposure

Eye contact	:	Redness, Pain, Corrosion
Skin contact	:	Redness, Pain, Corrosion
Ingestion	:	Corrosion, Abdominal pain

## SAFETY DATA SHEET

### NALCO 2195 RESIN CLEANER

Inhalation : Respiratory irritation, Cough

#### Toxicity

#### Product

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

#### **Components**

Acute dermal toxicity : Hydroxyethylidenediphosphonic Acid  
LD50 rabbit: > 10,000 mg/kg

### Section: 12. ECOLOGICAL INFORMATION

#### Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### **Product**

Toxicity to fish : LC50 Fish: > 100 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Fathead Minnow: 7,551 mg/l  
Exposure time: 96 hrs  
Test substance: Product

NOEC Fathead Minnow: 6,000 mg/l  
Exposure time: 96 hrs  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Daphnia magna: > 100 mg/l  
Exposure time: 48 hrs  
Test substance: Product

## SAFETY DATA SHEET

### NALCO 2195 RESIN CLEANER

EC50 Ceriodaphnia dubia: 1,673 mg/l  
Exposure time: 48 hrs  
Test substance: Product

LC50 Ceriodaphnia dubia: 1,716 mg/l  
Exposure time: 48 hrs  
Test substance: Product

NOEC Ceriodaphnia dubia: 1,296 mg/l  
Exposure time: 48 hrs  
Test substance: Product

#### Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

#### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	: <5%
Water	: 30 - 50%
Soil	: 50 - 70%

The portion in water is expected to be soluble or dispersible.

#### Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

#### Other information

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

## SAFETY DATA SHEET

### NALCO 2195 RESIN CLEANER

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

### Section: 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### INTERNATIONAL CHEMICAL CONTROL LAWS :

##### United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

##### Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

##### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)



# SAFETY DATA SHEET

## NALCO 2195 RESIN CLEANER

On the inventory, or in compliance with the inventory.

### Japan. ENCS - Existing and New Chemical Substances Inventory

On the inventory, or in compliance with the inventory.

### Korea. Korean Existing Chemicals Inventory (KECI)

On the inventory, or in compliance with the inventory.

### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

On the inventory, or in compliance with the inventory.

### China Inventory of Existing Chemical Substances


On the inventory, or in compliance with the inventory.

### Taiwan Chemical Substance Inventory

On the inventory, or in compliance with the inventory.

## Section: 16. OTHER INFORMATION

### NFPA:



### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 08/01/2024  
Version Number : 1.4  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.ecolab.com/sds](http://www.ecolab.com/sds) and request access.