



**Be Right™**

# SAFETY DATA SHEET

Issue Date 11-Apr-2018

Revision Date 17-Aug-2018

Version 2.2

Page 1 / 17

## 1. IDENTIFICATION

### Product identifier

**Product Name** MSDS Image, TNT872D Org Acid

### Other means of identification

**Product Code(s)** TNT872D

**Safety data sheet number** M00661

**UN/ID no** UN3264

### Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory reagent. Determination of volatile acids.

**Uses advised against** Consumer use.

**Restrictions on use** For Laboratory Use Only.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	
Skin sensitization	
Mutagenicity	
Carcinogenicity	
Reproductive toxicity	
Specific target organ toxicity (single exposure)	
Specific target organ toxicity (repeated exposure)	

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

**Signal word - Danger**

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 2 / 17



### **Hazard statements**

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage

### **Precautionary statements**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P363 - Wash contaminated clothing before reuse  
P405 - Store locked up  
P501 - Dispose of contents/ container to an approved waste disposal plant  
P234 - Keep only in original container  
P390 - Absorb spillage to prevent material damage

### **Other Hazards Known**

Not applicable

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### **Substance**

Not applicable

### **Mixture**

**Chemical Family** Mixture.  
**Chemical nature** Aqueous solution of inorganic acids and salts.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	1 - 5%	-
Iron chloride (FeCl <sub>2</sub> )	7758-94-3	1 - 5%	-

## **4. FIRST AID MEASURES**

### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Burning sensation.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable Extinguishing Media</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
<b>Hazardous combustion products</b>	iron oxide. Sulfur oxides.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice** Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other Information**

Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions**

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

**Methods and material for containment and cleaning up**

**Methods for containment**

Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**

Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections**

See section 8 for more information. See section 13 for more information.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**Flammability class**

Not applicable

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric acid CAS#: 7664-93-9	TWA: 0.2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Iron chloride (FeCl <sub>2</sub> ) CAS#: 7758-94-3	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> Fe

**Appropriate engineering controls**

**Engineering Controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 5 / 17

<b>Hand Protection</b>	Wear suitable gloves. Impervious gloves.
<b>Eye/face protection</b>	Face protection shield.
<b>Skin and body protection</b>	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
<b>General Hygiene Considerations</b>	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.
<b>Environmental exposure controls</b>	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
<b>Thermal hazards</b>	None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid		
<b>Appearance</b>	aqueous solution	<b>Color</b>	yellow
<b>Odor</b>	Not determined	<b>Odor threshold</b>	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Molecular weight</b>	No data available	
<b>pH</b>	0.5	
<b>Melting point/freezing point</b>	~ -2.78 °C / 27 °F	Estimation based on theoretical calculation
<b>Boiling point / boiling range</b>	100 °C / 212 °F	
<b>Evaporation rate</b>	1.02 (water = 1)	Estimation based on theoretical calculation
<b>Vapor pressure</b>	23.552 mm Hg / 3.14 kPa at 25 °C / 77 °F	Estimation based on theoretical calculation
<b>Vapor density (air = 1)</b>	0.03 (air = 1)	
<b>Specific gravity (water = 1 / air = 1)</b>	1.039	
<b>Partition Coefficient (n-octanol/water)</b>	Not applicable	
<b>Soil Organic Carbon-Water Partition Coefficient</b>	Not applicable	
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	
<b>Dynamic viscosity</b>	No data available	
<b>Kinematic viscosity</b>	No data available	

### Solubility(ies)

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 6 / 17

#### Water solubility

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

#### Other Information

##### Metal Corrosivity

Classified as corrosive to metal according to GHS criteria

**Steel Corrosion Rate**

40.89 mm/yr / 1.61 in/yr

**Aluminum Corrosion Rate**

257.81 mm/yr / 10.15 in/yr

#### Volatile Organic Compounds (VOC) Content

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Sulfuric acid	7664-93-9	No data available	-
Iron chloride (FeCl <sub>2</sub> )	7758-94-3	No data available	-

#### Explosive properties

**Upper explosion limit**

No data available

**Lower explosion limit**

No data available

#### Flammable properties

**Flash point**

No data available

#### Flammability Limit in Air

**Upper flammability limit**

No data available

**Lower flammability limit**

No data available

#### Oxidizing properties

No data available.

#### Bulk density

No data available

#### Particle Size

No information available

#### Particle Size Distribution

No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

Not applicable.

#### Chemical stability

##### Stability

Stable under normal conditions.

#### Explosion data

**Sensitivity to Mechanical Impact** None

**Sensitivity to Static Discharge** None.

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 7 / 17

**Possibility of Hazardous Reactions**

**Possibility of Hazardous Reactions** None under normal processing.

**Hazardous polymerization**

Hazardous polymerization does not occur.

**Conditions to avoid**

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

**Incompatible materials**

**Incompatible materials** Oxidizing agent. Acids. Bases.

**Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**11. TOXICOLOGICAL INFORMATION**

**Information on Likely Routes of Exposure**

**Product Information**

**Inhalation** Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.

**Eye contact** Causes burns. Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** May cause irritation.

**Ingestion** Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms** Redness. Burning. May cause blindness. Coughing and/ or wheezing.

**Aggravated Medical Conditions** Eye disorders. Skin disorders. Respiratory disorders. Gastrointestinal tract. Preexisting eye disorders. Liver disorders. Teeth.

**Toxicologically synergistic products** None known.

**Toxicokinetics, metabolism and distribution** See ingredients information below.

Chemical name	Toxicokinetics, metabolism and distribution
Sulfuric acid (1 - 5%) CAS#: 7664-93-9	The corrosivity of sulfuric acid makes it difficult to assess its effects on metabolism. Its corrosivity is also the main contributor to acute deaths, therefore it is not classified for acute toxicity.

**Product Acute Toxicity Data**

<b>Oral Exposure Route</b>	No data available
<b>Dermal Exposure Route</b>	No data available
<b>Inhalation (Dust/Mist) Exposure Route</b>	No data available
<b>Inhalation (Vapor) Exposure Route</b>	No data available
<b>Inhalation (Gas) Exposure Route</b>	No data available

#### Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	23,425.00 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	260.00 mg/L
ATEmix (inhalation-vapor)	573.00 mg/L
ATEmix (inhalation-gas)	No information available

#### Ingredient Acute Toxicity Data

##### Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Rat LD <sub>50</sub>	450 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

##### Dermal Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Rat LD <sub>50</sub>	> 2000 mg/kg	None reported	None reported	OECD (Organization for Economic Co-operation and Development)

##### Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Rat LC <sub>50</sub>	5 mg/L	4 hours	None reported	No information available

##### Inhalation (Vapor) Exposure Route

If available, see data below

##### Inhalation (Gas) Exposure Route

If available, see data below

#### Product Specific Target Organ Toxicity Single Exposure Data

##### Oral Exposure Route

No data available

##### Dermal Exposure Route

No data available

##### Inhalation (Dust/Mist) Exposure Route

No data available

##### Inhalation (Vapor) Exposure Route

No data available

##### Inhalation (Gas) Exposure Route

No data available

#### Ingredient Specific Target Organ Toxicity Single Exposure Data

##### Oral Exposure Route

If available, see data below

##### Dermal Exposure Route

If available, see data below

##### Inhalation (Dust/Mist) Exposure Route

If available, see data below

##### Inhalation (Vapor) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (1 - 5%) CAS#: 7664-93-9	Human TD <sub>Lo</sub>	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

##### Inhalation (Gas) Exposure Route

If available, see data below

#### Aspiration toxicity

If available, see data below

#### Kinematic viscosity

No data available

#### Product Skin Corrosion/Irritation Data

No data available.



**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 9 / 17

#### **Ingredient Skin Corrosion/Irritation Data**

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (1 - 5%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB (Hazardous Substances Data Bank)
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Mild skin irritant	ECHA (The European Chemicals Agency)

#### **Product Serious Eye Damage/Eye Irritation Data**

No data available.

#### **Ingredient Eye Damage/Eye Irritation Data**

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (1 - 5%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB (Hazardous Substances Data Bank)
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Organization for Economic Co-operation and Development (OECD) - Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	None reported	Corrosive to eyes	ECHA (The European Chemicals Agency)

#### **Sensitization Information**

##### **Product Sensitization Data**

**Skin Sensitization Exposure Route**

No data available.

**Respiratory Sensitization Exposure Route**

No data available.

##### **Ingredient Sensitization Data**

**Skin Sensitization Exposure Route**

If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Local Lymph Node Assay	Mouse	Not confirmed to be a skin sensitizer	No information available

**Respiratory Sensitization Exposure Route**

If available, see data below.

#### **Chronic Toxicity Information**

##### **Product Specific Target Organ Toxicity Repeat Dose Data**

**Oral Exposure Route**

No data available.

**Dermal Exposure Route**

No data available.

**Inhalation (Dust/Mist) Exposure Route**

No data available.

**Inhalation (Vapor) Exposure Route**

No data available.

**Inhalation (Gas) Exposure Route**

No data available.

##### **Ingredient Specific Target Organ Toxicity Repeat Exposure Data**

#### Oral Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Rat TD <sub>Lo</sub>	6604 mg/kg	30 days	<b>Biochemical</b> Enzyme inhibition, induction, or change in blood or tissue levels (phosphatases) <b>Blood</b> Changes in serum composition (e.g. TP, bilirubin, cholesterol) <b>Liver</b> Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Dermal Exposure Route

If available, see data below

#### Inhalation (Dust/Mist) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Rat TC <sub>Lo</sub>	0.0002 mg/L	65 days	<b>Biochemical</b> Other degenerative changes <b>Blood</b> Changes in serum composition (e.g. TP, bilirubin, cholesterol) <b>Brain and Coverings</b>	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Inhalation (Vapor) Exposure Route

If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (1 - 5%) CAS#: 7664-93-9	Human TC <sub>Lo</sub>	.003 mg/L	168 days	<b>Musculoskeletal</b> Changes in teeth and supporting structures	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Inhalation (Gas) Exposure Route

If available, see data below

#### Product Carcinogenicity Data

##### Oral Exposure Route

No data available

##### Dermal Exposure Route

No data available

##### Inhalation (Dust/Mist) Exposure Route

No data available

##### Inhalation (Vapor) Exposure Route

No data available

##### Inhalation (Gas) Exposure Route

No data available

#### Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	Group 1	Known	X
Iron chloride (FeCl <sub>2</sub> )	7758-94-3	-	-	-	-

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

#### Oral Exposure Route

If available, see data below

#### Dermal Exposure Route

If available, see data below

#### Inhalation (Dust/Mist) Exposure Route

If available, see data below

#### Inhalation (Vapor) Exposure Route

If available, see data below

#### Inhalation (Gas) Exposure Route

If available, see data below

#### Product Germ Cell Mutagenicity *in vitro* Data

No data available.

#### Ingredient Germ Cell Mutagenicity *in vitro* Data

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 11 / 17

If available, see data below

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (1 - 5%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Morphological transformation	Hamster embryo	2.5 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	Phage inhibition capacity	Escherichia coli	50 ng/well	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

**Product Germ Cell Mutagenicity *in vivo* Data**

**Oral Exposure Route** No data available  
**Dermal Exposure Route** No data available  
**Inhalation (Dust/Mist) Exposure Route** No data available  
**Inhalation (Vapor) Exposure Route** No data available  
**Inhalation (Gas) Exposure Route** No data available

**Ingredient Germ Cell Mutagenicity *in vivo* Data**

**Oral Exposure Route** If available, see data below  
**Dermal Exposure Route** If available, see data below  
**Inhalation (Dust/Mist) Exposure Route** If available, see data below  
**Inhalation (Vapor) Exposure Route** If available, see data below  
**Inhalation (Gas) Exposure Route** If available, see data below

**Product Reproductive Toxicity Data**

**Oral Exposure Route** No data available  
**Dermal Exposure Route** No data available  
**Inhalation (Dust/Mist) Exposure Route** No data available  
**Inhalation (Vapor) Exposure Route** No data available  
**Inhalation (Gas) Exposure Route** No data available

**Ingredient Reproductive Toxicity Data**

**Oral Exposure Route** If available, see data below  
**Dermal Exposure Route** If available, see data below  
**Inhalation (Dust/Mist) Exposure Route** If available, see data below  
**Inhalation (Vapor) Exposure Route** If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (1 - 5%) CAS#: 7664-93-9	Rabbit TC <sub>Lo</sub>	.02 mg/L	7 hours	<b>Specific Developmental Abnormalities</b> Musculoskeletal system	No information available

**Inhalation (Gas) Exposure Route** If available, see data below

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Product Ecological Data**

**Aquatic toxicity**

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 12 / 17

**Fish**  
**Crustacea**  
**Algae**

No data available  
No data available  
No data available

**Ingredient Ecological Data**

**Aquatic toxicity**

**Fish**

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	None reported	None reported	None reported	None reported	OECD (Organization for Economic Co-operation and Development)

**Crustacea**

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	48 Hours	<i>Daphnia magna</i>	EC <sub>50</sub>	19 mg/L	OECD (Organization for Economic Co-operation and Development)

**Algae**

If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Iron chloride (FeCl <sub>2</sub> ) (1 - 5%) CAS#: 7758-94-3	72 Hours	<i>Selenastrum capricornutum</i>	EC <sub>50</sub>	6.9 mg/L	OECD (Organization for Economic Co-operation and Development)

**Other Information**

**Persistence and degradability**

**Product Biodegradability Data**

No data available.

**Ingredient Biodegradability Data**

**Bioaccumulation**

**Product Bioaccumulation Data**

No data available.

**Partition Coefficient (n-octanol/water)**

Not applicable

**Ingredient Bioaccumulation Data**

**Mobility**

**Soil Organic Carbon-Water Partition Coefficient**

Not applicable

**Water solubility**

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

**Other adverse effects**

No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** D002

**Special instructions for disposal** If permitted by regulation. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Dispose of material in an E.P.A. approved hazardous waste facility.

### 14. TRANSPORT INFORMATION

#### U.S. DOT

**UN/ID no** UN3264  
**Proper shipping name** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
**DOT Technical Name** Sulfuric acid, Iron trichloride  
**Hazard Class** 8  
**Packing Group** III  
**Reportable Quantity (RQ)** Sulfuric acid: RQ kg= 10900.36  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, III, RQ  
**Emergency Response Guide Number** 154

#### TDG

**UN/ID no** UN3264  
**Proper shipping name** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
**TDG Technical Name** Sulfuric acid, Iron trichloride  
**Hazard Class** 8  
**Packing Group** III  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, III

#### IATA

**UN/ID no** UN3264  
**Proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**IATA Technical Name** Sulfuric acid, Iron trichloride  
**Hazard Class** 8  
**Packing Group** III  
**ERG Code** 8L  
**Special precautions for user** A3, A803  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, III

#### IMDG

**UN/ID no** UN3264  
**Proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**IMDG Technical Name** Sulfuric acid, Iron trichloride  
**Hazard Class** 8  
**Packing Group** III  
**EmS-No** F-A, S-B  
**Special precautions for user** 223, 274  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid), 8, III

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 14 / 17

**Note:** No special precautions necessary.

**Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

## 15. REGULATORY INFORMATION

**National Inventories**

**TSCA** Complies  
**DSL/NDSL** Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**International Inventories**

**EINECS/ELINCS** Complies  
**ENCS** Complies  
**IECSC** Complies  
**KECL** Complies  
**PICCS** Complies  
**TCSI** Complies  
**AICS** Complies  
**NZIoC** Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TCSI** - Taiwan Chemical Substances Inventory

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0

**SARA 311/312 Hazard Categories**

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid	1000 lb	-	-	X

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 15 / 17

7664-93-9				
Iron chloride (FeCl <sub>2</sub> ) 7758-94-3	100 lb	-	-	X

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Iron chloride (FeCl <sub>2</sub> ) 7758-94-3	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

#### **U.S. - DEA (Drug Enforcement Administration) List I & List II**

Chemical name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (1 - 5%) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (exports, transshipments and international transactions to designated countries)

#### **US State Regulations**

##### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen



**WARNING:** This product can expose you to chemicals including Sulfuric acid, which is known to the State of California to cause cancer.

For more information, go to <http://www.P65Warnings.ca.gov>

**IMERC:** Not applicable

#### **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Iron chloride (FeCl <sub>2</sub> ) 7758-94-3	X	X	X

#### **U.S. EPA Label Information**

Chemical name	FIFRA	FDA
Sulfuric acid	180.0910	21 CFR 184.1095

#### **16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 16 / 17

**Special Comments**

None

**Additional information**

**Global Automotive Declarable Substance List (GADSL)**

Not applicable

**NFPA and HMIS Classifications**

<b>NFPA</b>	<b>Health hazards - 3</b>	<b>Flammability - 0</b>	<b>Instability - 0</b>	<b>Physical and Chemical Properties -</b>
<b>HMIS</b>	<b>Health hazards - 3</b>	<b>Flammability - 0</b>	<b>Physical Hazards - 0</b>	<b>Personal protection - X</b> - See section 8 for more information

**Key or legend to abbreviations and acronyms used in the safety data sheet**

NIOSH IDLH	<i>Immediately Dangerous to Life or Health</i>
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	<i>no data</i>

**Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value
X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

**Prepared By** Hach Product Compliance Department

**Issue Date** 11-Apr-2018

**Revision Date** 17-Aug-2018

**Revision Note** SDS sections updated  
14

**Disclaimer**

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY©2018**



**Product Code(s)** TNT872D  
**Issue Date** 11-Apr-2018  
**Version** 2.2

**Product Name** MSDS Image, TNT872D Org Acid  
**Revision Date** 17-Aug-2018  
**Page** 17 / 17

**End of Safety Data Sheet**