

Printing date: September 26, 2014 Revision: September 26, 2014

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: 40MM Liquid Ferret OC
- · Article number: 1260
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Explosive product.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

- · Further information obtainable from: Customer Care Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



exploding bomb

H204 Fire or projection hazard. Expl. 1.4



health hazard

Carc. 2 H351 Suspected of causing cancer.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R40: Limited evidence of a carcinogenic effect.

(Contd. on page 2)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 1)

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

N; Dangerous for the environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic R51/53: environment.

Heating may cause an explosion. Risk of explosion if heated under confinement.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS01 GHS07 GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

dichloromethane

alycerol trinitrate

· Hazard statements

H204 Fire or projection hazard.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eve irritation. H351 Suspected of causing cancer. H335 May cause respiratory irritation.

· Precautionary statements

The following Precautionary Statements are applicable only to the general GHS regulations and not the specific CLP regulation: P374.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P250 Do not subject to grinding/shock/friction. P261 Avoid breathing mist/vapours/spray.

Use personal protective equipment as required. P281

Wash thoroughly after handling. P264

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 3)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 2)

P373 DO NOT fight fire when fire reaches explosives.

P374 Fight fire with normal precautions from a reasonable distance.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P372 Explosion risk in case of fire.

P308+P313 IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Contains Rosin. May produce an allergic reaction.

Can become highly flammable in use.

· Hazard description:

· WHMIS-symbols:

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

E - Corrosive material

F - Dangerously reactive material







· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 2 Reactivity = 3

· HMIS-ratings (scale 0 - 4)



Health = \*2
Fire = 2

REACTIVITY 3 Reactivity = 3

Warning: Contains lead salt(s). Long-term health hazard.

· HMIS Long Term Health Hazard Substances

75-09-2 dichloromethane

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

(Contd. on page 4)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 3)

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 75-09-2 EINECS: 200-838-9 Index number: 602-004-00-3	dichloromethane  Xn R40 Carc. Cat. 3  ♦ Carc. 2, H351	>60%	
CAS: 8023-77-6 EINECS: 288-920-0	Oleoresin Capsicum  Xn R21/22; Xi R36/38   ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319		
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular		
CAS: 55-63-0 EINECS: 200-240-8 Index number: 603-034-00-X	glycerol trinitrate  T+ R26/27/28; E R3; N R51/53 R33	1-5%	
	Unst. Expl., H200 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 2, H411 Flam. Liq. 2, H225		
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8 Ox. Sol. 2, H272		
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7	Rosin  Xi R43  ♦ Skin Sens. 1, H317	< 1,0%	

- · Additional information: For the wording of the listed risk phrases refer to section 16.
- Notable Trace Components (≤ 0,1% w/w)

(Contd. on page 5)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

	(Contd. of page 4)
CAS: 122-39-4	diphenylamine
EINECS: 204-539-4 Index number: 612-026-00-5	T R23/24/25; N R50/53 R33
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT RE 2, H373
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410
CAS: 15245-44-0	lead 2,4,6-trinitro-m-phenylene dioxide
EINECS: 239-290-0 Index number: 609-019-00-4	T Repr. Cat. 1, 3 R61; Xn R62-20/22; E R3; N R50/53 R33
	<ul> <li>Unst. Expl., H200</li> <li>Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373</li> </ul>
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332

## **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

### · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

## · After inhalation:

Remove victim to fresh air.

Seek medical help for symptoms or if unconscious.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

### · 4.2 Most important symptoms and effects, both acute and delayed

May cause respiratory irritation.

Coughing

Breathing difficulty

Blast injury if mishandled.

Slight irritant effect on skin and mucous membranes.

Irritant to eyes.

Irritant to skin and mucous membranes.

#### · Hazards

Danger of blast or crush-type injuries.

Danger of impaired breathing.

Suspected of causing cancer.

(Contd. on page 6)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 5)

## $\cdot$ 4.3 Indication of any immediate medical attention and special treatment needed

Contains methylene chloride.

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

If necessary oxygen respiration treatment.

## **SECTION 5: Firefighting measures**

### · 5.1 Extinguishing media

### · Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### · Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

#### · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 7)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 6)

#### · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Use only in well ventilated areas.

· Information about fire - and explosion protection:

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 75-09-2 dichloromethane

PEL (USA) Short-term value: 125 ppm

Long-term value: 25 ppm see 29 CFR 1910,1052

REL (USA) See Pocket Guide App. A

TLV (USA) Long-term value: 174 mg/m<sup>3</sup>, 50 ppm

BEI

EL (Canada) Long-term value: 25 ppm

IARC 2B

EV (Canada) Long-term value: 175 mg/m<sup>3</sup>, 50 ppm

(Contd. on page 8)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 7)

## 55-63-0 glycerol trinitrate

PEL (USA) Ceiling limit: 2 mg/m<sup>3</sup>, 0,2 ppm

Skin

REL (USA) Short-term value: 0,1 mg/m<sup>3</sup>

Skin

TLV (USA) Long-term value: 0,46 mg/m<sup>3</sup>, 0,05 ppm

Skin

EL (Canada) Long-term value: 0,05 ppm

Skin

EV (Canada) Long-term value: 0,5 mg/m³, 0,05 ppm

Skin

#### 8050-09-7 Rosin

TLV (USA) DSEN, RSEN, L

EL (Canada) S

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Ingredients with biological limit values:

#### 75-09-2 dichloromethane

BEI (USA) 0,3 mg/L

Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale dust / smoke / mist.

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:



Respiratory protection required.

· Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

(Contd. on page 9)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 8)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

## **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

**Form:** Solid metal container containing liquid and solid contents.

Colour: According to product specification

Odour:
Odour threshold:
pH-value:
Odourless
Not determined.
Not applicable.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Flammability (solid, gaseous):
Auto/Self-ignition temperature:
Not Determined.
Undetermined.
Not applicable.
Not determined.

Decomposition temperature: Not determined.Self-igniting: Product is not self-igniting.

• Danger of explosion: Heating may cause an explosion.

(Contd. on page 10)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 9)

· Explosion limits:

Lower:
Upper:
Not determined.
Vapour pressure:
Not applicable.

Density:
Relative density
Vapour density
Vapour density
Evaporation rate
Not determined.
Not applicable.
Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

• **9.2 Other information** No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts violently with oxidising agents.

Danger of explosion.

Reacts with certain metals.

- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- · 10.5 Incompatible materials: Oxidizers
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulphur oxides (SOx)

Chlorine compounds

(Contd. on page 11)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 10)

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:

<ul> <li>LD/LC50</li> </ul>	values	rolovant	for c	laccific	ation:
· LD/LC3u	values	reievani	IUI L	iassiiic	auon.

### 75-09-2 dichloromethane

Oral LD50 1600 mg/kg (rat) Inhalative LC50/4h 88 mg/l (rat)

#### 8023-77-6 Oleoresin Capsicum

Oral LD50 3000 mg/kg (rat)

Dermal LD50 >2500 mg/kg (mouse)

#### 55-63-0 glycerol trinitrate

Oral LD50 115 mg/kg (mouse)

105 mg/kg (rat)

Dermal LD50 29 mg/kg (rat)

280 mg/kg (rabbit)

#### · Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not posess these effects.

- · on the skin: Irritant to skin and mucous membranes.
- · on the eve: Irritating effect.
- · Sensitisation:

Sensitising effect by skin contact is possible by prolonged exposure.

Sensitising effect through inhalation is possible by prolonged exposure.

### · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Danger through skin adsorption.

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

### · Acute effects (acute toxicity, irritation and corrosivity):

Inhalation may cause irritation to the respiratory system.

Causes skin and eye irritation.

- · Repeated dose toxicity: Causes damage to organs through prolonged or repeated exposure.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 2

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 11)

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA

· 14.2 UN proper shipping name

· DOT, IATA

UN0301

Ammunition Tear-producing with burster, expelling

charge or propelling charge · ADR 0301 Ammunition Tear-producing with burster,

expelling

(Contd. on page 13)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 12)

charge or propelling charge, ENVIRONMENTALLY

**HAZARDOUS** 

Ammunition Tear-producing with burster, expelling

charge or propelling charge, MARINE POLLUTANT

· 14.3 Transport hazard class(es)

· DOT

· IMDG



· Class 1.4

1.4G+6.1+8 · Label

· ADR, IMDG



· Class 1.4 1.4G+6.1+8 · Label

·IATA



· Class 1.4 1.4G+6.1+8 · Label

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Ш

· 14.5 Environmental hazards:

· Marine pollutant:

Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree)

· Special marking (IATA):



Cargo Aircraft Only.

· 14.6 Special precautions for user Not applicable. <u>F-A</u>,S-Q · EMS Number:

· Segregation groups Liquid halogenated hydrocarbons

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN0301, Ammunition Tear-producing with burster, expelling charge or propelling charge, 1.4G (6.1+8), II

(Contd. on page 14)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 13)

SECTION 15: Regulatory information	
· 15.1 Safety, health and environmental regulations/legislation specific for the · United States (USA) · SARA	substance or mixtur
Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
75-09-2 dichloromethane	
55-63-0 glycerol trinitrate	
7757-79-1 potassium nitrate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
75-09-2 dichloromethane	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:  Present in trace quantities.	
15245-44-0 lead 2,4,6-trinitro-m-phenylene dioxide	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
75-09-2 dichloromethane	
· IARC (International Agency for Research on Cancer)	
75-09-2 dichloromethane	21
TLV (Threshold Limit Value established by ACGIH)	·
75-09-2 dichloromethane	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	 
75-09-2 dichloromethane	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
75-09-2 dichloromethane	

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 14)

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H200	Unstable explosives.
------	----------------------

- H201 Explosive; mass explosion hazard.
- H225 Highly flammable liquid and vapour.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H310 Fatal in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- R21/22 Harmful in contact with skin and if swallowed.
- R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.
- R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- R33 Danger of cumulative effects.
- R36/38 Irritating to eyes and skin.
- R40 Limited evidence of a carcinogenic effect. R43 May cause sensitisation by skin contact.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R8 Contact with combustible material may cause fire.

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 16)

Printing date: September 26, 2014 Revision: September 26, 2014

Trade name: 40MM Liquid Ferret - OC

(Contd. of page 15)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Expl. 1.1: Explosives, Division 1.1

Expl. 1.4: Explosives, Division 1.4

Unst. Expl.: Explosives, Unstable explosives

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 1: Acute toxicity, Hazard Category 1

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

#### · Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com