Create Email/Fax Request

apps.barnesdistribution.com

Click here to go back to MSDS



1301 E. 9th Street, #700 Cleveland OH 44114 (800) 726-9626



MSDS Form No.: 004824

Item No.: 22006, 22805N, 22806

MSDS

MATERIAL SAFETY DATA SHEET

REVISION DATE: 06/04/2012

----1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION -----

PRODUCT NAME: BARNES(R) HIGH STRENGTH THREAD LOCKER HEAVY DUTY

PRODUCT TYPE: ANAEROBIC SEALANT

REGION: UNITED STATES

COMPANY ADDRESS:
HENKEL CORPORATION
ONE HENKEL WAY
ROCKY HILL, CONNECTICUT 06067

CONTACT INFORMATION: TELEPHONE: 216-416-7200

MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711

TRANSPORT EMERGENCY Phone: CHEMTREC

1-800-424-9300 (toll free) or 1-703-527-3887

INTERNET: WWW.HENKELNA.COM

----2. COMPOSITION/INFORMATION ON INGREDIENTS -----

POLYGLYCOL DIMETHACRYLATE 25852-47-5	60-100	NONE	NONE	NONE
BISPHENOL A FUMARATE RESIN 39382-25-7	10-30	NONE	NONE	NONE
SACCHARIN 81-07-2	1-5	NONE	NONE	NONE
CUMENE HYDROPEROXIDE 80-15-9 MG/M3)	1-5	NONE	NONE	1 PPM (6
(WEEL),				SKIN
SKIN				1 PPM,
				TWA,
(WEEL)				
CUMENE 98-82-8	0.1 - 1	50 PPM TWA	50 PPM (245 MG/M3) TWA (SKIN)	NONE

----3. HAZARDS IDENTIFICATION -----

EMERGENCY OVERVIEW:

PHYSICAL STATE: LIQUID

COLOR: RED

ODOR: MILD

HMIS:

HEALTH 2*
FLAMMABILITY 1
PHYSICAL HAZARD 1

PERSONAL PROTECTION SEE SECTION 8

WARNING:

CAUSES EYE IRRITATION.

MAY CAUSE ALLERGIC SKIN REACTION.

MAY CAUSE SKIN IRRITATION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

RELEVANT ROUTES OF EXPOSURE: SKIN, INHALATION, EYES

POTENTIAL HEALTH EFFECTS:

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION.

SKIN CONTACT: MAY CAUSE SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION.

EYE CONTACT: CONTACT WITH EYES WILL CAUSE IRRITATION.

INGESTION: NOT EXPECTED TO BE HARMFUL BY INGESTION.

EXISTING CONDITIONS AGGRAVATED BY EXPOSURE:

EYE, SKIN, AND RESPIRATORY DISORDERS.

THIS MATERIAL IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD COMMUNICATION STANDARD

(49 CFR 1910.1200).

SEE SECTION 11 FOR ADDITIONAL TOXICOLOGICAL INFORMATION.

----4. FIRST AID MEASURES -----

TNHATATTON .

MOVE TO FRESH AIR. IF SYMPTOMS DEVELOP AND PERSIST, GET MEDICAL ATTENTION.

SKIN CONTACT:

REMOVE CONTAMINATED CLOTHING AND FOOTWEAR. WASH WITH SOAP AND WATER.

CLOTHING BEFORE REUSE. IF SYMPTOMS DEVELOP AND PERSIST, GET MEDICAL ATTENTION.

EYE CONTACT:

FLUSH WITH COPIOUS AMOUNTS OF WATER, PREFERABLY, LUKEWARM WATER FOR AT LEAST

15 MINUTES, HOLDING EYELIDS OPEN ALL THE TIME. GET MEDICAL ATTENTION.

INGESTION:

DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION.

----5. FIRE-FIGHTING MEASURES -----

FLASH POINT: GREATER THAN 93 DEG. C (200 DEG. F) TAGLIABUE CLOSED CUP

AUTOIGNITION TEMPERATURE: NOT AVAILABLE

FLAMMABLE/EXPLOSIVE LIMITS-LOWER %: NOT AVAILABLE FLAMMABLE/EXPLOSIVE LIMITS-UPPER %: NOT AVAILABLE

EXTINGUISHING MEDIA: FOAM, DRY CHEMICAL OR CARBON DIOXIDE.

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE

HAZARDOUS COMBUSTION PRODUCTS:

OXIDES OF CARBON. OXIDES OF SULFUR. OXIDES OF NITROGEN. IRRITATING ORGANIC

VAPORS.

----6. ACCIDENTAL RELEASE MEASURES -----

USE PERSONAL PROTECTION RECOMMENDED IN SECTION 8, ISOLATE THE HAZARD AREA AND

DENY ENTRY TO UNNECESSARY AND UNPROTECTED PERSONNEL.

ENVIRONMENTAL PRECAUTIONS:

DO NOT ALLOW PRODUCT TO ENTER SEWER OR WATERWAYS.

CLEAN-UP METHODS:

SOAK UP WITH INERT ABSORBENT MATERIAL (E.G. SAND, SILICA GEL, ACID BINDER,

UNIVERSAL BINDER, SAWDUST). STORE IN A PARTLY FILLED, CLOSED CONTAINER UNTIL

DISPOSAL.

----7. HANDLING AND STORAGE -----

HANDLING:

PREVENT CONTACT WITH EYES, SKIN AND CLOTHING. DO NOT BREATH VAPOR AND MIST

WASH THOROUGHLY AFTER HANDLING.

STORAGE:

FOR SAFE STORAGE, STORE AT OR BELOW 38 DEG. C (100 DEG. F). KEEP IN A COOL,

WELL VENTILATED AREA AWAY FROM HEAT, SPARKS AND OPEN FLAME. KEEP CONTAINER

TIGHTLY CLOSED UNTIL READY FOR USE.

FOR INFORMATION ON PRODUCT SHELF LIFE CONTACT HENKEL CUSTOMER SERVICE AT (800)

243-4874..

----8. EXPOSURE CONTROLS / PERSONAL PROTECTION -----

EMPLOYERS SHOULD COMPLETE AN ASSESSMENT OF ALL WORKPLACES TO DETERMINE THE NEED

FOR, AND SELECTION OF, PROPER EXPOSURE CONTROLS AND PROTECTIVE EQUIPMENT FOR EACH

ENGINEERING CONTROLS:

TASK PERFORMED.

NO SPECIFIC VENTILATION REQUIREMENTS NOTED, BUT FORCED VENTILATION MAY STILL

BE REQUIRED IF CONCENTRATIONS EXCEED OCCUPATIONAL EXPOSURE LIMITS.

RESPIRATORY PROTECTION:

IF AIRBORNE CONCENTRATIONS ARE ABOVE THE APPLICABLE EXPOSURE LIMITS,

USE NIOSH

APPROVED RESPIRATOR PROTECTION. USE A NIOSH APPROVED AIR-PURIFYING RESPIRATOR

WITH AN ORGANIC VAPOR CARTRIDGE.

EYE/FACE PROTECTION: SAFETY GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.

SKIN PROTECTION:

USE IMPERMEABLE GLOVES AND PROTECTIVE CLOTHING AS NECESSARY TO PREVENT

CONTACT. BUTYL RUBBER GLOVES.NATURAL RUBBER GLOVES.NEOPRENE GLOVES.

----9. PHYSICAL AND CHEMICAL PROPERTIES -----

PHYSICAL STATE: LIQUID

COLOR: RED

ODOR: MILD

VAPOR PRESSURE: LESS THAN 5 MMHg AT 27 DEG. C (80 DEG. F)

pH: NOT APPLICABLE

BOILING POINT/RANGE: GREATER THAN 149 DEG. C (300 DEG. F)

MELTING POINT/RANGE: NOT AVAILABLE

SPECIFIC GRAVITY: 1.1

VAPOR DENSITY: NOT AVAILABLE

EVAPORATION RATE: NOT AVAILABLE

SOLUBILITY IN WATER: SLIGHT

PARTITION COEFFICIENT (n-OCTANOL/WATER): NOT AVAILABLE

VOC CONTENT: 0.82%; 7.81 GRAMS/LITER

-----10. STABILITY AND REACTIVITY -----

STABILITY: STABLE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

HAZARDOUS DECOMPOSITION PRODUCTS:

PHENOLICS, OXIDES OF SULFUR. OXIDES OF CARBON. OXIDES OF NITROGEN. IRRITATING

ORGANIC VAPORS.

INCOMPATIBILITY:

STRONG OXIDIZING AGENTS. STRONG ACIDS. STRONG REDUCING AGENTS. RUST.

CONDITIONS TO AVOID:

SEE "HANDLING AND STORAGE" (SECTION 7) AND "INCOMPATIBILITY" (SECTION 10).

----11. TOXICOLOGICAL INFORMATION -----

PRODUCT TOXICITY DATA:

ACUTE ORAL LD50: >5000 MG/KG (RAT) (ESTIMATED).

ACUTE DERMAL LD50: GREATER THAN 2000 MG/KG (RABBIT) (ESTIMATED).

CARCINOGEN STATUS:

HAZARDOUS COMPONENTS CARCINOGEN	NTP CARCINOGEN	IARC CARCINOGEN	OSHA
POLYGLYCOL DIMETHACRYLATE 25852-47-5	NO	NO	NO
BISPHENOL A FUMARATE RESIN 39382-25-7	NO	NO	NO
SACCHARIN 81-07-2	NO	NO	NO
CUMENE HYDROPEROXIDE 80-15-9	NO	NO	NO
CUMENE 98-82-8	NO	GROUP 2B	NO

LITERATURE REFERENCED TARGET ORGAN & OTHER HEALTH EFFECTS:

HAZARDOUS COMPONENTS HEALTH EFFECTS/TARGET ORGANS

POLYGLYCOL DIMETHACRYLATE ALLERGEN, IRRITANT

25852-47-5

BISPHENOL A FUMARATE RESIN ALLERGEN, IRRITANT

39382-25-7

SACCHARIN NO TARGET ORGANS

81-07-2

CUMENE HYDROPEROXIDE ALLERGEN, CENTRAL NERVOUS

SYSTEM,

80-15-9 CORROSIVE, IRRITANT, MUTAGEN

TSCA 12 (B) EXPORT NOTIFICATION: NONE ABOVE REPORTING DE MINIMUS.

CERCLA/SARA SECTION 302 EHS: NONE ABOVE REPORTING DE MINIMUS.

CONTROL ACT INVENTORY.

CERCLA/SARA SECTION 311/312: IMMEDIATE HEALTH, DELAYED HEALTH

CERCLA/SARA 313:

THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING

REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 (40 CFR 372). CUMENE HYDROPEROXIDE (CAS# 80-15-9).

CERCLA REPORTABLE QUANTITY: ENE HYDROPEROXIDE (CAS# 80-15-9) 10 LBS. (4.54 KG)

CALIFORNIA PROPOSITION 65:

THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE

CANCER.

CANADA REGULATORY INFORMATION:

CEPA DSL/NDSL STATUS:

ALL COMPONENTS ARE LISTED ON OR ARE EXEMPT FROM LISTING ON THE DOMESTIC SUBSTANCES LIST.

WHMIS HAZARD CLASS: D.2.A, D.2.B

----16. OTHER INFORMATION -----

THIS MATERIAL SAFETY DATA SHEET CONTAINS CHANGES FROM THE PREVIOUS VERSION

IN SECTIONS: 2,8,11,15

PREPARED BY: KYRA KOZAK WOODS, MANAGER, REGULATORY AFFAIRS

DISCLAIMER:

THE DATA CONTAINED HEREIN ARE FURNISHED FOR INFORMATION ONLY AND ARE BELIEVED TO BE RELIABLE. HOWEVER, HENKEL CORPORATION AND ITS AFFILIATES ("HENKEL")

DOES NOT ASSUME RESPONSIBILITY FOR ANY RESULTS OBTAINED BY PERSONS OVER WHOSE

METHODS HENKEL HAS NO CONTROL. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE

SUITABILITY OF HENKEL'S PRODUCTS OR ANY PRODUCTION METHODS MENTIONED HEREIN FOR A

PARTICULAR PURPOSE, AND TO ADOPT SUCH PRECAUTIONS AS MAY BE ADVISABLE FOR THE

PROTECTION OF PROPERTY AND PERSONS AGAINST ANY HAZARDS THAT MAY BE INVOLVED IN

THE HANDLING AND USE OF ANY OF HENKEL'S PRODUCTS. IN LIGHT OF THE FOREGOING,

HENKEL SPECIFICALLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE,

ARISING FROM
SALE OR USE OF HENKEL'S PRODUCTS. HENKEL FURTHER DISCLAIMS ANY
LIABILITY FOR
CONSEQUENTIAL OR INCIDENTAL DAMAGES OF ANY KIND, INCLUDING LOST
PROFITS.