Safety Data Sheet

Section1 : Chemical Product and Company Identification

- (a) Product identifier used on the label Product Name : PRINT CARTRIDGE C SP C220A (Cyan toner) (b) Other means of identification SDS Number : 406096
- (c) Recommended use of the chemical and restrictions on use
- General Use : The Image Formation of Printing Machine or Copier
- (d) Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party : Ricoh USA, Inc. Company

Name

- : Environmental Sustainability and Product Compliance Department
- Address : 5 Dedrick Place West Caldwell, NJ 07006 USA

(e) Emergency phone number.

- Telephone : 1-973-882-2000 or 1-973-882-5218 (For product information) or Number 1-800-336-6737 (for emergencies)
- Telefax Number : 1-973-882-3959 E-mail : environmentinfo@ricoh-usa.com

Section2 : Hazards Identification

Classification

assilication		
	EXPLOSIVES	Classification not possible
	FLAMMABLE GASES	Not Applicable
	FLAMMABLE AEROSOLS	Not Applicable
	OXIDIZING GASES	Not Applicable
	GASES UNDER PRESSURE	Not Applicable
	FLAMMABLE LIQUIDS	Not Applicable
	FLAMMABLE SOLIDS	Classification not possible
	SELF-REACTIVE SUBSTANCES AND MIXTURES	Not Applicable
PHYSICAL	PYROPHORIC LIQUIDS	Not Applicable
HAZARD(S)	PYROPHORIC SOLIDS	Classification not possible
	SELF-HEATING SUBSTANCES AND	
	MIXTURES	Classification not possible
	SUBSTANCES AND MIXTURES, WHICH ON CONTACT WITH WATER, EMIT FLAMMABLE GASES	Classification not possible
	OXIDIZING LIQUIDS	Not Applicable
	OXIDIZING SOLIDS	Classification not possible
	ORGANIC PEROXIDES	Classification not possible
	CORROSIVE TO METALS	Classification not possible
	ACUTE TOXICITY(ORAL)	Not Classified
	ACUTE TOXICITY(DERMAL)	Classification not possible
	ACUTE TOXICITY (INHALATION - GAS)	Not Applicable
	ACUTE TOXICITY (INHALATION - VAPOUR)	Not Applicable
	ACUTE TOXICITY (INHALATION - DUST AND MIST)	Classification not possible
	SKIN CORROSION/IRRITATION	Not Classified
	SERIOUS EYE DAMAGE/EYE IRRITATION	Classification not possible
HEALTH HAZARD(S)	RESPIRATORY SENSITIZER	Classification not possible
	SKIN SENSITIZER	Not Classified
	GERM CELL MUTAGENICITY	Classification not possible
	CARCINOGENICITY	Classification not possible
	TOXIC TO REPRODUCTION	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING SINGLE EXPOSURE	Classification not possible
	TARGET ORGAN SYSTEMIC TOXICITY FOLLOWING REPEAT EXPOSURE	Classification not possible
	ASPIRATION HAZARD	Classification not possible
ENVIRONMENTSL HAZARD(S)		Classification not possible
	THE AQUATIC ENVIRONMENT CHRONIC HAZARDS TO	Classification not possible
	THE AQUATIC ENVIRONMENT	
	HAZARDOUS TO THE OZONE LAYER	Classification not possible

Label element	
Pictogram:	
Signal word(s):	Not applicable
Hazard statement(s):	Not applicable
Precautionary statement(s) 【Prevention】	Not applicable
[Response]	Not applicable
[Storage]	Not applicable
[Disposal]	Not applicable

Specific Hazards

Dust explosion (like most finely grained organic powders)

Ingredients	Contents
CAS No./Chemical name	(%)
Confidential	40-60
Polyester Resin 1	
Confidential	30-50
Polyester Resin 2	
147-14-8	1-10
Organic Pigment	
Confidential	1-5
Wax	
Confidential	1-5
Silica	
Confidential	1-5
Organic Salt	

Section3 : Composition, Information on Ingredients

Section4 : First Aid Measures

- (a) Necessary measures
 - Inhalation :
 - Remove from exposure into fresh air and rinse mouth with water. Seek medical advice.
 - Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

- (b) Most important symptoms/effects, acute and delayed.
 - Not available
- (c) Indication of immediate medical attention and special treatment needed.
 - Immediate Medical Attention :

Immediate medical attention is not required.

Section5 : Fire Fighting Measures

- (a) Suitable (and unsuitable) extinguishing media.
 Extinguishing Media to Avoid : Not applicable.
- (b) Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products). Specific Hazards :
 - Can form explosive dust-air mixtures when finely dispersed in air.
- (c) Special protective equipment and precautions for fire-fighters.
 - Fire-Fighting Instructions / Specific Method :

No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Firefighters :

Wear gloves, glasses, a mask if necessary.

Section6 : Accidental Release Measures

(a) Personal precautions, protective equipment, and emergency procedures.

Personal Precautions :

Do not breathe in dust.

Environment Precautions :

Do not flush into sewers or watercourses.

- (b) Methods and materials for containment and cleaning up.
- Methods for Cleaning Up :

Fine powder may form explosive dust-air mixture.Confirm there is no source of fire and if there is a source, remove it.Sweep up spilled powder slowly and clean reminder with wet cloth.If a vacuum cleaner is used, a dust explosion-proof type must be chosen.

Section7 : Handling and Storage

(a) Precautions for safe handling.

Handling :

Technical Measures/Precautions

- Not applicable
- Safe Handling Advice
- Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust.
- (b) Conditions for safe storage, including any incompatibilities.

Storage :

Technical Measures Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. Packaging material Not applicable Specific Use(s) : Image formation in printing machines or copiers.

RICOH

Section8 : Exposure Controls/Personal Protection

(a) OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH)

Threshold Limit Value (TLV), and any other exposure limit Control Parameters Exposure Limit Value (I) USA OSHA PEL: 15mg/m3 (Total dust) (TWA) ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) DFG MAK : 4.0mg/m3 (Total dust) Personal Protection

5.0mg/m3 (Respirable fraction)

3.0mg/m3 (Respirable fraction) 1.5mg/m3 (Respirable fraction)

(b) Appropriate engineering controls.

Technical measures :

Use adequate ventilation. None required with intended use.

(c) Individual protection measures, such as personal protective equipment.

Respiratory Protections (Specify Type)

None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.

Eye Protection

Put on goggles if necessary. Protective Gloves Use vinyl or rubber gloves if necessary. Protective Clothing or Equipment Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

Section9 : Physical and Chemical Properties

(a)Appearance (phy Physical state Form Colour	: Powder
(b)Odor	: Slightly plastic odor
(c)Odor threshold	: Not available
(d)pH	: Not applicable
(e)Melting point/free (degrees centigra	zing point : (Softening point) Approx.110 de)
(f)Initial boiling poin	t and boiling range : Not applicable
(g)Flash point	: Not applicable
(h)Evaporation Rate 1)	e (Butyl Acetate = : Not applicable
(i)Flammability (soli gas)	d, : Not flammable
(j)Upper/lower flami limits	nability or explosive : Upper Not available Lower Not available
., .	Pa) : Not applicable R=1) : Not applicable

(m)Relative density : Approx.1.2
(n)Solubility(ies)
Water Solubility (g/L) : Insoluble
Chloroform Solubility (g/L) : Slightly soluble
(o)Partition coefficient: n-octanol/water : Not available
(p)Auto-ignition temperature : Not available
(q)Decomposition temperature (degrees : Not available
(q)Decomposition temperature (degrees : Not available
(r)Viscosity (Pa·s) : Not applicable

Section10 : Stability and Reactivity

(a)Reactivity

- Hazardous Reaction :
- Dust explosion, like most finely grained organic powders.
- (b)Chemical stability :

Stable

(c)Possibility of hazardous reactions : Not available

(d)Condition to Avoid :

Not applicable in normal use.

(e)Incompatible materials :

Not applicable in normal use.

(f)Hazardous decomposition products :

Decomposition products will not occur.

Section11 : Toxicological Information

(a)Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact) ingestion, skin, inhalation, eye contact
(b)Symptoms related to the physical, chemical and toxicological characteristics Not available
(c)Delayed and immediate effects and also chronic effects from short- and long-term exposure
Not available Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over $[mg/kg]$ (Rat) (Based on other product test results of similar ingredients.)
Acute Dermal Toxicity:
Not available
Acute Inhalation Toxicity: Not available
Local effects
Acute Skin Irritation(PII):
1.0 or below (Rabbit) (Based on other product test results of similar ingredients.)
Acute Eye Irritation : Not available (Ingredients are not classified as dangerous according to Regulation (EC) No 1272/2008.)
Sensitization
Acute Allergenic Effects :
0 % (Marmot) (Based on other product test results of similar ingredients.)
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.
Teratogenic : Not available (d)Numerical measures of toxicity (such as acute toxicity estimates)
Not available
(e)Whether the hazardous chemical is listed in the National Toxicology Program (NTP)
Report on Carcinogens (latest edition) or has been found to be a potential carcinogen
in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA. This product does not contain the carcinogenic substances which are listed on NTP, IARC and OSHA.
Section12 : Ecological Information

Mobility Persistence/Degradabilit	 No data are available on any adverse effects on the environment. Not available
y Bioaccumulation	: Not available

— .	
Ecoto	VICITV
LCOIO	Alony

Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulations

Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
UN Number	: Not applicable
Class	: Not applicable
Specific Precautionary	Fransport Measures and Conditions
· · · · · · · · · · ·	

Avoid direct sunlight in quality.

Section15 : Regulatory Information

Regulations US Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (CLP (EC)No.1272/2008) Symbol & Indication : Not required Hazard Statement : Not required Precautionary Statement : Not required Special Precautions under CLP (EC)No.1272/2008 Annex II : Not required This product complies with applicable rules and regulations under (EC)No.1907/2006 Annex XVII

Section16 : Other Information

[NFPA] Hazard Rating Systems: Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation: 0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard Colors may also be used in both systems: Blue=Health Hazard Red=Fire Hazard Yellow=Reactivity Hazard White=Indicate a special hazard HMIS will specify any Personal Protective Equipment regired [PPE], NFPA will specify OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water), xx(Radioactive). Literature References : ANSI Z400.1-1993 ISO 11014-1 Commission Directive 91/155/EEC IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261 H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17,pp280-299 IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT" ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 : US Department of Health and Human Services National Toxicology NTP (USA) Program Annual Report on Carcinogens DFG-MAK(GER): DFG List of MAK and BAT Value : Regulation (EC)No.1272/2008 Symbol (EC) 91/155/ EEC : EU Directive 91/155/ EEC : EU Directive 1999/45/EC 1999/45/EC CLP (EC)No.1272/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directive 67/548/EEC and 1999/45/EC, and amending Regulation (EC)No. 1907/2006 EC 304/2003 Regulation (EC) No 304/2003 of the European Parliament and of the Council of 28 January 2003 concerning the export and import of dangerous chemicals WHMIS Controlled : Canada Workplace Hazardous Information System product **OELs-TWA** (Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)] Abbreviations : PEL (Permissible Exposure Limit) under Occupational Safety and Health Act OSHA PEL TLV (Threshold Limit Values) under American Conference of Governmental Industrial ACGIH-TLV **Hygienists** REACH EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,

Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association

SVHC ECHA DFG-MAK RoHS	Authorization and Restriction of Chemicals Substances of Very High Concern The European Chemicals Agency MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft Restriction of the use of certain Hazardous Substances in Electrical and Electronic Fauinment
TWA IARC NTP WHMIS	Equipment Time Weighted Average International Agency for Research on Cancer National Toxicology Program Workplace Hazardous Information System
NOHSC Disclaimer(S) :	National Occupational Health and Safety Commission Act 1985

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh USA, Inc. It relates only to the specific material designated herein, and does not relate to use in combination with

any other material or process.

Ricoh USA, Inc. assumes no legal responsibility for use or reliance upon this information.