

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 1: Identification of the | substance/mixture and of the company/undertaking |
|--|---|
| I.1. Product identifier | |
| Product form | : Mixture |
| Product name | : CNA4000A Cyano-Shot Ultra Latent Print Developing Compound |
| roduct code | : CNA4000A |
| .2. Relevant identified uses of the | substance or mixture and uses advised against |
| se of the substance/mixture | : Adhesive: component |
| | Latent fingerprint developer |
| .3. Details of the supplier of the sa | fety data sheet |
| SIRCHIE Finger Print Laboratories | |
| 00 Hunter Place ′oungsville, NC 27596 - USA ⁻ 919-554-2244; 800-356-7311 - F 919-554 ttp://www.sirchie.com | -2266; 800-899-8181 |
| .4. Emergency telephone number | |
| mergency number | : 1.800.424.9300 |
| SECTION 2: Hazards identification | nn |
| .1. Classification of the substance | |
| | |
| Classification (GHS-US) | |
| Flam. Liq. 4 H227 Skin Irrit. 2 H315 | |
| Eye Irrit. 2A H319 | |
| TOT SE 3 H335 | |
| ull text of H-phrases: see section 16 | |
| | |
| .2. Label elements | |
| GHS-US labeling | |
| lazard pictograms (GHS-US) | |
| | |
| | |
| | |
| | GHS07 |
| ignal word (GHS-US) | : Warning |
| • • • • | : H227 - Combustible liquid |
| lazard statements (GHS-US) | H227 - Computible liquid H315 - Causes skin irritation |
| | H319 - Causes serious eye irritation |
| | H335 - May cause respiratory irritation |
| recautionary statements (GHS-US) | : P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking |
| | P261 - Avoid breathing fume, vapors |
| | P264 - Wash all exposed skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area |
| | P280 - Wear protective gloves, eye protection |
| | P302+P352 - If on skin: Wash with plenty of water/ |
| | P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing |
| | P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing P312 - Call a poison center/doctor/ if you feel unwell |
| | P321 - Specific treatment (see a physician on this label) |
| | P332+P313 - If skin irritation occurs: Get medical advice/attention |
| | P337+P313 - If eye irritation persists: Get medical advice/attention |
| | P362 - Take off contaminated clothing and wash before reuse |
| | P370+P378 - In case of fire: Use to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed |
| | P403+P235 - Store in a well-ventilated place. Keep container tightly closed |
| | P405 - Store locked up |
| 7/21/2015 | EN (English US) Page 1 |

Safety Data Sheet

Other hazards No additional information available

2.3.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to local/regional/national/international regulations

| Not applicable | | | |
|--|--|-------------------------|---|
| SECTION 3: Composition/info | ormation on ingredients | | |
| 3.1. Substance | | | |
| Not applicable 3.2. Mixture | | | |
| | | | |
| Name | Product identifier | % | Classification (GHS-US) |
| ethyl-2-cyanoacrylate | (CAS No) 7085-85-0 | 95 - 100 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| polymethylmethacrylate | (CAS No) 9011-14-7 | 3 - 5 | Not classified |
| Full text of H-phrases: see section 16 | | | |
| SECTION 4: First aid measure | es | | |
| I.1. Description of first aid mea | sures | | |
| irst-aid measures general | : Never give anything by mouth to an u advice (show the label where possibl | | you feel unwell, seek medical |
| First-aid measures after inhalation | : Allow victim to breathe fresh air. Allow | w the victim to rest. | |
| First-aid measures after skin contact | : Remove affected clothing and wash a by warm water rinse. | all exposed skin area | with mild soap and water, followed |
| First-aid measures after eye contact | : Rinse immediately with plenty of wate persist. | er. Obtain medical atte | ention if pain, blinking or redness |
| irst-aid measures after ingestion | : Rinse mouth. Do NOT induce vomitir | ng. Obtain emergency | medical attention. |
| I.2. Most important symptoms a | and effects, both acute and delayed | | |
| Symptoms/injuries | : Not expected to present a significant | hazard under anticipa | ted conditions of normal use. |
| I.3. Indication of any immediate | e medical attention and special treatment need | ed | |
| No additional information available | | | |
| SECTION 5: Firefighting meas | sures | | |
| 5.1. Extinguishing media | | | |
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. | Water spray. Sand. | |
| Insuitable extinguishing media | : Do not use a heavy water stream. | | |
| .2. Special hazards arising from | m the substance or mixture | | |
| Reactivity | : No data available. | | |
| 5.3. Advice for firefighters | | | |
| Firefighting instructions | : Use water spray or fog for cooling ex chemical fire. Prevent fire-fighting wa | | |
| Protection during firefighting | : Do not enter fire area without proper | protective equipment, | including respiratory protection. |
| SECTION 6: Accidental releas | | | |
| | ective equipment and emergency procedures | | |
| 5.1.1. For non-emergency person | | | |
| Emergency procedures | : Evacuate unnecessary personnel. | | |
| 5.1.2. For emergency responders | i | | |
| Protective equipment | : Equip cleanup crew with proper prote | ection. | |
| Emergency procedures | : Ventilate area. | | |
| .2. Environmental precautions | i | | |
| | ers. Notify authorities if liquid enters sewers or pub | olic waters. | |

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.3. | Methods and material for containment | t and cleaning up |
|----------|--|---|
| Methods | for cleaning up : | Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. |
| 6.4. | Reference to other sections | |
| See Hea | ading 8. Exposure controls and personal pr | otection. |
| SECTI | ON 7: Handling and storage | |
| 7.1. | Precautions for safe handling | |
| Precauti | ons for safe handling : | Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. |
| 7.2. | Conditions for safe storage, including | any incompatibilities |
| Storage | conditions : | Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. |
| Incompa | tible products : | Strong bases. Strong acids. |
| Incompa | tible materials : | Sources of ignition. Direct sunlight. |
| 7.3. | Specific end use(s) | |
| No addit | ional information available | |
| SECTI | ON 8: Exposure controls/persor | nal protection |

| 8.1. Control parameters | | | |
|------------------------------------|--|----------------|--|
| | | | |
| CNA4000A Cyano- | -Shot Ultra Latent Print Developing Compou | Ind | |
| ACGIH | Not applicable | Not applicable | |
| OSHA | Not applicable | | |
| ethyl-2-cyanoacry | ethyl-2-cyanoacrylate (7085-85-0) | | |
| ACGIH | ACGIH TWA (ppm) | 0.2 ppm | |
| ACGIH | ACGIH STEL (ppm) | 0.2 ppm | |
| OSHA | Not applicable | | |
| polymethylmethacrylate (9011-14-7) | | | |
| ACGIH | Not applicable | Not applicable | |
| OSHA | Not applicable | Not applicable | |

8.2. Exposure controls

Personal protective equipment

: Gas mask. Gloves. Safety glasses. Avoid all unnecessary exposure.



| Materials for protective clothing | : nitrile rubber. |
|-----------------------------------|--|
| Hand protection | : Wear protective gloves. |
| Eye protection | : Chemical goggles or safety glasses. |
| Respiratory protection | : Wear appropriate mask. |
| Environmental exposure controls | : None necessary. |
| Other information | : Do not eat, drink or smoke during use. |
| | |

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Appearance : Clear, colorless liquid. Color : Colorless Colorless

- : Irritating/pungent odour characteristic
 - : No data available

Odor threshold

Odor

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| according to Federal Register / Vol. 77, No. 58 / Wonday, | ······································ |
|---|--|
| рН | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Solubility | Insoluble in water. Water: Solubility in water of component(s) of the mixture : •: |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 9.2. Other information | |
| No additional information available | |
| SECTION 10: Stability and reactivity | |
| 10.1. Reactivity | |
| No data available. | |
| | |
| 10.2. Chemical stability | |
| Stable under normal conditions. Not established | |
| 10.3. Possibility of hazardous reactions | |
| Not established. | |
| 10.4. Conditions to avoid | |
| Direct sunlight. Extremely high or low temperatu | res. |
| 10.5. Incompatible materials | |
| Strong acids. Strong bases. | |
| 10.6. Hazardous decomposition products | |
| fume. Carbon monoxide. Carbon dioxide. | |
| SECTION 11: Toxicological informat | ion |
| 11.1. Information on toxicological effects | |
| | |
| Acute toxicity | : Not classified |
| - | |

| ethyl-2-cyanoacrylate (7085-85-0) | | |
|------------------------------------|--|--|
| LD50 oral rat | > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) | |
| LD50 dermal rabbit | > 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) | |
| polymethylmethacrylate (9011-14-7) | | |
| LD50 oral rat | > 5000 mg/kg (Rat) | |
| Skin corrosion/irritation | : Causes skin irritation. | |
| Serious eye damage/irritation | : Causes serious eye irritation. | |
| Respiratory or skin sensitization | : Not classified | |
| | | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Germ cell mutagenicity | : Not classified |
|--|---|
| | Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| polymethylmethacrylate (9011-14-7) | |
| IARC group | 3 - Not classifiable |
| Reproductive toxicity | : Not classified |
| | Based on available data, the classification criteria are not met |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
| SECTION 12: Ecological information | 1 |
| 12.1. Toxicity | |
| | |

No additional information available

| CNA4000A Cyano-Shot Ultra Latent Print Developing Compound | | |
|--|---|--|
| Persistence and degradability | Not established. | |
| ethyl-2-cyanoacrylate (7085-85-0) | | |
| Persistence and degradability | Biodegradability in water: no data available. No (test)data on mobility of the substance available. | |
| polymethylmethacrylate (9011-14-7) | | |
| Persistence and degradability | Biodegradability in water: no data available. | |
| 12.3. Bioaccumulative potential | | |
| CNA4000A Cyano-Shot Ultra Latent Print Developing Compound | | |
| Bioaccumulative potential | Not established. | |
| ethyl-2-cyanoacrylate (7085-85-0) | | |
| Bioaccumulative potential | No bioaccumulation data available. | |
| polymethylmethacrylate (9011-14-7) | | |
| Bioaccumulative potential | No bioaccumulation data available. | |
| 12.4. Mobility in soil | | |
| No additional information available | | |

| Effect on the global warming | : No known ecological damage caused by this product. |
|-----------------------------------|--|
| Other information | : Avoid release to the environment. |
| SECTION 13: Disposal consideratio | ns |

| 13.1. Waste treatment methods | |
|------------------------------------|---|
| Waste disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. |
| Ecology - waste materials | : Avoid release to the environment. |
| SECTION 44. Tronoport informa | 4 ion |
| SECTION 14: Transport informa | ltion |
| Department of Transportation (DOT) | |
| In accordance with DOT | |
| Transport document description | : 1133 Adhesives (FLAMMABLE LIQUID), 3, III |
| | |
| UN-No.(DOT) | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Proper Shipping Name (DOT) | : Adhesives |
|--|---|
| | FLAMMABLE LIQUID |
| Department of Transportation (DOT) Hazard Classes | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 |
| Hazard labels (DOT) | : 3 - Flammable liquid |
| | |
| | 3 |
| Packing group (DOT) | : III - Minor Danger |
| Additional information | |
| Other information | : No supplementary information available. |
| ADR | |
| No additional information available | |
| Fransport by sea | |
| No additional information available | |
| Air transport | |
| JN-No.(IATA) | : 1133 |
| Proper Shipping Name (IATA) | : Adhesives |
| Class (IATA) | : 3 - Flammable Liquids |
| Packing group (IATA) | : II - Medium Danger |
| SECTION 15: Regulatory informatio | n |
| 5.1. US Federal regulations | |
| No additional information available | |
| 5.2. International regulations | |
| CANADA No additional information available | |
| EU-Regulations No additional information available | |
| Classification according to Regulation (EC) No additional information available | No. 1272/2008 [CLP] |
| Classification according to Directive 67/548/ (i: R36/37/38 | 'EEC [DSD] or 1999/45/EC [DPD] |
| Full text of R-phrases: see section 16 | |
| National regulations No additional information available | |
| 15.3. US State regulations | |
| No additional information available | |
| SECTION 16: Other information | |
| ndication of changes | : Revision - See : *. |
| Data sources | : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. |
| Training advice | : Normal use of this product shall imply use in accordance with the instructions on the packaging. |
| Other information | |

Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Flammable liquids Category 4 Skin corrosion/irritation Category 2 Specific target organ toxicity (single exposure) Category 3 Combustible liquid Causes skin irritation Causes serious eye irritation May cause respiratory irritation : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
|--|
| Specific target organ toxicity (single exposure) Category 3 Combustible liquid Causes skin irritation Causes serious eye irritation May cause respiratory irritation 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
| Combustible liquid Causes skin irritation Causes serious eye irritation Causes serious eye irritation May cause respiratory irritation : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
| Causes skin irritation Causes serious eye irritation Causes serious eye irritation May cause respiratory irritation 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
| Causes serious eye irritation Causes serious eye irritation May cause respiratory irritation 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
| May cause respiratory irritation 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
| 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
| incapacitation or possible residual injury unless prompt medical attention is given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
| temperature before ignition can occur. 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with |
| temperatures and pressures or may react with water with |
| some release of energy, but not violently. |
| |
| : 2 Moderate Hazard - Temporary or minor injury may occur |
| : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) |
| : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at hig temperatures and pressures. Materials may react non-violently with water or underg hazardous polymerization in the absence of inhibitors. |
| : G |
| G - Safety glasses, Gloves, Vapor respirator |
| |

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.