

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb.12,2020

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- Trade name: All-Pro
- Article number: 1319
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** All-purpose cleaner
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
ATCO International  
1401 Barclay Circle, SE.  
Marietta, Ga 30060  
770-424-7550
- **1.4 Emergency telephone number:** ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

- 
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** C; Corrosive  
R34: Causes burns.
  - **Information concerning particular hazards for human and environment:**  
The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
  - **Classification system:**  
The classification is according to the latest editions of the EU- lists and extended by company and literature data.  
The classification is in accordance with the latest editions of international substances lists and is supplemented by information from technical literature and by information provided by the company.
  - **Additional information:**  
There are no other hazards not otherwise classified that have been identified. 0 percent of the mixture consists of component(s) of unknown toxicity

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb.12, 2020

Trade name: All-Pro

(Contd. of page 1)

- **2.2 Label elements**

- **Labeling according to Regulation (EC) No 1272/2008**

The product is additionally classified and labeled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labeled according to the CLP regulation.

- **Hazard pictograms**



GHS05

- **Signal word** Danger

- **Hazard-determining components of labeling:**

2-aminoethanol

- **Hazard statements**

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P260 Do not breathe mist/vapors/spray.

P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazard description:**

- **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects

E - Corrosive material



- **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

- **HMIS Long Term Health Hazard Substances**

None of the ingredients are listed.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb. 12, 2020

Trade name: All-Pro




















(Contd. of page 2)

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 68439-46-3 NLP: 500-446-0	alcohols, C9-11, ethoxylated  Xi R41 	2,5-10%
CAS: 1569-01-3 EINECS: 216-372-4	1-propoxypropan-2-ol  Xi R36 R10  Flam. Liq. 3, H226 	2,5-10%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8	2-aminoethanol  C R34;  Xn R20/21/22  Skin Corr. 1B, H314  Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Aquatic Chronic 3, H412	≤ 2,5%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6	sodium hydroxide  C R35 	≤ 2,5%
CAS: 1300-72-7 EINECS: 215-090-9	sodium xylene sulphonate  Xi R36 	≤ 2,5%
CAS: 61789-40-0 EINECS: 263-058-8	Cocoamidopropyl Betaine  Xi R36 	≤ 2,5%
CAS: 64-02-8 EINECS: 200-573-9 Index number: 607-428-00-2	tetrasodium ethylenediaminetetraacetate  Xn R20/22;  Xi R41  Eye Dam. 1, H318 	≤ 2,5%

### · Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. For the wording of the listed risk phrases refer to section 16.

## SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb. 12, 2020

Trade name: All-Pro

(Contd. of page 3)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately remove any clothing soiled by the product. Immediately rinse with water.  
If skin irritation continues, consult a doctor.  
Seek immediate medical help for blistering or open wounds.
- **After eye contact:**  
Protect unharmed eye.  
Remove contact lenses if worn, if possible.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** Coughing  
Cramp  
Nausea in case of ingestion.  
Caustic effect on skin and mucous membranes.
- **Hazards**  
Danger of gastric perforation.  
Causes serious eye damage.
- **4.3 Indication of any immediate medical attention and special treatment needed** Medical supervision for at least 48 hours.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device. Wear fully protective suit.
- **Additional information** No further relevant information available.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb. 12, 2020

Trade name: All-Pro

(Contd. of page 4)

- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.  
Clean the affected area carefully; suitable cleaners are: Warm water  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Prevent formation of aerosols.  
Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.  
Unsuitable material for receptacle: aluminum.  
Unsuitable material for receptacle: steel.
- **Information about storage in one common storage facility:** Store away from metals.  
Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

### Ingredients with limit values that require monitoring at the workplace:

#### 141-43-5 2-aminoethanol

IOELV (EU)	Short-term value: 7,6 mg/m <sup>3</sup> , 3 ppm Long-term value: 2,5 mg/m <sup>3</sup> , 1 ppm Skin
PEL (USA)	Long-term value: 6 mg/m <sup>3</sup> , 3 ppm
REL (USA)	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 8 mg/m <sup>3</sup> , 3 ppm

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb. 12, 2020

Trade name: All-Pro

(Contd. of page 5)

TLV (USA)	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 7,5 mg/m <sup>3</sup> , 3 ppm
EL (Canada)	Short-term value: 6 ppm Long-term value: 3 ppm
EV (Canada)	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 7,5 mg/m <sup>3</sup> , 3 ppm

**1310-73-2 sodium hydroxide**

PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit: 2 mg/m <sup>3</sup>
EV (Canada)	Ceiling limit: 2 mg/m <sup>3</sup>

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- **Respiratory protection:** For spills, respiratory protection may be advisable.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact gloves made of the following materials are**

**suitable:** PVC gloves

Neoprene gloves

Natural rubber, NR

Butyl rubber, BR

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb.12, 2020

Trade name: All-Pro

(Contd. of page 6)

- **Eye protection:**  
Contact lenses should not be worn.



Safety glasses

- **Body protection:**  
Protective work clothing  
Alkaline resistant protective clothing
- **Limitation and supervision of exposure into the environment** No further relevant information available.
- **Risk management measures**  
See Section 7 for additional information.  
No further relevant information available.

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	Violet
- **Odor:** Solvent-like
- **Odor threshold:** Not determined.
- **pH-value at 20 °C (68 °F):** 13
- **Change in condition**

Melting point/Melting range:	Not Determined.
Boiling point/Boiling range:	100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Auto/Self-ignition temperature:** Not determined.
- **Decomposition temperature:** Not determined.
- **Self-igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)
- **Density at 20 °C (68 °F):** 1,04 g/cm<sup>3</sup> (8,679 lbs/gal)
- **Relative density** Not determined.
- **Vapor density** Not determined.

(Contd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb.12, 2020

Trade name: All-Pro

(Contd. of page 7)

- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **9.2 Other information** No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids and oxidizing agents.  
Strong exothermic reaction with acids. Corrosive action on metals.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Nitrogen oxides (NOx)  
Sulphur oxides (SOx)

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
  - **Acute toxicity:**
- |  |                       |
|--|-----------------------|
| · <b>LD/LC50 values relevant for classification:</b> |                       |
| <b>1310-73-2 sodium hydroxide</b>                    |                       |
| Oral   | LD50 2000 mg/kg (rat) |
- **Primary irritant effect:**
    - on the skin:** Caustic effect on skin and mucous membranes.
    - on the eye:** Strong caustic effect.
  - **Sensitization:** No sensitizing effects known.
  - **Subacute to chronic toxicity:** No further relevant information available.
  - **Additional toxicological information:** Corrosive  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb. 12, 2020

Trade name: All-Pro

(Contd. of page 8)

- **Acute effects (acute toxicity, irritation and corrosivity):** Causes severe skin burns and eye damage.
- **Repeated dose toxicity:** No further relevant information available.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** After neutralization a reduction of the harming action may be recognized
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralized.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

- **14.1 UN-Number**
- **DOT, ADR, IMDG, IATA** UN1760

(Contd. on page 10)

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Revision: Feb. 12, 2020

Trade name: All-Pro

(Contd. of page 9)

- **14.2 UN proper shipping name**



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 5 L (1.3 gal).

- **DOT, IATA**

Corrosive liquids, n. o. s. (Sodium hydroxide, Ethanolamine)

- **ADR**

1760 CORROSIVE LIQUID, N. O.S. (SODIUM HYDROXIDE, ETHANOLAMINE)

- **IMDG**

CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE)

- **14.3 Transport hazard class(es)**

- **DOT**



- **Class**

8 Corrosive substances.

- **Label**

8

- **ADR**



- **Class**

8 (C9) Corrosive substances.

- **Label**

8

- **IMDG, IATA**



- **Class**

8 Corrosive substances.

- **Label**

8

- **14.4 Packing group**

- **DOT, ADR, IMDG, IATA**

III

- **14.5 Environmental hazards:**

- **Marine pollutant:**

No

- **14.6 Special precautions for user**

Warning: Corrosive substances.

- **Danger code (Kemler):**

80

- **EMS Number:**

F-A,S-B

- **Segregation groups**

Alkalis

- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

(Contd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb. 12, 2020

Trade name: All-Pro

(Contd. of page 10)

## · Transport/Additional information:

-----	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
-----	
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN1760, CORROSIVE LIQUID, N.O.S. (Sodium hydroxide, Ethanolamine), 8, III

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- Section 355 (extremely hazardous

substances): None of the ingredients are listed.
--

- Section 313 (Specific toxic chemical

listings): None of the ingredients are listed.
--

- TSCA (Toxic Substances Control

Act): All ingredients are listed.
-----------------------------------

- Proposition 65 (California): May be present in trace amounts.

- Chemicals known to cause cancer:

ethylene oxide, dichloroacetic acid,
--------------------------------------

diethanolamine
----------------

- Chemicals known to cause reproductive toxicity for

females: ethylene oxide.
--------------------------

- Chemicals known to cause reproductive toxicity for

males: ethylene oxide, dichloroacetic acid.
---

- Chemicals known to cause developmental

toxicity: ethylene oxide, dichloroacetic acid.
--

- Carcinogenic Categories

- EPA (Environmental Protection Agency)

None of the ingredients are listed.
-------------------------------------

(Contd. on page 12)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb. 12, 2020

Trade name: All-Pro

(Contd. of page 11)

- **IARC (International Agency for Research on**

**Cancer)** Ethylene Oxide, Dichloroacetic Acid,  
Diethanolamine.

- **TLV (Threshold Limit Value established by**

**ACGIH)** None of the ingredients are listed.

- **NIOSH-Ca (National Institute for Occupational Safety and**

**Health)** None of the ingredients are listed.

- **Canada**

- **Canadian Domestic Substances List**

**(DSL)** All ingredients are listed.

- **Canadian Ingredient Disclosure list (limit**

**0.1%)** None of the ingredients are listed.

- **Canadian Ingredient Disclosure list (limit 1%)**

141-43-5 2-aminoethanol

1310-73-2 sodium hydroxide

- **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

- **Substances of very high concern (SVHC) according to REACH, Article**

**57** None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H226 Flammable liquid and vapor.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

R10 Flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed. R20/22 Harmful by inhalation and if swallowed.

R34 Causes burns.

R35 Causes severe burns.

R36 Irritating to eyes.

(Contd. on page 13)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Revision: Feb. 12, 2020

**Trade name: All-Pro**

(Contd. of page 12)

R41 Risk of serious damage to eyes.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Met. Corr. 1: Corrosive to metals, Hazard Category 1

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

**Sources**

SDS

Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-

2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-

0573 Website: [www.chemtelinc.com](http://www.chemtelinc.com)