

SAFETY DATA SHEET

1. Identification

Product identifier	NAPA® Brakleen® Brake Parts Cleaner	
Other means of identification		
Product Code	No. 091314 (Item# 1007988)	
Recommended use	Brake cleaner	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	/Distributor information	
Manufactured or sold by:		
Company name	CRC Industries, Inc.	
Address	885 Louis Dr.	
	Warminster, PA 18974 US	
Telephone		
General Information	215-674-4300	
Technical Assistance	800-521-3168	
Customer Service	800-272-4620	
24-Hour Emergency	800-424-9300 (US)	
(CHEMTREC)	703-527-3887 (International)	
Website	www.crcindustries.com	
2. Hazard(s) identification	1	
Physical hazards	Gases under pressure	Compressed gas
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
	Sensitization, skin	Category 1B
	Carcinogenicity	Category 1B
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement		neated. Causes skin irritation. May cause an allergic e drowsiness or dizziness. May cause cancer. Toxic
Precautionary statement	to aquatio me. Toxic to aquatic me with long la	sting chools.
Prevention	and understood. Do not puncture or incinerate temperatures above 49°C/120°F. Use with add other means to ensure a fresh air supply durin any symptoms listed on this label, increase ve vapor. Wash thoroughly after handling. Contar	handle until all safety precautions have been read container. Do not expose to heat or store at equate ventilation. Open doors and windows or use g use and while product is drying. If you experience ntilation or leave the area. Avoid breathing mist or minated work clothing must not be allowed out of ive clothing/eye protection/face protection. Avoid

Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Collect spillage.
Storage	Store locked up. Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

Supplemental information

When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

3. Composition/information on ingredients

Mixtures

127-18-4	90 - 100
124-38-9	1 - 5

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Special protective equipment

equipment/instructions

General fire hazards

Fire-fighting

and precautions for firefighters

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Irritation of nose and throat. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemical, CO2, or water spray.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride

face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

risk. Containers should be cooled with water to prevent vapor pressure build up.

Firefighters must use standard protective equipment including flame retardant coat, helmet with

In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without

Contents under pressure. Pressurized container may rupture when exposed to heat or flame.

and possibly phosgene.

6 Accidental release measures

0. Accidental release mea	50105
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Collect spillage. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices. For product usage instructions, see the product label.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol.
	Contents under pressure. Do not handle or store near an open flame, heat or other sources of ignition. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 49 °C/120 °F. Protect from sunlight. Store in a well-ventilated place. Store in cool place. Exposure to high temperature may cause can to burst. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Туре	Value	
PEL	9000 mg/m3	
	5000 ppm	
.1000)		
Туре	Value	
Ceiling	200 ppm	
TWA	100 ppm	
5		
Туре	Value	
STEL	30000 ppm	
TWA	5000 ppm	
	PEL 1000) Type Ceiling TWA S Type STEL	PEL 9000 mg/m3 5000 ppm Type Value Ceiling 200 ppm TWA 100 ppm 5 Type Value STEL 30000 ppm

US OSUA Table 7.1 Limite fo nto (20 CEP 1010 1000)

Components	T	уре		V	alue
tetrachloroethylene (CAS 127-18-4)	S	TEL		1	00 ppm
	Т	WA		2	5 ppm
US. NIOSH: Pocket Guide					
Components	Т	уре		V	alue
carbon dioxide (CAS 124-38-9)	S	TEL		5	4000 mg/m3
	_				0000 ppm
	I	WA			000 mg/m3 000 ppm
Biological limit values				0	
ACGIH Biological Expos	ure Indices				
Components	Value	De	terminant	Specimen	Sampling Time
tetrachloroethylene (CAS 127-18-4)	0.5 mg/l	Te [.] Ien	trachloroethy ie	Blood	*
·	3 ppm	Te [:] len	trachloroethy ie	End-exhaled air	*
* - For sampling details, ple	ease see the source of	documer	nt.		
Exposure guidelines					
US - Minnesota Haz Subs	s: Skin designation	applies			
tetrachloroethylene (C	AS 127-18-4)		Skin de	signation appli	ies.
Appropriate engineering controls	should be match or other enginee exposure limits	ned to co ering con have not nd emer	onditions. If app atrols to maintai t been establish	licable, use pr n airborne leve led, maintain a	hour) should be used. Ventilation rates ocess enclosures, local exhaust ventilation els below recommended exposure limits. If airborne levels to an acceptable level. Eye lable when handling this product. Provide
ndividual protection measur	es, such as persona	al protec	tive equipmen	it	
Eye/face protection	Wear safety gla	-			
Skin protection					
Hand protection	Wear protective	gloves s	such as: Nitrile.	Viton/butyl. Po	olyvinyl alcohol (PVA). Silver Shield $^{ m I\!R}$
Other	Wear appropriat	te chemi	cal resistant clo	othing.	
Respiratory protection	NIOSH-approve	d cartrid atus in c	ge respirator w confined spaces	ith an organic and for emerg	exceeds the applicable exposure limits, us vapor cartridge. Use a self-contained gencies. Air monitoring is needed to
Thermal hazards	Wear appropriat	te therma	al protective clo	thing, when ne	ecessary.
General hygiene considerations	personal hygien drinking, and/or	e measu smoking	ures, such as wa g. Routinely wa	ashing after ha sh work clothi	n using do not smoke. Always observe goo andling the material and before eating, ng and protective equipment to remove t be allowed out of the workplace.
9. Physical and chemic	al properties				
Appearance					
Physical state	Liquid.				
Form	Aerosol.				

5	•
Form	Aerosol.
Color	Colorless.
Odor	Irritating.
Odor threshold	50 ppm
рН	Not available.
Melting point/freezing point	-8.1 °F (-22.3 °C) estimated
Initial boiling point and boiling range	250.3 °F (121.3 °C) estimated
Flash point	None (Tag Closed Cup)

_	
Evaporation rate	Very fast.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	1264.5 hPa estimated
Vapor density	5.76 (air = 1)
Relative density	1.62
Solubility (water)	0.02 % (77 °F (25 °C))
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity (kinematic)	Not available.
Percent volatile	97.8 % estimated
Other information	
Partition coefficient (oil/water)	2.88

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.
Hazardous decomposition products	Hydrogen chloride. Trace amounts of chlorine and phosgene. Carbon oxides. Halogenated materials. Carbonyl halides.

11. Toxicological information

Information on likely routes of exposure

tetrachloroethylene (CAS 127-18	-4)	
Components	Species	Test Results
Acute toxicity	None known.	
Information on toxicological ef	fects	
Symptoms related to the physical, chemical and toxicological characteristics	membranes. Exposed indiv	dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous iduals may experience eye tearing, redness, and discomfort. Irritation tation. May cause redness and pain. May cause an allergic skin
Ingestion	Ingestion of large amounts and diarrhea.	may produce gastrointestinal disturbances including irritation, nausea,
Eye contact	Causes eye irritation.	
Skin contact	Causes skin irritation. May	cause an allergic skin reaction.
Inhalation	Prolonged inhalation may b vomiting.	e harmful. May cause drowsiness and dizziness. Headache. Nausea,
internation on interj reated of		

<u>Acute</u> Dermal LD50

Rabbit

> 3228 mg/kg

Components	Species		Test Results
Oral			
LD50	Rat		2629 mg/kg
* Estimates for product may b		ditional component data not shown.	
Skin corrosion/irritation	Causes skin	irritation.	
Serious eye damage/eye rritation	Causes eye	irritation.	
Respiratory sensitization	Not a respira	atory sensitizer.	
Skin sensitization	May cause a	an allergic skin reaction.	
Germ cell mutagenicity	No data avai mutagenic o		ponents present at greater than 0.1% are
Carcinogenicity	May cause c	ancer.	
IARC Monographs. Overall	Evaluation of	Carcinogenicity	
tetrachloroethylene (CAS OSHA Specifically Regulate Not regulated.	,		cinogenic to humans.
US. National Toxicology Pro	ogram (NTP) R	Report on Carcinogens	
tetrachloroethylene (CAS	5 127-18-4)	Reasonably Anti	cipated to be a Human Carcinogen.
Reproductive toxicity	This product	is not expected to cause reproducti	ve or developmental effects.
Specific target organ toxicity - single exposure	May cause d	Irowsiness and dizziness.	
Specific target organ toxicity - epeated exposure	Not classified	d.	
epealeu exposule			
	Not an aspira	ation hazard.	
Aspiration hazard Chronic effects	-		exposure may cause chronic effects.
Aspiration hazard Chronic effects	Prolonged in		exposure may cause chronic effects.
Aspiration hazard Chronic effects 12. Ecological information	Prolonged in	halation may be harmful. Prolonged	
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity	Prolonged in	halation may be harmful. Prolonged	cumulation in aquatic organisms is expected.
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components	Prolonged in n Toxic to aqua	halation may be harmful. Prolonged	
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127	Prolonged in n Toxic to aqua	halation may be harmful. Prolonged	cumulation in aquatic organisms is expected.
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic	Prolonged in n Toxic to aqua	halation may be harmful. Prolonged	cumulation in aquatic organisms is expected.
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish	Prolonged in n Toxic to aqua -18-4) LC50	halation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss)	sumulation in aquatic organisms is expected. Test Results 4.73 - 5.27 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b	Prolonged in Toxic to aqua -18-4) LC50 we based on add	halation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss) ditional component data not shown.	eumulation in aquatic organisms is expected. Test Results 4.73 - 5.27 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability	Prolonged in Toxic to aqua -18-4) LC50 we based on add	halation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss)	eumulation in aquatic organisms is expected. Test Results 4.73 - 5.27 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan	Prolonged in Toxic to aqua -18-4) LC50 we based on add No data is av	atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss) ditional component data not shown. vailable on the degradability of this p	eumulation in aquatic organisms is expected. Test Results 4.73 - 5.27 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octant tetrachloroethylene	Prolonged in Toxic to aqua -18-4) LC50 we based on add No data is av	atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss) ditional component data not shown. vailable on the degradability of this p Kow) 2.88	eumulation in aquatic organisms is expected. Test Results 4.73 - 5.27 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan	Prolonged in Toxic to aqua -18-4) LC50 we based on add No data is av nol / water (log No data avai No other adv	halation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss) ditional component data not shown. vailable on the degradability of this p Kow) 2.88 ilable. verse environmental effects (e.g. ozo	eumulation in aquatic organisms is expected. Test Results 4.73 - 5.27 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octant tetrachloroethylene Mobility in soil	Prolonged in Toxic to aqua -18-4) LC50 we based on add No data is av nol / water (log No data avai No other adv potential, end	halation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss) ditional component data not shown. vailable on the degradability of this p Kow) 2.88 ilable. verse environmental effects (e.g. ozo	cumulation in aquatic organisms is expected. Test Results 4.73 - 5.27 mg/l, 96 hours broduct. broduct.
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octant tetrachloroethylene Mobility in soil Other adverse effects	Prolonged in Toxic to aqua -18-4) LC50 be based on add No data is av nol / water (log No data avai No other adv potential, end	halation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss) ditional component data not shown. vailable on the degradability of this p (Kow) 2.88 ilable. verse environmental effects (e.g. ozo docrine disruption, global warming p	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octant tetrachloroethylene Mobility in soil Other adverse effects	Prolonged in Toxic to aqua -18-4) LC50 be based on add No data is av nol / water (log No data avai No other adv potential, end ms This material disposal. Co to drain into	Analation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout,donaldson trout (Oncorhynchus mykiss) ditional component data not shown. vailable on the degradability of this p (Kow) 2.88 ilable. verse environmental effects (e.g. ozo docrine disruption, global warming p I and its container must be disposed ntents under pressure. Do not punct	2. Test Results 4.73 - 5.27 mg/l, 96 hours oroduct.
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octant tetrachloroethylene Mobility in soil Other adverse effects 13. Disposal consideratio Disposal of waste from	Prolonged in Toxic to aqua -18-4) LC50 be based on add No data is av nol / water (log No data avai No other adv potential, end ms This material disposal. Co to drain into or used cont. D039: Waste F001: Waste	halation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout, donaldson trout (Oncorhynchus mykiss) ditional component data not shown. vailable on the degradability of this p Kow) 2.88 ilable. verse environmental effects (e.g. ozc docrine disruption, global warming p I and its container must be disposed ntents under pressure. Do not punct sewers/water supplies. Do not conta ainer. Dispose in accordance with a e Tetrachloroethylene	A.73 - 5.27 mg/l, 96 hours 4.73 - 5.27 mg/l, 96 hours broduct. broduct. broduct. broduct from this component. broduct authorities before the second s
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components tetrachloroethylene (CAS 127 Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octant tetrachloroethylene Mobility in soil Other adverse effects 13. Disposal consideratio Disposal of waste from residues / unused products	Prolonged in Toxic to aqua -18-4) LC50 be based on add No data is av nol / water (log No data avai No other adv potential, end ms This material disposal. Co to drain into or used cont D039: Waste F001: Waste F002: Waste	Analation may be harmful. Prolonged atic life with long lasting effects. Acc Species Rainbow trout, donaldson trout (Oncorhynchus mykiss) ditional component data not shown. vailable on the degradability of this p (Kow) 2.88 ilable. verse environmental effects (e.g. ozc docrine disruption, global warming p I and its container must be disposed ntents under pressure. Do not punct sewers/water supplies. Do not conta ainer. Dispose in accordance with a e Tetrachloroethylene e Halogenated Solvent - Spent Haloge	A.73 - 5.27 mg/l, 96 hours 4.73 - 5.27 mg/l, 96 hours broduct. broduct. broduct. broduct from this component. broduct authorities before the second s

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

• •				
DO.	r			
	UN number	UN1950		
	UN proper shipping name	Aerosols, poison, Limited Quantity		
	Transport hazard class(es)			
	Class	2.2		
	Subsidiary risk	6.1(PGIII)		
	-	2.2, 6.1		
	Label(s)			
	Packing group	Not applicable.		
	· ·	Forbidden from transportation by air.		
	Packaging exceptions	306		
	Packaging non bulk	None		
	Packaging bulk	None		
IAT	Α			
	UN number	UN1950		
	UN proper shipping name	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III		
	Transport hazard class(es)			
	Class	2.2		
	Subsidiary risk	6.1		
	Packing group	Not applicable.		
	ERG Code	2P		
		Read safety instructions, SDS and emergency procedures before handling.		
	Other information	riced ballety indiabilene, ebe and emergency procedures before handling.		
		Allowed with restrictions		
	Passenger and cargo aircraft	Allowed with restrictions.		
		Allowed with restrictions.		
IMD	Cargo aircraft only	Allowed with restrictions.		
	UN number	UN1950		
	UN proper shipping name	AEROSOLS		
	Transport hazard class(es)			
	Class	2		
	Subsidiary risk	6.1		
	Packing group	Not applicable.		
	Environmental hazards			
	Marine pollutant	No.		
	EmS	Not available.		
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
	· ·			
15	. Regulatory informatior			
US	federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication		
•••		Standard, 29 CFR 1910.1200.		
	TSCA Section 12(b) Export N	otification (40 CFR 707, Subpt. D)		
	Not regulated.			
	0	a natification		
	SARA 304 Emergency releas	e nouncation		
	Not regulated.			
	OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)			
	Not regulated.			
	US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance			
	tetrachloroethylene (CAS 127-18-4)			
	CERCLA Hazardous Substance List (40 CFR 302.4)			

tetrachloroethylene (CAS 127-18-4)

Listed.

100 LBS

CERCLA Hazardous Substances: Reportable quantity

```
tetrachloroethylene (CAS 127-18-4)
```

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section	112 Hazardava Air Dallutanta (HADa) Liat				
tetrachloroethylene (CAS					
Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)				
Not regulated.					
Safe Drinking Water Act (SDWA)	Not regulated.				
Food and Drug Administration (FDA)	Not regulated.				
Superfund Amendments and	Reauthorization Act of 1986 (SARA)				
Section 311/312 Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No				
SARA 302 Extremely hazardous substance	No				
S state regulations					
-	emicals List. Safer Consumer Products Regulations (Cal. Code Reg	s, tit. 22, 69502.3, subd.			
tetrachloroethylene (CAS	tetrachloroethylene (CAS 127-18-4) US. New Jersey Worker and Community Right-to-Know Act				
carbon dioxide (CAS 124- tetrachloroethylene (CAS	carbon dioxide (CAS 124-38-9) tetrachloroethylene (CAS 127-18-4)				
US. Massachusetts RTK - Su					
carbon dioxide (CAS 124- tetrachloroethylene (CAS US. Pennsylvania Worker an	,				
carbon dioxide (CAS 124-					
tetrachloroethylene (CAS US. Rhode Island RTK					
carbon dioxide (CAS 124- tetrachloroethylene (CAS					
US. California Proposition 65 WARNING: This product of	ontains a chemical known to the State of California to cause cancer.				
-	US - California Proposition 65 - CRT: Listed date/Carcinogenic substance tetrachloroethylene (CAS 127-18-4) Listed: April 1, 1988				
olatile organic compounds (VO EPA					
VOC content (40 CFR 51.100(s))	0 %				
Consumer products (40 CFR 59, Subpt. C)	Not regulated				
State					
Consumer products	This product is regulated as a Brake Cleaner. This product is not compli- California and New Jersey. This product is compliant in all other states.	ant to be sold for use in			
VOC content (CA)	0 %				
VOC content (OTC)	0 %				
nternational Inventories					
Country(s) or region	Inventory name	On inventory (yes/no)*			
Australia	Australian Inventory of Chemical Substances (AICS)	Yes			
Canada	Domestic Substances List (DSL)	Yes			
Canada	Non-Domestic Substances List (NDSL)	No			
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes			
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes			
Europe	European List of Notified Chemical Substances (ELINCS)	No			

Country(s) or region	Inventory name	On inventory (yes/no)*
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-23-2013
Revision date	10-25-2017
Prepared by	Allison Yoon
Version #	03
Further information	CRC # 491G/1002481
HMIS® ratings	Health: 2* Flammability: 0 Physical hazard: 0 Personal protection: B
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
NFPA ratings	200
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision Information	This document has undergone significant changes and should be reviewed in its entirety.

Material name: NAPA® Brakleen® Brake Parts Cleaner No. 091314 (Item# 1007988) Version #: 03 Revision date: 10-25-2017 Issue date: 12-23-2013