

# **SAFETY DATA SHEET**

Be Right<sup>™</sup>

Issue Date 16-Aug-2018	Revision Date 16-Aug-2018	Version 4.5	<b>Page</b> 1 / 17	
1. IDENTIFICATION				
Product identifier Product Name	TitraVer <sup>®</sup> Solution (Sodium EDTA)	0.0800 ± 0.0004 M		
Other means of identification Product Code(s)	1436401			
Safety data sheet number	M00343			
Recommended use of the chemical and restrictions on useRecommended UseLaboratory reagent. Hardness determination. Standard solution.Uses advised againstNone.Restrictions on useNone.				
Details of the supplier of the safety data sheet				
Manufacturer Address				

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

# Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	
Skin sensitization	
Mutagenicity	
Carcinogenicity	
Reproductive toxicity	
Specific target organ toxicity (single exposure)	

# Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

Signal word - Danger

Issue Date 16-Aug-2018 Version 4.5 Product Name TitraVer® Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 2 / 17



#### Hazard statements

H318 - Causes serious eye damage

#### Precautionary statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

#### Other Hazards Known

Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

# <u>Mixture</u>

Chemical name	CAS No.	Percent Range	HMRIC #
Tetrasodium EDTA	64-02-8	1 - 5%	-
Formaldehyde	50-00-0	<0.1%	-
Methyl alcohol	67-56-1	<0.1%	-

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.	
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.	
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Burning sensation.	

Issue Date 16-Aug-2018 Version 4.5

# Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

# 6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
Personal precautions, protective ec	quipment and emergency procedures
Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

Product Code(s) 1436401 Issue Date 16-Aug-2018 Version 4.5	Product Name TitraVer <sup>®</sup> Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 4 / 17
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
Flammability class	Not applicable

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	STEL: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	TWA: 0.1 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
CAS#: 67-56-1	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
		(vacated) TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m <sup>3</sup>
		(vacated) STEL: 325 mg/m <sup>3</sup>	_
		(vacated) SKN*	

#### Appropriate engineering controls **Engineering Controls** Showers Eyewash stations Ventilation systems. Individual protection measures, such as personal protective equipment **Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. **Hand Protection** Wear suitable gloves. Eye/face protection Tight sealing safety goggles. Skin and body protection Wear suitable protective clothing. **General Hygiene Considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

# **Environmental exposure controls** Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

None under normal processing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state		Liquid		
Appearance	aqueous solution		Color	colorless
Odor	None		Odor threshold	No data available

Thermal hazards

Issue Date 16-Aug-2018 Version 4.5 Product Name TitraVer® Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 5 / 17

Property	Values	Remarks • Method
Molecular weight	No data available	
рН	10.9	
Melting point/freezing point	~ 0 °C / 32 °F	Estimation based on theoretical calculation
Boiling point / boiling range	~ 100 °C / 212 °F	Estimation based on theoretical calculation
Evaporation rate	1.06 (water = 1)	
Vapor pressure	23.702 mm Hg / 3.16 kPa at 25 °C / 77 °F	Estimation based on theoretical calculation
Vapor density (air = 1)	0.62 (air = 1)	
Specific gravity (water = 1 / air = 1)	1.017	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

#### Solubility(ies)

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

#### **Other Information**

#### **Metal Corrosivity**

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

#### Volatile Organic Compounds (VOC) Content See ingredients information below

Chemical nameCAS No.Volatile organic<br/>compounds (VOC) contentCAA (Clean Air Act)Tetrasodium EDTA64-02-8No data available-Formaldehyde50-00-0No data availableX

EN / AGHS

Issue Date 16-Aug-2018 Version 4.5 Product Name TitraVer® Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 6 / 17

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Methyl alcohol	67-56-1	No data available	Х

# **Explosive properties**

Upper explosion limit Lower explosion limit		No data available No data available
Flammable properties		
Flash point		No data available
Flammability Limit in Air Upper flammability limit Lower flammability limit		No data available No data available
Oxidizing properties		No data available.
Bulk density		No data available
Particle Size	No information available	
Particle Size Distribution	No information available	

# **10. STABILITY AND REACTIVITY**

<u>Reactivity</u> Not applicable.	
<u>Chemical stability</u> Stability	Stable under normal conditions.
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	t None None.
Possibility of Hazardous Reactions Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization None under normal processing.	
<u>Conditions to avoid</u> Conditions to avoid	None known based on information supplied.
Incompatible materials Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous Decomposition Products None known based on information sup	
	11. TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure Product Information

Product Code(s) 1436401 Issue Date 16-Aug-2018 Version 4.5	Product Name TitraVer <sup>®</sup> Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 7 / 17			
Inhalation	No known effect based on information supplied.			
Eye contact	Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.			
Skin contact	May cause irritation.			
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
Symptoms	Redness. Burning. May cause blindness.			
Aggravated Medical Conditions Toxicologically synergistic products Toxicokinetics, metabolism and distribution	Eye disorders. None known. See ingredients information below.			

Chemical name	Toxicokinetics, metabolism and distribution
	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.
	Metabolism of methanol appears to be similar regardless of administrative route. Methanol is converted to formaldehyde, which is converted to formate which is oxidized to carbon dioxide in primates.

No data available
No data available

# **Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

# Acute Toxicity Estimations (ATE)

# The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	49,199.00 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

# Ingredient Acute Toxicity Data Oral Exposure Route

Oral Exposure Route				If available, see data below	
Chemical name Endpoin type		Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Tetrasodium EDTA (1 - 5%) CAS#: 64-02-8	Rat LD₅₀	1658 mg/kg	None reported	None reported	ERMA (New Zealands Environmental Risk Management Authority)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD50	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

**Dermal Exposure Route** 

Product Name TitraVer® Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 8 / 17

If available, see data below

Sermai Exposure Ro	ule			li avaliable, see uala beluw	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
nhalation (Dust/Mist	) Exposure R	oute		If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC50	0.578 mg/L	4 hours	None reported	LOLI
halation (Vapor) Ex halation (Gas) Exp	osure Route			If available, see data below If available, see data below	
roduct Specific Tar Tral Exposure Route		xicity Single E	xposure Data	<u>a</u> No data available	
Dermal Exposure Ro nhalation (Dust/Mist nhalation (Vapor) Ex nhalation (Gas) Exp	oute :) Exposure R (posure Route			No data available No data available No data available No data available	
ngredient Specific T Dral Exposure Route	arget Organ <sup>-</sup>		-	If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LD∟₀	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Human LD∟₀	143 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TD∟₀	643 mg/kg	None reported	Gastrointestinal Lungs, Thorax, or Respiration Nausea or vomiting Respiratory obstruction Ulcerated stomach	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Man LDLo	3.571 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Dermal Exposure Ro nhalation (Dust/Mist		oute		If available, see data below If available, see data below	<u> </u>
nhalation (Vapor) Ex				If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Mathyl alaahal	Humon	200 mg/l	Nono	Lungo Therey or	DTECS (Degistry) of Taxia

Inhalation (Gas) Exposure Route

Human

 $TC_{\text{Lo}}$ 

300 mg/L

None

reported

If available, see data below

Lungs, Thorax, or

Respiration

Other changes

Aspiration toxicity No data available

Methyl alcohol

(<0.1%)

CAS#: 67-56-1

RTECS (Registry of Toxic

Effects of Chemical

Substances)

Product Name TitraVer® Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 9 / 17

# Product Skin Corrosion/Irritation Data

No data available.

# Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	20 mg	24 hours	Skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

# Product Serious Eye Damage/Eye Irritation Data

No data available.

# Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	40 mg	None reported	Eye irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

# Sensitization Information

#### <u>Product Sensitization Data</u> Skin Sensitization Exposure Route Respiratory Sensitization Exposure Route

No data available. No data available.

# Ingredient Sensitization Data

ingreatent benstizzation bata						
Skin Sensitization Ex	kposure Route		If available, see data below	'.		
Chemical name Test method		Species	Results	Key literature references and sources for data		
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)		
<b>Respiratory Sensitiz</b>	ation Exposure Ro	ute	If available, see data below	·		
Chemical name	Test method	Species	Results	Key literature references and		
				sources for data		
Formaldehyde (<0.1%)	IgE Specific Immune Response	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)		

# **Chronic Toxicity Information**

(<0.1%) CAS#: 50-00-0

Product Specific Target Organ Toxicity Repeat Dose Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

Test

No data available. No data available. No data available. No data available. No data available.

Ingredient Specific T	arget Organ 1	<b>Oxicity Repea</b>	at Exposure D	ata		
Oral Exposure Route	)		-	If available, see data below		
Dermal Exposure Route If available, see data below						
Inhalation (Dust/Mist	) Exposure R	oute		If available, see data below		
Inhalation (Vapor) Ex	posure Route	9		If available, see data below		
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time	_	sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)	
Inhalation (Gas) Exp	osure Route			If available see data below		

Inhalation (Gas) Exposure Route

Product Carcinogenicity Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route If available, see data below

No data available No data available No data available No data available No data available

#### Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Tetrasodium EDTA	64-02-8	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	Х
Methyl alcohol	67-56-1	-	-	-	-

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

#### Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route

If available, see data below If available, see data below If available, see data below If available see data below

innalation (vapor) Ex	posure Route			If available, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	15 mg/L	78 weeks	Olfaction	RTECS (Registry of Toxic
(<0.1%)		-		Tumors	Effects of Chemical
CAS#: 50-00-0					Substances)

# Inhalation (Gas) Exposure Route

If available, see data below

# Product Germ Cell Mutagenicity invitro Data

No data available.

#### Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

Chemical name	Test	Cell Strain	Reported	Exposure	Results	Key literature
			0			

Issue Date 16-Aug-2018 Version 4.5

Product Name TitraVer® Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 11/17

			dose	time		references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Germ Cell Mutagenicity invivo Data **Oral Exposure Route Dermal Exposure Route** Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available No data available No data available No data available No data available

Ingredient Germ Cell Mutagenicity invivo Data

Chemical name	Test	Species	Reported	Exposure	Results	Key literature
	1631	Species	dose	time	Results	references an
			uose	ume		
			0.405 //			sources for dat
Methyl alcohol	DNA damage	Rat	0.405 mg/kg	None	Positive test result for	
(<0.1%)				reported	mutagenicity	of Toxic Effects
CAS#: 67-56-1						Chemical
						Substances)
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for dat
Methyl alcohol	Cytogenetic	Mouse	1000 mg/kg	None	Positive test result for	RTECS (Registr
(<0.1%)	analysis			reported	mutagenicity	of Toxic Effects
CAS#: 67-56-1						Chemical
						Substances)
armal Experies De	Nuto		lf available	, see data bel	0.14	
ermal Exposure Ro	Jule		li avaliable	, see uala bei	0 W	
halation (Dust/Mist				, see data bel		
	t) Exposure Route		If available	,	OW	_
halation (Dust/Mist	t) Exposure Route	Species	If available	, see data bel	OW	Key literature
halation (Dust/Mist halation (Vapor) Ex	t) Exposure Route xposure Route	Species	If available If available	, see data bel , see data bel	ow ow	Key literature references and
halation (Dust/Mist halation (Vapor) Ex	t) Exposure Route xposure Route	Species	If available If available <b>Reported</b>	, see data bel , see data bel <b>Exposure</b>	ow ow	
halation (Dust/Mist halation (Vapor) Ex	t) Exposure Route xposure Route	Species Human	If available If available <b>Reported</b>	, see data bel , see data bel <b>Exposure</b>	ow ow	references and sources for dat
halation (Dust/Mist halation (Vapor) Ex Chemical name	t) Exposure Route xposure Route Test	-	If available If available Reported dose	e, see data bel e, see data bel Exposure time	ow ow Results	references and sources for dat RTECS (Registr
halation (Dust/Mist halation (Vapor) Ex Chemical name Formaldehyde	t) Exposure Route xposure Route Test	-	If available If available Reported dose	e, see data bel e, see data bel Exposure time	ow ow Results Positive test result for	references and sources for dat
halation (Dust/Mist halation (Vapor) Ex Chemical name Formaldehyde (<0.1%)	t) Exposure Route xposure Route Test	-	If available If available Reported dose	e, see data bel e, see data bel Exposure time	ow ow Results Positive test result for	references and sources for dat RTECS (Registr of Toxic Effects
halation (Dust/Mist halation (Vapor) Ex Chemical name Formaldehyde (<0.1%)	t) Exposure Route xposure Route Test	-	If available If available Reported dose	e, see data bel e, see data bel Exposure time	ow ow Results Positive test result for	references and sources for dat RTECS (Registr of Toxic Effects Chemical
halation (Dust/Mist halation (Vapor) Ex Chemical name Formaldehyde (<0.1%) CAS#: 50-00-0	t) Exposure Route xposure Route Test Micronucleus test	Human	If available If available <b>Reported</b> dose .000985 mg/L	, see data bel see data bel Exposure time 8.5 years	ow ow Results Positive test result for mutagenicity	references and sources for dat RTECS (Registr of Toxic Effects Chemical Substances) Key literature
halation (Dust/Mist halation (Vapor) Ex Chemical name Formaldehyde (<0.1%) CAS#: 50-00-0	t) Exposure Route xposure Route Test Micronucleus test	Human	If available If available Reported dose .000985 mg/L Reported	see data bel see data bel Exposure time 8.5 years Exposure	ow ow Results Positive test result for mutagenicity	references and sources for dat RTECS (Registre of Toxic Effects Chemical Substances) Key literature references and
halation (Dust/Mist halation (Vapor) Ex Chemical name Formaldehyde (<0.1%) CAS#: 50-00-0	t) Exposure Route xposure Route Test Micronucleus test	Human	If available If available Reported dose .000985 mg/L Reported	see data bel see data bel Exposure time 8.5 years Exposure	ow ow Results Positive test result for mutagenicity	references and sources for dat RTECS (Registre of Toxic Effects Chemical Substances) Key literature references and sources for dat
halation (Dust/Mist halation (Vapor) Ex Chemical name Formaldehyde (<0.1%) CAS#: 50-00-0 Chemical name	t) Exposure Route xposure Route Test Micronucleus test Test	Human Species	If available If available Reported dose .000985 mg/L Reported dose	k, see data bel see data bel Exposure time 8.5 years Exposure time	ow ow Results Positive test result for mutagenicity Results	references and sources for dat RTECS (Registre of Toxic Effects Chemical Substances) Key literature references and sources for dat
halation (Dust/Mist halation (Vapor) Ex Chemical name Formaldehyde (<0.1%) CAS#: 50-00-0 Chemical name Formaldehyde	t) Exposure Route xposure Route Test Micronucleus test Test	Human Species	If available If available Reported dose .000985 mg/L Reported dose	k, see data bel see data bel Exposure time 8.5 years Exposure time	ow ow Results Positive test result for mutagenicity Results Positive test result for	references and sources for dar RTECS (Regist of Toxic Effects Chemical Substances) Key literature references and sources for dar RTECS (Regist

Product Reproductive Toxicity Data

**Oral Exposure Route Dermal Exposure Route** Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available

Ingredient Reproductive Toxicity Data

Chemical name Endpoint Reported Exposure Toxicological effects Key literature references and	Oral Exposure Route	9			If available, see data below	
	Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and

Issue Date 16-Aug-2018 Version 4.5

	type	dose	time		sources for data
Methyl alcohol	Rat	4118 mg/kg	10 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TDLo			Specific Developmental	Effects of Chemical
CAS#: 67-56-1				Abnormalities	Substances)
				Ear	
				Eye	
				Fetotoxicity (except death e.g.	
				stunted fetus)	
				Urogenital System	
Dermal Exposure Ro	ute			If available, see data below	
nhalation (Dust/Mist	) Exposure R	oute		If available, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Methyl alcohol	Rat	0.0026 mg/L	22 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLO			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 67-56-1				stunted fetus)	Substances)
nhalation (Vapor) Ex	posure Route	9		If available, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLO			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 50-00-0				stunted fetus)	Substances)
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	.001 mg/L	24 weeks	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Cytological changes (including	Effects of Chemical
CAS#: 50-00-0				somatic cell genetic material)	Substances)
Methyl alcohol	Mouse	1500 mg/L	7-9 days	Specific Developmental	RTECS (Registry of Toxic
(<0.1%)	TCLo			Abnormalities	Effects of Chemical
CAS#: 67-56-1				Central Nervous System	Substances)
nhalation (Gas) Exp	osure Route			If available, see data below	

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity

Product Ecological Data

# Aquatic toxicity

Fish Crustacea Algae No data available No data available No data available

# **Ingredient Ecological Data**

# Aquatic toxicity

Fish		lf	available, see i	ngredient data l	below
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC <sub>50</sub>	6.7 mg/L	PEEN (Pan European Ecologica Network)
Crustacea		lf	available, see i	ngredient data l	below
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%)	48 Hours	Daphnia pulex	EC <sub>50</sub>	5.8 mg/L	PEEN (Pan European Ecologica Network)

Issue Date 16-Aug-2018 Version 4.5

CAS#: 50-00-0				
Algae	No	data available	)	

Other Information

Persistence and degradability

Product Biodegradability Data No data available.

#### Ingredient Biodegradability Data

#### **Bioaccumulation**

**Product Bioaccumulation Data** No data available.

#### Partition Coefficient (n-octanol/water)

# **Ingredient Bioaccumulation Data**

Chemical name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
Formaldehyde (<0.1%) CAS#: 50-00-0	Estimation through BCFBAF v3.01 part of the Estimation Programs Interface (EPI) Suite™	None reported	None reported	BCF = 3.16228	Does not have the potential to bioaccumula te
Methyl alcohol (<0.1%) CAS#: 67-56-1	OECD Test 305: Bioaccumulation in Fish	None reported	None reported	BCF < 10	Does not have the potential to bioaccumula te

#### Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Not applicable

# Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

Issue Date 16-Aug-2018 Version 4.5 Product Name TitraVer<sup>®</sup> Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 14 / 17

**US EPA Waste Number** 

# U122 U154

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	U154

# Special instructions for disposal

Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

	14. TRANSPORT INFORMATION
U.S. DOT	Not regulated
TDG	Not regulated
	Not regulated
IMDG	Not regulated

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

# **15. REGULATORY INFORMATION**

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TCSI** - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

# US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Methyl alcohol (CAS #: 67-56-1)	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Methyl alcohol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

# U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methyl alcohol (CAS #: 67-56-1)	Developmental

Product Name TitraVer® Solution (Sodium EDTA) 0.0800 ± 0.0004 M Revision Date 16-Aug-2018 Page 16/17

WARNING: This product can expose you to chemicals including Formaldehyde, Methyl alcohol, which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to http://www.P65Warnings.ca.gov

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Formaldehyde	X	X	Х
50-00-0			
Methyl alcohol	X	X	Х
67-56-1			

#### U.S. EPA Label Information

Chemical name	FIFRA	FDA
Tetrasodium EDTA	180.0910	-
Methyl alcohol	180.0910	-

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

# **Special Comments**

None

#### Additional information

#### Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Formaldehyde 50-00-0	Declarable Substance (FI) Prohibited Substance (LR) Declarable Substance (LR)	0.0 % 0.1 %
Methyl alcohol 67-56-1	Declarable Substance (FI)	0.1 %

#### **NFPA and HMIS Classifications**

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 3	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

# Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH ACGIH NDF	, , , , , , , , , , , , , , , , , , , ,	Immediately Dangerous to Life or Health ACGIH (American Conference of Governmental Industrial Hygienists) no data			
Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)		
MAC	Maximum Allowable Concentration	Ceiling	Ceiling Limit Value		
FN / AGHS			Page 16		

Product Code(s) 1436401		Product Name 7 0.0004 M	FitraVer <sup>®</sup> Solution (Sodium EDTA) 0.0800 ±	
Issue Date 16-Aug-2018 Version 4.5		Revision Date 16-Aug-2018 Page 17 / 17		
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	ization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliand	ce Department	
Issue Date		16-Aug-2018		
<b>Revision Date</b>		16-Aug-2018		
<b>Revision Note</b>		None		
<u>Disclaimer</u>				

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2018

End of Safety Data Sheet