# Safety Data Sheet

Revision date:10/15/2014

### 7SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name. : Fluorescein Green Concentrate

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Gage Fluid

### 1.3. Details of the supplier of the safety data sheet

Dwyer Instruments, Inc. 102 Highway 212 Michigan City, IN 46361

T 219-879-8868 - F 219-872-9057

### 1.4. Emergency telephone number

Emergency number : Call CHEMTREC day or night. Domestic North America call- 800-424-9300; International call -

703-527-3887 (collect accepted)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Skin Irrit. 2 H315 Eye Irrit. 2B H320 STOT SE 3 H335

### 2.2. Label elements

### **GHS-US** labelling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H320 - Causes eye irritation

H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P264 - Wash ... thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER/doctor/.../if you feel unwell

P321 - Specific treatment (see ... on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention

P362 - Take off contaminated clothing

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to ...

### 2.3. Other hazards

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

# 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Water	(CAS No.) 7732-18-5	15-40	Not classified
Tergitol No. 4	(CAS No.) 139-88-8	15-40	Acute Tox. 4 (Oral), H302

10/15/2014 EN (English) 1/7

# Safety Data Sheet

Name	Product identifier	%	GHS-US classification
Diethylene glycol monoethyl ether	(CAS No.) 111-90-0	15-40	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
Sodium chloride	(CAS No.) 7647-14-5	0.1-1	Not classified
Sodium sulfate	(CAS No.) 7757-82-6	0.1-1	Not classified
Cuprate(2-), [29H,31H-phthalocyanine-C,C-disulfonato(4-)-N29,N30,N31,N32]-, disodium	(CAS No.) 1330-38-7	0.1-1	Not classified
Sodium fluorescein	(CAS No.) 518-47-8	0.1-1	Not classified

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Move person to non-contaminated air. If the affected person is not breathing, apply artificial

respiration.

First-aid measures after skin contact : For skin contact, flush with large amounts of water. If irritation persists, get medical attention.

First-aid measures after eye contact : Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention or

advice.

First-aid measures after ingestion : If the material is swallowed, get immediate medical attention or advice. Do not induce vomiting

unless directed to do so by medical personnel.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : May cause eye irritation.

Symptoms/injuries after ingestion : Not considered a likely route of exposure under normal product use conditions. If swallowed,

may cause gastrointestinal irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : None known. Explosion hazard : None known.

### 5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with the skin and the eyes. Wear appropriate protective clothing and respiratory

protection for the situation.

# 6.1.1. For non-emergency personnel

No additional information available

# 6.1.2. For emergency responders

No additional information available

# 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Stop the flow of material, if this is without risk.

Methods for cleaning up : Absorb spill with inert material. Shovel or sweep up and put in a closed container for disposal.

### 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep the container tightly closed and in a cool, well-ventilated place.

10/15/2014 EN (English) 2/7

# Safety Data Sheet

### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No exposure limits have been established for any of this product's components.

### 8.2. Exposure controls

Appropriate engineering controls : Ensure exposure is below occupational exposure limits (where available).

Hand protection : Use impervious gloves such as neoprene, nitrile, or rubber for hand protection.

Eye protection : Wear safety glasses; chemical goggles (if splashing is possible).

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory

protection should be worn.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Green

Odour Characteristic Odour threshold No data available рΗ : No data available : No data available Relative evaporation rate (butylacetate=1) Melting point No data available Freezing point No data available **Boiling point** : No data available Flash point : No data available Self ignition temperature No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available No data available Vapour pressure Relative vapour density at 20 °C No data available Relative density : No data available

Solubility : Soluble.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Will not occur.

# 10.4. Conditions to avoid

None.

### 10.5. Incompatible materials

Oxidizing materials.

### 10.6. Hazardous decomposition products

Decomposes to form toxic compounds.

10/15/2014 EN (English) 3/7

Safety Data Sheet

Sodium sulfate (7757-82-6)

# **SECTION 11: Toxicological information**

### Information on toxicological effects

Acute toxicity : Not classified

LD50 oral rat	> 10000 mg/kg
Diethylene glycol monoethyl ether (111-90-0)	
LD50 oral rat	1920 mg/kg
LD50 dermal rat	6 ml/kg
LD50 dermal rabbit	4200 μl/kg
LC50 inhalation rat (mg/l)	> 5240 mg/m³ (Exposure time: 4 h)

Water	(7732-18-5)	

ATE (oral)

> 90 ml/kg LD50 oral rat

Sodium chloride (7647-14-5)	
LD50 oral rat	3 g/kg
LD50 dermal rabbit	> 10 g/kg
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)
ATE (oral)	3000000 mg/kg

Tergitol No. 4 (139-88-8)	
LD50 oral rat	1250 mg/kg
LD50 dermal rabbit	3 ml/kg
ATE (oral)	1250 mg/kg

Sodium fluorescein (518-47-8)	
LD50 oral rat	6721 mg/kg
ATE (oral)	6721 mg/kg

# Cuprate(2-), [29H,31H-phthalocyanine-C,C-disulfonato(4-)-N29,N30,N31,N32]-, disodium (1330-38-7)

: Causes skin irritation.

1920 mg/kg

LD50 oral rat > 5 g/kg

Serious eye damage/irritation : Causes eye irritation. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Skin corrosion/irritation

Reproductive toxicity

Sodium sulfate (7757-82-6)	
LC50 fishes 1	13500 - 14500 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	630 mg/l (Exposure time: 96 h - Species: Daphnia magna)
LC50 fish 2	> 6800 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
FC50 Daphnia 2	2564 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Diethylene glycol monoethyl ether (111-90-0)	
LC50 fishes 1	11400 - 15700 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 1	3940 - 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	11600 - 16700 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

Sodium chloride (7647-14-5)	
LC50 fishes 1	5560 - 6080 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

10/15/2014 EN (English)

# Safety Data Sheet

Sodium chloride (7647-14-5)	
EC50 Daphnia 2	340.7 - 469.2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

Diethylene glycol monoethyl ether (111-90-0)	
Log Pow	-0.8
0 11 11 11 (7047 44.5)	

# Sodium chloride (7647-14-5)

BCF fish 1 (no bioaccumulation)

#### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations

### **SECTION 14: Transport information**

In accordance with DOT / ADR / RID / ADNR / IMDG / ICAO / IATA

### 14.1. UN number

Transport document description : UN1993 Flammable liquids, n.o.s. (Diethylene glycol monoethyl ether), 3, III

UN-No.(DOT) : 1993 DOT no. : UN1993

DOT Proper Shipping Name : Flammable liquids, n.o.s.

(Diethylene glycol monoethyl ether)

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Department of Transportation (DOT) Hazard

Classes

Hazard labels (DOT) : 3 - Flammable liquid



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the

bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail : 60 L
(49 CFR 173.27)

10/15/2014 EN (English) 5/7

# Safety Data Sheet

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

### Sodium sulfate (7757-82-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Diethylene glycol monoethyl ether (111-90-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Sodium chloride (7647-14-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Tergitol No. 4 (139-88-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sodium fluorescein (518-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Cuprate(2-), [29H,31H-phthalocyanine-C,C-disulfonato(4-)-N29,N30,N31,N32]-, disodium (1330-38-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### **CANADA**

Sodium	sulfate	(7757-82-6)
Journalii	Sullate	11131-02-01

Listed on the Canadian DSL (Domestic Sustances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

# Diethylene glycol monoethyl ether (111-90-0)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

WHMIS Classification Class B Division 3 - Combustible Liquid

# Water (7732-18-5)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

### Sodium chloride (7647-14-5)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

### Tergitol No. 4 (139-88-8)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

### Sodium fluorescein (518-47-8)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

# Cuprate(2-), [29H,31H-phthalocyanine-C,C-disulfonato(4-)-N29,N30,N31,N32]-, disodium (1330-38-7)

Listed on the Canadian DSL (Domestic Sustances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

### 15.3. US State regulations

### Sodium sulfate (7757-82-6)

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List

### Diethylene glycol monoethyl ether (111-90-0)

U.S. - Minnesota - Hazardous Substance List

10/15/2014 EN (English) 6/7

# Safety Data Sheet

# U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term

# **SECTION 16: Other information**

# Full text of H-phrases:

ext of 11-prinases.		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Irrit. 2	skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H335	May cause respiratory irritation	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/15/2014 EN (English) 7/7