

RESIN RINSE™ 7293

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : RESIN RINSE™ 7293

Other means of identification : Not applicable.

Recommended use : CONDENSATE POLISHER AMINE REGENERANT/CLEANER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company
1601 W. Diehl Road
Naperville, Illinois 60563-1198
USA
TEL: (630) 305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 10/03/2024

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

Reproductive toxicity : Category 2

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.

Precautionary Statements : **Prevention:**
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
Storage:
Store locked up.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

RESIN RINSE™ 7293

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Concentration: (%)
Morpholine	110-91-8	5 - 10

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx)

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

RESIN RINSE™ 7293

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling. Use only with adequate ventilation.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.
- Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Morpholine	110-91-8	TWA	20 ppm	ACGIH
		TWA	20 ppm 70 mg/m ³	NIOSH REL
		STEL	30 ppm 105 mg/m ³	NIOSH REL
		TWA	20 ppm 70 mg/m ³	OSHA Z1

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Safety glasses with side-shields
- Hand protection : Wear protective gloves.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Wear suitable protective clothing.

SAFETY DATA SHEET

RESIN RINSE™ 7293

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Liquid
- Colour : clear
- Odour : amine-like
- Flash point : > 100 °C, Method: ASTM D 93, Tag closed cup
- pH : 8 - 10, (100 %), (25 °C), Method: ASTM E 70
- Odour Threshold : no data available
- Melting point/freezing point : Freezing Point: -28.8 °C, ASTM D-1177
- Initial boiling point and boiling range : 100 °C, Method: ASTM D 86
- Evaporation rate : no data available
- Flammability (solid, gas) : Not applicable.
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Vapour pressure : no data available
- Relative vapour density : no data available
- Relative density : 1.22 - 1.28, (24 °C), ASTM D-1298
- Density : no data available
- Water solubility : completely soluble
- Solubility in other solvents : no data available
- Partition coefficient: n-octanol/water : no data available
- Auto-ignition temperature : no data available
- Thermal decomposition : no data available
- Viscosity, dynamic : 48 mPa.s (25 °C), Method: ASTM D 2983
- Viscosity, kinematic : no data available
- Molecular weight : no data available
- VOC : 3.40 %, 41.94 g/l, EPA Method 24

Section: 10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

RESIN RINSE™ 7293

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors. Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) may generate heat, splattering or boiling and toxic vapors.
Hazardous decomposition products	: In case of fire, hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NOx)

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact, Ingestion

Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Suspected of damaging fertility or the unborn child.

Experience with human exposure

Eye contact	: Redness, Pain, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product

SAFETY DATA SHEET

RESIN RINSE™ 7293

Acute oral toxicity	: rat: 5,000 mg/kg Test substance: Product Acute toxicity estimate: > 5,000 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate: 108.11 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: rabbit: 2,000 mg/kg Test substance: Product Acute toxicity estimate: > 5,000 mg/kg
Skin corrosion/irritation	: Species: Rabbit Result: No skin irritation Method: Draize Test Test substance: Product
Serious eye damage/eye irritation	: Species: rabbit Result: Mild eye irritant Method: Draize Test Test substance: Product
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: Mutagenicity tests on morpholine provided the following results: A bacterial mutagenicity (Ames) bioassay was negative; sister chromatid exchange transformation was positive; mouse lymphoma was weakly positive and rat hepatocyte/DNA repair was negative.
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish	: LC50 Oncorhynchus mykiss (rainbow trout): 1,000 mg/l Exposure time: 96 hrs Test substance: Product NOEC Oncorhynchus mykiss (rainbow trout): 180 mg/l Exposure time: 96 hrs Test substance: Product
Toxicity to daphnia and other aquatic invertebrates	: LC50 Daphnia magna (Water flea): 830 mg/l Exposure time: 48 hrs

SAFETY DATA SHEET

RESIN RINSE™ 7293

Test substance: Product

NOEC Daphnia magna (Water flea): 100 mg/l

Exposure time: 48 hrs

Test substance: Product

Components

Toxicity to algae : Morpholine
EC50 Pseudokirchneriella subcapitata (algae): 65 mg/l
Exposure time: 72 h

Components

Toxicity to daphnia and other : Morpholine
aquatic invertebrates NOEC: 8.134 mg/l
(Chronic toxicity) Exposure time: 21 d
Species: Daphnia magna (Water flea)

Persistence and degradability

Biodegradability : Result: no data available

Chemical Oxygen Demand (COD): 780,000 mg/l

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%
Water : 30 - 50%
Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of

SAFETY DATA SHEET

RESIN RINSE™ 7293

contents/container in accordance with local regulations.
Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Reproductive toxicity
Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SAFETY DATA SHEET

RESIN RINSE™ 7293

INTERNATIONAL CHEMICAL CONTROL LAWS :

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

Contains substance(s) not listed on the Korea Existing Chemicals Inventory.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

This product contains a substance not found on the TSCA 8(b) Inventory List and can only be used under the TSCA 5(h)(3) Research Exemption. Use must be supervised by a technically qualified individual.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

This product contains substance(s) which are not in compliance with the Republic Act 6969 (RA 6969) and may require additional review.

China Inventory of Existing Chemical Substances


This product contains substance(s) which are not in compliance with the Provisions on the Environmental Administration of New Chemical Substances and may require additional review.

Taiwan Chemical Substance Inventory

not determined

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 10/03/2024
Version Number : 2.0
Prepared By : Regulatory Affairs

SAFETY DATA SHEET

RESIN RINSE™ 7293

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.ecolab.com/sds and request access.