

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praestol™ A 3040 LA FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
657363

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Praestol™ A 3040 LA
FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

<p>Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America RegulatoryRequestsNA@solenis.com</p>	<p>Emergency telephone number 1-844-SOLENIS (844-765-3647) / 606-329-5705 Product Information 1-844-SOLENIS (844-765-3647)</p>
--	---

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation : Category 2
Eye irritation : Category 2A
Specific target organ systemic toxicity - single exposure : Category 3 (Central nervous system)
Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

Hazard Statements : May be fatal if swallowed and enters airways.
 Causes skin irritation.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
 Wash skin thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear eye protection/ face protection.
 Wear protective gloves.
Response:
 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Remove person to fresh air and keep comfortable
 for breathing. Call a POISON CENTER/doctor if you feel unwell.
 IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue
 rinsing.
 Do NOT induce vomiting.
 If skin irritation occurs: Get medical advice/ attention.
 If eye irritation persists: Get medical advice/ attention.
 Take off contaminated clothing and wash before reuse.
Storage:
 Store in a well-ventilated place. Keep container tightly closed.
 Store locked up.
Disposal:
 Dispose of contents/ container to an approved waste disposal
 plant.

Other hazards

Static Accumulating liquid

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
 Chemical nature : Static Accumulator

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
ALIPHATIC HYDROCARBON	254504001-5164	Flam. Liq. 4; H227 Skin Irrit. 2; H315	>= 20.00 - < 30.00

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4


Praesto™ A 3040 LA FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
657363

		STOT SE 3; H336	
POLYMER	254504001-5817	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1.00 - < 1.50

Trade Secret Composition - conceal identity + concentration

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious place in recovery position and seek medical advice.
Consult a physician after significant exposure.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Obtain medical attention.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this

	Page: 4
SAFETY DATA SHEET	Revision Date: 03/09/2016
	Print Date: 4/20/2016
	SDS Number: 000000122656
PraestoI™ A 3040 LA FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657363	Version: 1.4

material.
This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity (See Section 2 - Swallowing) when deciding whether to induce vomiting.
Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Lung irritation
confusion
irregular heartbeat
Convulsions
May be fatal if swallowed and enters airways.
Causes skin irritation.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide
Nitrogen oxides (NOx)
Hydrocarbons
- Specific extinguishing methods :
- Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
 Ensure adequate ventilation.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
 Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Do not breathe vapours/dust.
 Do not smoke.
 Container hazardous when empty.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 Electrical installations / working materials must comply with the technological safety standards.

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALIPHATIC HYDROCARBON	254504001-5164	TWA	200 mg/m ³ Non-aerosol (as total hydrocarbon vapor)	ACGIH
		REL	100 mg/m ³	NIOSH/GUID E

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

In the case of vapour formation use a respirator with an approved filter.

Hand protection
 Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection

: Wear resistant gloves (consult your safety equipment

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praestol™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

supplier).
 Wear as appropriate:
 Impervious clothing
 Safety shoes
 Choose body protection according to the amount and
 concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous
 Physical state : liquid
 Colour : white, milky
 Odour : mild, hydrocarbon-like
 Odour Threshold : No data available
 pH : 6 - 8
 Melting point/freezing point : 0 °F / -18 °C
 Boiling point/boiling range : No data available
 Flash point : > 200.1 °F / > 93.4 °C
 Evaporation rate : < 1
 Flammability (liquids) : Static Accumulating liquid
 Upper explosion limit : No data available
 Lower explosion limit : No data available
 Vapour pressure : No data available
 Relative vapour density : No data available
 Relative density : Approximate 1

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

- Density : Approximate 1.05 g/cm³
- Solubility(ies)
 - Water solubility : No data available
 - Solubility in other solvents : No data available
- Partition coefficient: n-octanol/water : No data available
- Thermal decomposition : No data available
- Viscosity
 - Viscosity, dynamic : No data available
 - Viscosity, kinematic : No data available
- Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

- Reactivity : No decomposition if stored and applied as directed.
- Chemical stability : Stable under recommended storage conditions.
- Possibility of hazardous reactions : Product will not undergo hazardous polymerization.
- Conditions to avoid : Heat, flames and sparks.
- Incompatible materials : oxidizers
 Strong acids
 Strong bases
 Strong oxidizing agents
 strong reducing agents
- Hazardous decomposition products : carbon dioxide and carbon monoxide
 Hydrocarbons

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
657363

exposure

Skin contact
Eye Contact
Ingestion**Acute toxicity**

Not classified based on available information.

Components:**ALIPHATIC HYDROCARBON:**

Acute oral toxicity : LD 50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC 50 (Rat, male and female): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.**POLYMER:**Acute oral toxicity :
Assessment: The component/mixture is classified as acute oral toxicity, category 4.**Skin corrosion/irritation**

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Result: Repeated exposure may cause skin dryness or cracking.

Components:**ALIPHATIC HYDROCARBON:**

Result: Irritating to skin

POLYMER:

Result: Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

ALIPHATIC HYDROCARBON:

Result: Mildly irritating to eyes

POLYMER:

Result: Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

ALIPHATIC HYDROCARBON:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
657363

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

- Toxicity to fish : LC 50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test substance: Polymer
Method: OECD Test Guideline 203
Remarks: Test conducted using environmentally representative water.
- Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (Daphnia magna)): > 100 mg/l
Exposure time: 48 h
Test substance: Polymer
Method: OECD Test Guideline 202
Remarks: Test conducted using environmentally representative water.
- Toxicity to algae : IC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test substance: Polymer
Method: OECD Test Guideline 201
Remarks: Test conducted using environmentally representative water.

Components:**ALIPHATIC HYDROCARBON:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: WAF
Method: OECD Test Guideline 203
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Water flea (Daphnia magna)): 1.4 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: WAF
Method: OECD Test Guideline 202
Remarks: Information given is based on data obtained from similar substances.
- Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

mg/l
 Exposure time: 72 h
 Test Type: static test
 Test substance: WAF
 Method: OECD Test Guideline 201
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL (Water flea (Daphnia magna)): 0.48 mg/l
 Exposure time: 21 d
 Test Type: semi-static test
 Test substance: WAF
 Method: OECD Test Guideline 211
 Remarks: Information given is based on data obtained from similar substances.

Persistence and degradability

Components:

ALIPHATIC HYDROCARBON:

Biodegradability : Result: Inherently biodegradable.
 Biodegradation: 58.6 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

POLYMER:

Biodegradability : Biodegradation: > 90 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301E
 Remarks: Information given is based on data obtained from similar substances.

Bioaccumulative potential

Components:

No data available

Mobility in soil

Components:

No data available

Other adverse effects

No data available

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praestol™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice

- : The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging

- : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praestol™ A 3040 LA FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
657363

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods	MARINE POLLUTANT:(ALCOHOL C- 12-C-16 POLY (1-6) ETHOXYLATE)
---------------------	---

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	yes
------------------	-----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praestol™ A 3040 LA FLOCCULANT
 ™ Trademark, Solenis or its subsidiaries or affiliates,
 registered in various countries
 657363

SARA 313 Component(s) SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL
- AUSTR : On the inventory, or in compliance with the inventory
- NZIOC : On the inventory, or in compliance with the inventory
- ENCS : Not in compliance with the inventory
- KECL : On the inventory, or in compliance with the inventory
- PHIL : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECL (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Registration: Trade Secret

Chemical name	Identification number
ALIPHATIC HYDROCARBON	254504001-5164
POLYMER	254504001-5817

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 03/09/2016

Full text of H-Statements referred to under sections 2 and 3.

SAFETY DATA SHEET

Revision Date: 03/09/2016

Print Date: 4/20/2016

SDS Number: 000000122656

Version: 1.4

Praesto™ A 3040 LA FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
657363

H227	Combustible liquid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.

Further information

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development


OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

	Page: 17
SAFETY DATA SHEET	Revision Date: 03/09/2016
	Print Date: 4/20/2016
	SDS Number: 000000122656
Praesto [™] A 3040 LA FLOCCULANT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 657363	Version: 1.4

STOT : Specific Target Organ Toxicity
TLV : Threshold Limit Value
TWA : Time-weighted average
vPvB : Very Persistent and Very Bioaccumulative
WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
DOT : Department of Transportation
FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
HMIRC : Hazardous Materials Information Review Commission
HMIS : Hazardous Materials Identification System
NFPA : National Fire Protection Association
NIOSH : National Institute for Occupational Safety and Health
OSHA : Occupational Safety and Health Administration
PMRA : Health Canada Pest Management Regulatory Agency
RTK : Right to Know
WHMIS : Workplace Hazardous Materials Information System