Valvoline	Page: 1
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Valvoline LLCRegulatory Information Number1-800-TEAMVAL3499 Blazer ParkwayTelephone1-800-TEAMVALLexington, KY 40509Emergency telephone number1-800-825-8654

Product name Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL

Product code 822382

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid, amber

CAUTION! PROLONGED OR REPEATED CONTACT MAY DRY THE SKIN AND CAUSE IRRITATION AND

BURNS.

Potential Health Effects

Exposure routes

Inhalation, Skin contact, Eye Contact, Ingestion

Eye contact

May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

Skin contact

May cause slight skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, skin burns, and other skin damage.

Ingestion

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

No data.

Symptoms

Page 1 / 10

Valvoline	Page: 2
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:, stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways)

Target Organs

No data.

Carcinogenicity

Used motor oil has been shown to cause skin cancer in laboratory animals continually exposed by repeated applications. Avoid prolonged or repeated skin contact. This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

There are no data available for assessing risk to the fetus from maternal exposure to this material.

3. COMPOSITION/INFORMATION ON INGREDIENTS

WHMIS hazardous composition: No ingredients are hazardous according to the CPR criteria.

4. FIRST AID MEASURES

General Information

No hazards which require special first aid measures.

Eyes

Remove contact lenses. Protect unharmed eye.

Skin

First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

Ingestion

Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Inhalation

If breathed in, move person into fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

Notes to physician

Hazards: No information available.

Treatment: No hazards which require special first aid measures.

Valvoline	Page: 3
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment., Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Hazardous combustion products

carbon dioxide and carbon monoxide, Hydrocarbons

Precautions for fire-fighting

Do not allow run-off from fire fighting to enter drains or water courses. In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Other information

Comply with all applicable federal, state, and local regulations.

7. HANDLING AND STORAGE

Handling

Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Normal measures for preventive fire protection.

Storage

Electrical installations / working materials must comply with the technological safety standards. No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Valvoline.	Page: 4
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

Exposure Guidelines

Contains no substances with occupational exposure limit values.

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

General industrial hygiene practice.

Exposure controls

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear as appropriate:

Safety shoes

Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection

No personal respiratory protective equipment normally required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid	
Colour	amber	
Odour	No data available	
Boiling point/boiling range	424.99 °F / 218.33 °C @ 1,013.33 hPa Calculated	
	Phase Transition Liquid/Gas	
pH	No data available	
Flash point	> 390 °F / > 199 °C Cleveland open cup	
Evaporation rate	No data available	
Lower explosion limit/Upper explosion limit	1 %(V) / 6 %(V) Calculated Explosive Limit	
Vapour pressure	1.333 hPa @ 68 °F / 20 °C Calculated Vapor Pressure	
Relative vapour density	(<)1 AIR=1	
Density	0.8890 g/cm3 @ 60.01 °F / 15.56 °C	
	7.39 lb/gal @ 60.1 °F / 15.6 °C	
Water solubility	negligible	
•		

Valvoline.	Page: 5
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

Solubility(ies)	No data available	No data available	
Auto-ignition temperature	No data available		
Viscosity, dynamic	No data available		
Viscosity, kinematic	No data available	No data available	
Decomposition temperature			
	No data available		

10. STABILITY AND REACTIVITY

Stability

No data.

Conditions to avoid

None known.

Incompatible products

Strong oxidizing agents

Hazardous decomposition products

carbon dioxide and carbon monoxide, Hydrocarbons

Hazardous reactions

Product will not undergo hazardous polymerization.

Thermal decomposition

No data available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of

exposure

: Inhalation Skin contact

Eye Contact Ingestion

Product

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Page 5 / 10

Valvoline	Page: 6
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

Skin corrosion/irritation : Result: Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye

irritation

Unlikely to cause eye irritation or injury.

Respiratory or skin sensitisation : No data available

Further information : No data available

Components:

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity **Product:**

No data available

Components:

No data available

Persistence and degradability

Product:

No data available

Components:

No data available

Bioaccumulative potential

Product:

Partition coefficient: n-

: No data available

octanol/water **Components:**

No data available

Mobility in soil

Valvoline	Page: 7
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

Product:

No data available

Components:

No data available

Other adverse effects

Product:

Additional ecological information : No data available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations. Empty remaining contents.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT /
					LTD. QTY.

U.S. DOT - ROAD

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_INWT_C

Valvoline	Page: 8
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

WHMIS Classification

Not Rated

WHMIS Ingredient Disclosure List IDL: No component is listed on the WHMIS ingredients disclosure list.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Canadian National Pollutant Release Inventory (NPRI)Canadian National Pollutant Release Inventory (NPRI): No component is listed on NPRI.

Notification status

US. Toxic Substances Control Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic	y (positive listing)
Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
Japan. ENCS - Existing and New Chemical Substances Inventory	y (positive listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)

Valvoline	Page: 9
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	y (positive listing)
China. Inventory of Existing Chemical Substances	y (positive listing)

	HMIS	NFPA
Health	1	1
Flammability	1	1
Physical hazards	0	
Instability		0
Specific Hazard	1	

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-825-8654).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement: Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit
P-Statement : Precautionary Statement
PBT : Persistent , Bioaccumulative and Toxic

Valvoline.	Page: 10
SAFETY DATA SHEET	Revision Date: 07/31/2016
	Print Date: 9/26/2016
	MSDS Number: R0169702
Valvoline™ NON-DETERGENT SAE 30 MOTOR OIL	Version: 1.13
822382	

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

DOT: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PMRA: Health Canada Pest Management Regulatory Agency

RTK: Right to Know

WHMIS: Workplace Hazardous Materials Information System