



SAFETY DATA SHEET

in accordance with 1907/2006/EC (REACH, as amended by 2015/830/EU) 29 CFR 1910.1200 and WHMIS 2015

Revision date: 10 July 2017

Initial date of issue: 6 July 2007

SDS No. 126-18

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

900 GoldEnd® Paste

1.2. Relevant identified uses of the substance or mixture and uses advised against

This is a nonhardening moldable dry Polytetrafluoroethylene (PTFE) thread sealant and lubricant.

1.3. Details of the supplier of the safety data sheet

Company:

A.W. CHESTERTON COMPANY
860 Salem Street
Groveland, MA 01834-1507, USA
Tel. +1 978-469-6446 Fax: +1 978-469-6785
(Mon. - Fri. 8:30 - 5:00 PM EST)
SDS requests: www.chesterton.com
E-mail (SDS questions): ProductMSDSs@chesterton.com
E-mail: customer.service@chesterton.com
Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive,
Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055
EU: Chesterton International GmbH, Am Lenzenfleck 23,
D85737 Ismaning, Germany – Tel. +49-89-996-5460

Supplier:

1.4. Emergency telephone number

24 hours per day, 7 days per week
Call Infotrac: 1-800-535-5053
Outside N. America: +1 352-323-3500 (collect)
NSW Poisons Information Centre (Australia): 13 11 26

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015 and GHS. However, a safety data sheet is being supplied for it on request as it contains at least one substance posing human health or environmental hazards.

2.1.2. Classification according to WHMIS 1988

Not controlled

2.1.3. Australian statement of hazardous nature

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.4. Additional information

For full text of H-statements: see SECTIONS 2.2 and 16.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms: None

Signal word: None

Hazard statements: None

Precautionary statements: None

Supplemental information: None

2.3. Other hazards

When heated to temperatures above 260°C (500°F), perfluorocarbon resins begin to give off vapors that may cause temporary flu-like symptoms if inhaled. Thermal decomposition leads to the formation of oxidized products containing carbon, fluorine and oxygen. The ACGIH states that no exposure limit is recommended pending determination of the toxicity of the products, but air concentration should be minimal. Likewise, when using this product avoid smoking for the same reason. Avoid contamination of tobacco products.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures**

Hazardous Ingredients ¹	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification
Methanol	0.1-0.3	67-56-1 200-659-6	NA	Flam. Liq. 2 Acute Tox. 3, H301/311/331 STOT SE 1, H370 Eye Irrit. 2A, H319
Other ingredients: Talc	20-30	14807-96-6 238-877-9	NA	Not classified*
Fatty acids, tallow, Me esters, chlorinated	10-15	68440-29-9 270-448-1	NA	Not classified
Titanium dioxide	5-10	13463-67-7 236-675-5	NA	Not classified*
White mineral oil (petroleum)	5-10	8042-47-5 232-455-8	NA	Not classified*

For full text of H-statements: see SECTION 16. *Substance with a workplace exposure limit.

¹ Classified according to: * 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L.O. 111F), California Proposition 65
* 1272/2008/EC, GHS, REACH
* WHMIS 2015
* Safe Work Australia

SECTION 4: FIRST AID MEASURES**4.1. Description of first aid measures**

Inhalation: Not applicable

Skin contact: Wash skin with soap and water. Contact physician if irritation persists.

Eye contact: Flush eyes for at least 15 minutes with large amounts of water. Contact physician if irritation persists.

Ingestion: Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Prolonged or repeated skin contact may cause mild skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing media**

Suitable extinguishing media: Carbon dioxide, dry chemical, foam, water fog

Unsuitable extinguishing media: Water jets

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can form Hydrogen Chloride and other toxic fumes.

5.3. Advice for firefighters

Recommend Firefighters wear self-contained breathing apparatus to protect against hazardous decomposition products.

Flammability Classification: –

HAZCHEM Emergency Action Code: 2 Z

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

6.3. Methods and material for containment and cleaning up

Scoop up and transfer to a suitable container for disposal.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Due to toxic decomposition, avoid smoking when handling PTFE products. Wash hands to avoid transfer to tobacco products.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limit values**

Ingredients	OSHA PEL ¹		ACGIH TLV ²		UK WEL ³		AUSTRALIA ES ⁴	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Methanol	200	260	200	–	200	266	200	262
			STEL: 250		STEL: 250	333	STEL: 250	328
Talc (non-asbestiform)	20 mppcf	2	(resp)	2	(resp)	1	(resp)	2.5
Fatty acids, tallow, Me esters, chlorinated	–	–	–	–	–	–	–	–
Titanium dioxide	(total) (resp)	15 5	–	10	(total) (resp)	10 4	–	10
White mineral oil (petroleum)	(oil mist)	5	(oil mist)	5	–	–	–	–

¹ United States Occupational Health & Safety Administration permissible exposure limits

² American Conference of Governmental Industrial Hygienists threshold limit values

³ EH40 Workplace exposure limits, Health & Safety Executive

⁴ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003]

Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:

Not available

Workers**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:**

Not available

8.2. Exposure controls**8.2.1. Engineering measures**

No special requirements. If using under extreme heat, use local exhaust.

8.2.2. Individual protection measures

Respiratory protection: Not normally needed.

Protective gloves: Chemical resistant gloves (e.g., neoprene)

Eye and face protection: Safety glasses

Other: None

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state	paste	Odour	slight petroleum odor
Colour	white	Odour threshold	not determined
Initial boiling point	not applicable	Vapour pressure @ 20°C	not determined
Melting point	not applicable	% Aromatics by weight	not determined
% Volatile (by volume)	negligible	pH	not applicable
Flash point	not determined	Relative density	1.387 kg/l
Method	–	Weight per volume	11.57 lbs/gal.
Viscosity	not determined	Coefficient (water/oil)	< 1
Autoignition temperature	not determined	Vapour density (air=1)	> 1
Decomposition temperature	not determined	Rate of evaporation (ether=1)	< 1
Upper/lower flammability or explosive limits	not determined	Solubility in water	insoluble
Flammability (solid, gas)	not determined	Oxidising properties	not determined
Explosive properties	not determined		

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Extreme heat above 260°C (500°F).

10.5. Incompatible materials

Strong oxidizers like liquid Chlorine and concentrated Oxygen.

10.6. Hazardous decomposition products

Hydrogen Chloride and other toxic fumes and at temperatures above 260°C (500°F) perfluorocarbon resin fumes.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Primary route of exposure under normal use:** Skin and eye contact.**Acute toxicity -****Oral:**

Substance	Test	Result
Methanol	LD50, rat	5628 mg/kg
Methanol	Human lethal dose	143 mg/kg

Dermal:

Substance	Test	Result
Methanol	LDLo, monkey	393 mg/kg

Inhalation:

Not expected to cause toxicity.

Substance	Test	Result
Methanol	LCLo, monkey	1.3 mg/l

Skin corrosion/irritation: Prolonged or repeated skin contact may cause mild skin irritation.**Serious eye damage/irritation:** May cause mild eye irritation.**Respiratory or skin sensitisation:** Not expected to cause sensitization.**Germ cell mutagenicity:** No information available

Carcinogenicity:	The International Agency for Research on Cancer (IARC) has designated inhaled titanium dioxide as possibly carcinogenic to humans (group 2B). The titanium dioxide in this product does not separate from the mixture or in of itself become air-borne, therefore it does not present a hazard in normal use.
Reproductive toxicity:	Not expected to be a reproductive toxicant.
STOT-single exposure:	Methanol: causes damage to organs.
STOT-repeated exposure:	Repeated or prolonged inhalation of Talc dust may cause chronic cough, shortness of breath, scarring of the lungs (pulmonary fibrosis) and mild symptomatic pneumoconiosis. The Talc in this product is not in powder form and should not present a hazard in normal use.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Other information:	None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

No information available

12.2. Persistence and degradability

Talc, Titanium dioxide: inorganic substances. Fatty acids, tallow, Me esters, chlorinated, White mineral oil (petroleum): inherently biodegradable, not readily biodegradable. Methanol: expected to be readily biodegradable.

12.3. Bioaccumulative potential

Methanol: low potential for bioaccumulation (BCF < 100).

12.4. Mobility in soil

Paste. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Landfill sealed containers with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement. Unused product is not classified as a hazardous waste according to 2008/98/EC.

SECTION 14: TRANSPORT INFORMATION**14.1. UN number**

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE

TDG: NOT APPLICABLE

US DOT: NOT APPLICABLE

14.2. UN proper shipping name

ADR/RID/ADN/IMDG/ICAO: NON-HAZARDOUS, NON REGULATED

TDG: NON-HAZARDOUS, NON REGULATED

US DOT: NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE

TDG: NOT APPLICABLE

US DOT: NOT APPLICABLE

14.4. Packing group

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE

TDG: NOT APPLICABLE

US DOT: NOT APPLICABLE

14.5. Environmental hazards

NOT APPLICABLE

14.6. Special precautions for user

NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT APPLICABLE

14.8. Other information

NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU regulations****Authorisations under Title VII:** Not applicable**Restrictions under Title VIII:** None**Other EU regulations:** None**15.1.2. National regulations****US EPA SARA TITLE III****312 Hazards:**

None

313 Chemicals:

None

Other national regulations: None**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE: Acute Toxicity Estimate
 BCF: Bioconcentration Factor
 cATpE: Converted Acute Toxicity point Estimate
 CLP: Classification Labelling Packaging Regulation (1272/2008/EC)
 ES: Exposure Standard
 GHS: Globally Harmonized System
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 LC50: Lethal Concentration to 50 % of a test population
 LD50: Lethal Dose to 50% of a test population
 LOEL: Lowest Observed Effect Level
 N/A: Not Applicable
 NA: Not Available
 NOEC: No Observed Effect Concentration
 NOEL: No Observed Effect Level
 OECD: Organization for Economic Co-operation and Development
 PBT: Persistent, Bioaccumulative and Toxic substance
 (Q)SAR: Quantitative Structure-Activity Relationship
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)
 REL: Recommended Exposure Limit
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS: Safety Data Sheet
 STEL: Short Term Exposure Limit
 STOT RE: Specific Target Organ Toxicity, Repeated Exposure
 STOT SE: Specific Target Organ Toxicity, Single Exposure
 TDG: Transportation of Dangerous Goods (Canada)
 TWA: Time Weighted Average
 US DOT: United States Department of Transportation
 vPvB: very Persistent and very Bioaccumulative substance
 WEL: Workplace Exposure Limit
 WHMIS: Workplace Hazardous Materials Information System
 Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references and sources for data: Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)
 Chemical Classification and Information Database (CCID)
 European Chemicals Agency (ECHA) - Information on Chemicals
 Hazardous Chemical Information System (HCIS)
 National Institute of Technology and Evaluation (NITE)
 Swedish Chemicals Agency (KEMI)
 U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

Classification	Classification procedure
Not applicable	Not applicable

Relevant H-statements: H225: Highly flammable liquid and vapour.
H301/311/331: Toxic if swallowed, in contact with skin or if inhaled.
H319: Causes serious eye irritation.
H370: Causes damage to organs.

Hazard pictogram names: None

Changes to the SDS in this revision: Complete change to represent new formulation.

Date of last revision: 10 July 2017

Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.