

# **SAFETY DATA SHEET**

## 1. Identification

1. Identification			
Product identifier	Leather and Plastic Cleaner		
Other means of identification			
Product Code	1001		
Recommended use	Hard Surface Cleaner		
<b>Recommended restrictions</b>	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	Malco Products, Inc.		
Address	361 Fairview Ave		
	Barberton, OH 44203 United States		
Telephone	Phone	800-253-252	6
relephone	Fax	330-753-202	
Website	www.malcopro.com		-
E-mail	msdsinfo@malcopro.com		
Contact person	Technical Department		
Emergency phone number	Phone	1-800-424-93	300
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 4
	Skin corrosion/irritation		Category 1A
	Specific target organ toxicity, si	ngle exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
	$\wedge$ $\wedge$		
Signal word	Danger		
Hazard statement	Harmful if swallowed. Causes s irritation.	evere skin bur	ns and eye damage. May cause respiratory
Precautionary statement			
Prevention		tdoors or in a w	y after handling. Do not eat, drink or smoke when vell-ventilated area. Wear protective protection.
Response	contaminated clothing. Rinse si keep comfortable for breathing.	kin with water/s . If in eyes: Rins ent and easy to	omiting. If on skin (or hair): Take off immediately all shower. If inhaled: Remove person to fresh air and se cautiously with water for several minutes. o do. Continue rinsing. Immediately call a poison ofore reuse.
Storago	Store in a well ventilated place	Koon containe	ar tightly closed. Store locked up

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Storage Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise None known. classified (HNOC) None.

Supplemental information

# 3. Composition/information on ingredients

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
Dodecyldimethylamine Oxide		1643-20-5	< 1
Sodium Hydroxide		1310-73-2	< 1
Tetrasodium Ethylenediaminetetraacetate		64-02-8	< 1
Other components below reportal	ble levels		90 - 100

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage Precautions for safe handling

Provide adequate ventilation. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

Components	Туре	Value
Sodium Hydroxide (CAS 1310-73-2)	PEL	2 mg/m3
US. ACGIH Threshold Limi	t Values	
Components	Туре	Value
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
US. NIOSH: Pocket Guide f	to Chemical Hazards	
Components	Туре	Value
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
iological limit values	No biological exposure limits noted for	or the ingredient(s).
ppropriate engineering ontrols	should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ	air changes per hour) should be used. Ventilation rates pplicable, use process enclosures, local exhaust ventilatior tain airborne levels below recommended exposure limits. If ished, maintain airborne levels to an acceptable level. Eye er must be available when handling this product.
dividual protection measures	s, such as personal protective equipm	ent
Evelfeese wystestien	Wear safety alasses with side shields	
Eye/face protection	recommended.	s (or goggles) and a face shield. Face shield is
Skin protection		s (or goggles) and a face shield. Face shield is
	recommended.	s (or goggles) and a face shield. Face shield is gloves. Suitable gloves can be recommended by the glove
Skin protection	recommended. Wear appropriate chemical resistant supplier.	
Skin protection Hand protection	recommended. Wear appropriate chemical resistant supplier. Wear appropriate chemical resistant	gloves. Suitable gloves can be recommended by the glove
Skin protection Hand protection Other	recommended. Wear appropriate chemical resistant supplier. Wear appropriate chemical resistant In case of insufficient ventilation, wea	gloves. Suitable gloves can be recommended by the glove clothing. Use of an impervious apron is recommended. ar suitable respiratory equipment. Chemical respirator with

## 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid. Watery liquid.
Color	Translucent Light yellow to dark yellow.
Odor	Not significant.
Odor threshold	Not available.
рН	13
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	none.
Evaporation rate	Not available.

Material name: Leather and Plastic Cleaner

1001 Version #: 01 Issue date: 11-21-2016

Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	5 cP
Viscosity temperature	68 °F (20 °C)
Other information	
Density	8.49 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1.02
VOC (Weight %)	0 by weight

# 10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Information on toxicological effe	ects

Acute toxicity		In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed. May cause respiratory irritation.	
Components	Species	Test Results	
Tetrasodium Ethylenediar	ninetetraacetate (CAS 64-02-8)		
Acute			
Oral			
LD50	Rat	> 2000 mg/kg	

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Causes seve	ere skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serie	ous eye damage.	
Respiratory or skin sensitizatio	n		
<b>Respiratory sensitization</b>	Not a respira	atory sensitizer.	
Skin sensitization	This product	t is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data ava mutagenic o	ilable to indicate product or any components r genotoxic.	present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall	Evaluation of	Carcinogenicity	
Not available.			
OSHA Specifically Regulate	ed Substances	s (29 CFR 1910.1001-1050)	
Not listed.		Panant an Carolina gana	
US. National Toxicology Pro Not available.	ogram (NTP) F	Report on Carcinogens	
Reproductive toxicity	This product	is not expected to cause reproductive or de	velonmental effects
Specific target organ toxicity -		espiratory irritation.	
single exposure	-		
Specific target organ toxicity - repeated exposure	Not classifie	d.	
Aspiration hazard	Not an aspir	ation hazard.	
Chronic effects	Prolonged in	halation may be harmful.	
12. Ecological information	า		
Ecotoxicity		is not classified as environmentally hazardo	
-		at large or frequent spills can have a harmfu	l or damaging effect on the environment.
Components	possibility th		
Components Sodium Hydroxide (CAS 131	possibility th	at large or frequent spills can have a harmfu	l or damaging effect on the environment.
Components Sodium Hydroxide (CAS 131 Aquatic	possibility th 0-73-2)	at large or frequent spills can have a harmfu <b>Species</b>	l or damaging effect on the environment. <b>Test Results</b>
Components Sodium Hydroxide (CAS 131 Aquatic Fish	possibility th 0-73-2) LC50	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis)	l or damaging effect on the environment. <b>Test Results</b>
Components Sodium Hydroxide (CAS 131 Aquatic	possibility th 0-73-2) LC50	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis)	l or damaging effect on the environment. <b>Test Results</b>
Components Sodium Hydroxide (CAS 131 Aquatic Fish Tetrasodium Ethylenediamine	possibility th 0-73-2) LC50	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis)	l or damaging effect on the environment. <b>Test Results</b>
Components Sodium Hydroxide (CAS 1310 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish	possibility th 0-73-2) LC50 etetraacetate (C LC50	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus)	l or damaging effect on the environment. <b>Test Results</b> 125 mg/l, 96 hours
Components Sodium Hydroxide (CAS 131 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b	possibility th D-73-2) LC50 etetraacetate (C LC50 pe based on ad	at large or frequent spills can have a harmfu Species Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown.	l or damaging effect on the environment. <b>Test Results</b> 125 mg/l, 96 hours
Components Sodium Hydroxide (CAS 131 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b Persistence and degradability	possibility th D-73-2) LC50 etetraacetate (C LC50 pe based on ad	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product.	l or damaging effect on the environment. <b>Test Results</b> 125 mg/l, 96 hours
Components Sodium Hydroxide (CAS 131 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b	possibility th 0-73-2) LC50 etetraacetate (C LC50 be based on ad No data is a	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product. ilable.	l or damaging effect on the environment. <b>Test Results</b> 125 mg/l, 96 hours
Components Sodium Hydroxide (CAS 131 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential	possibility th D-73-2) LC50 etetraacetate (C LC50 be based on ad No data is a No data ava No data ava No data ava	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product. ilable.	I or damaging effect on the environment. <b>Test Results</b> 125 mg/l, 96 hours 472 - 500 mg/l, 96 hours etion, photochemical ozone creation
Components Sodium Hydroxide (CAS 1314 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects	possibility th D-73-2) LC50 etetraacetate (C LC50 be based on ad No data is a No data ava No data ava No data ava No data ava	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product. ilable. verse environmental effects (e.g. ozone depl	I or damaging effect on the environment. <b>Test Results</b> 125 mg/l, 96 hours 472 - 500 mg/l, 96 hours etion, photochemical ozone creation
Components Sodium Hydroxide (CAS 1314 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects	possibility th 0-73-2) LC50 etetraacetate (C LC50 be based on ad No data is a No data ava No data ava No data ava No other adv potential, en	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product. ilable. ilable. verse environmental effects (e.g. ozone depl docrine disruption, global warming potential)	I or damaging effect on the environment. <b>Test Results</b> 125 mg/l, 96 hours 472 - 500 mg/l, 96 hours etion, photochemical ozone creation are expected from this component.
Components Sodium Hydroxide (CAS 1314 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects	possibility th D-73-2) LC50 etetraacetate (C LC50 be based on ad No data is a No data ava No data ava No data ava No data ava No other adv potential, en <b>ns</b> Collect and r	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product. ilable. verse environmental effects (e.g. ozone depl docrine disruption, global warming potential) reclaim or dispose in sealed containers at lice thainer in accordance with local/regional/nation	I or damaging effect on the environment. <b>Test Results</b> 125 mg/l, 96 hours 472 - 500 mg/l, 96 hours etion, photochemical ozone creation are expected from this component. ensed waste disposal site. Dispose of
Components Sodium Hydroxide (CAS 1314 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects	possibility th D-73-2) LC50 etetraacetate (C LC50 be based on ad No data is a No data ava No data ava No data ava No other adv potential, en <b>ns</b> Collect and i contents/cor Dispose in a	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product. ilable. ilable. verse environmental effects (e.g. ozone depl docrine disruption, global warming potential) reclaim or dispose in sealed containers at lice ntainer in accordance with local/regional/national recordance with all applicable regulations.	I or damaging effect on the environment. Test Results 125 mg/l, 96 hours 472 - 500 mg/l, 96 hours etion, photochemical ozone creation are expected from this component. ensed waste disposal site. Dispose of onal/international regulations.
Components Sodium Hydroxide (CAS 1314 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects 13. Disposal consideratio Disposal instructions	possibility th D-73-2) LC50 etetraacetate (C LC50 be based on ad No data is a No data ava No data ava No data ava No other adv potential, en <b>ns</b> Collect and i contents/cor Dispose in a	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product. ilable. verse environmental effects (e.g. ozone depl docrine disruption, global warming potential) reclaim or dispose in sealed containers at lic ntainer in accordance with local/regional/nation incode should be assigned in discussion betwe	I or damaging effect on the environment. Test Results 125 mg/l, 96 hours 472 - 500 mg/l, 96 hours etion, photochemical ozone creation are expected from this component. ensed waste disposal site. Dispose of onal/international regulations.
Components Sodium Hydroxide (CAS 1314 Aquatic Fish Tetrasodium Ethylenediamine Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects 13. Disposal consideratio Disposal instructions Local disposal regulations	possibility th D-73-2) LC50 etetraacetate (C LC50 be based on ad No data is at No data ava No data con potential, en <b>ns</b> Collect and r contents/cor Dispose in a The waste c disposal con Dispose of ir product resid Disposal inst	at large or frequent spills can have a harmfu <b>Species</b> Western mosquitofish (Gambusia affinis) CAS 64-02-8) Bluegill (Lepomis macrochirus) ditional component data not shown. vailable on the degradability of this product. ilable. ilable. verse environmental effects (e.g. ozone depl docrine disruption, global warming potential) reclaim or dispose in sealed containers at lic ntainer in accordance with local/regional/nation accordance with all applicable regulations. ode should be assigned in discussion between npany. n accordance with local regulations. Empty constant of the second dues. This material and its container must be	I or damaging effect on the environment. Test Results 125 mg/l, 96 hours 472 - 500 mg/l, 96 hours etion, photochemical ozone creation are expected from this component. ensed waste disposal site. Dispose of onal/international regulations. en the user, the producer and the waste ontainers or liners may retain some e disposed of in a safe manner (see:

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

#### **US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Listed.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium Hydroxide (CAS 1310-73-2)

SARA 304 Emergency release notification

Not regulated.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

# SARA 311/312 Hazardous No chemical

# SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

## (SDWA)

## US state regulations

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Sodium Hydroxide (CAS 1310-73-2)

US. Massachusetts RTK - Substance List

Sodium Hydroxide (CAS 1310-73-2)

US. New Jersey Worker and Community Right-to-Know Act

Sodium Hydroxide (CAS 1310-73-2)

- US. Pennsylvania Worker and Community Right-to-Know Law
- Sodium Hydroxide (CAS 1310-73-2) US. Rhode Island RTK

Sodium Hydroxide (CAS 1310-73-2)

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date Version #	11-21-2016	
version #		
Disclaimer	01 The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release an not to be considered a warranty or quality specification. The information relates only to the sp material designated and may not be valid for such material used in combination with any othe materials or in any process, unless specified in the text. Malco Automotive cannot anticipate conditions under which this information and its product, or the products of other manufacture combination with its product, may be used. It is the user's responsibility to ensure safe condi for handling, storage and disposal of the product, and to assume liability for loss, injury, dama expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.	